

TECHNICAL DATA SHEET

HO954 TREKKER ANTHRACITE FLUTED USAGE: COMMERCIAL AND RESIDENTIAL APPLICATIONS

(See Havwoods Quick Reference Guide to choosing the correct floor).



TREKKER ANTHRACITE FLUTED

PRODUCT DETAILS				
Product Reference	HO954			
Width x Thickness	138 x 22mm			
Board Type	Fluted Wood/Resin Composite			
Pattern	1-Strip Plank			
Length	3.2m			
Compositon	Wood Flour/Polymer			
Maintenance	Comprehensive cleaning and maintenance instructions ar materials are available from Havwoods Ltd. for all floors.			

INSTALLATION METHODS

Fully Bonded	No				
Fixing	Clips and screws are included (please ask a member of staff for details)				
Floated on underlay	No				
Over Under Floor Heating	No				
Origin:	Europe				

TECHNICAL CRITERIA					
Characteristics	Requirements - EN 15534-4	Result			
Humidity	Declaration	1.00%			
Cupping	Declaration	0.05mm			
Density	Declaration	1455 Kg/m ³			
Slip Resistance	≥ 36	60 PTV (Dry) 46 PTV (Wet)			
Impact Resistance	≤ 0.5mm	Max 0.10mm			
Flexural Properties	F ¹ Max 3300N (Mean) F ¹ Max 3000N (Individual) Deflection under load (mean) Deflection under load (individual)	5092N 4590N 0.4mm 0.5mm			
Swelling and Water Absorption	Absorption (Mean) ≤ 4% (thickness) ≤ 0.8% (width) ≤ 0.4% (length)	3.20% 0.30% 0.20%			
	Absorption (Individual) ≤ 4% (thickness) ≤ 1.2% (width) ≤ 0.6& (length) Mean Absorption - 7% Individual Maximum - 7%	4.20% 0.30% 0.30% 3.30% 3.60%			
Boiling Test	≤ 7% (mean)	2.90%			
Composition	Declaration	40%/60% Wood 40%/60% Polym 10% Others			
Vicat	Declaration	85.2°C			
HDT	Declaration	74°C			
Coef. Thermal expansion	≤ 50 x 10-6K	2.79 x 10-5mm/mm°C			
Resistance to artificial weathering	Declaration	ΔL * 5			
Mark	Declaration	EN15534-4 PVC	W 50 UC3		

^{*} Subject to compatible subfloor and correct installation (see Installation Guidelines) including sensors.

INSTALLATION AND WARRANTY

All Havwoods floors must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Havwoods warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standard worldwide.





