

TREKKER

LUXURY DECKING & CLADDING



Spring
2024

Edition 24A

TREKKER

LUXURY DECKING & CLADDING

Create an outdoor space that works for you all year round with Trekker.

With Spring on the horizon, it's time for the latest edition of our Trekker product brochure.

The last 12 months we've been through a lot of change focused on the expansion and growth of Trekker and our product range.

We've taken the time to refine and develop the range of products we sell, bringing you new colours, finishes and products ensuring we have everything you need for your next outdoor project.


With two brand-new showrooms in Preston and Guildford, our team can't wait to show you around to see our complete range of luxury composite decking and cladding.



Enjoy the outdoors
all year round



Why Choose Trekker?




Sample Ordering



Compare The Ranges



Endura Decking




Natura Decking



Decking Information




Trekker Cladding



How To Buy

Follow us on Instagram



Inspiration, case studies and new product showcases.

Scan the QR code to find our profile @trekkerdecking

Why Choose Trekker?



Built for life

For an outdoor decking or cladding solution that will stand the test of time, look no further! Trekker luxury decking and cladding products are made up of recycled wood fibres and polymers creating a more durable outdoor solution.

Unlike timber, Trekker products are not susceptible to rotting or warping and do not host the growth of algae, giving you long-term durability, without the heavy maintenance.

Stunning Design

With a range of styles, finishes and colours, you're sure to find the perfect product to modernise your outdoor space - giving it a new lease of life for you to enjoy for years to come.

Looking for something particular? Ask us about our bespoke decking colour options.



All products have a 10 year warranty for residential and commercial applications.



Here to help

Get the right product for you and the information you need to go with it. Our consultants and installation experts are on hand to help you from choosing the right product to working with the installer.

We offer full training for installers and designers to get a full understanding of our products and best practice when installing.



Environmentally responsible

Choose a more durable solution than timber without compromising on sustainability.


Our products are an environmentally friendly alternative to other materials and manufactured to be high quality with a solid construction.

Trekker products are made in our European factory by our trusted experts.

Our products are FSC certified and are made entirely from recycled wood and plastic material and the boards are fully recyclable.



Samples



Free samples
Order online with next day delivery (see p36)

We know the importance of choosing the right decking or cladding which is why we offer a free sample service.

With a unique composition and finish, our products are sure to stand out from the competition. Want to see for yourself? Order one of our sample packs today and see the quality for yourself.

Compare Our Ranges

Endura



Endura Woodgrain finish



Endura Grooved finish



Endura Woodgrain finish

Available in two finishes | More pronounced woodgrain effect | Square Edge profile

Our Endura range is our most durable composite decking solution yet. With a Nanotech Shield wrap made from a modified polymer, you get the look of wood but with great durability and longevity.

The composition of this product gives it high resistance to stains (particularly fats) and scratch resistance making it the perfect solution for outdoor cooking areas, beer gardens and commercial areas with high traffic.


Hotter climates are no match for Trekker Endura decking - extreme tolerance to UV light means you don't need to worry about it fading.

Endura Range Pages 10-13


Natura



Natura Woodgrain finish



Natura Grooved finish



Natura Fluted finish

Available in three finishes | Large choice of colours | Safeguard & Square Edge profile

If you're looking to achieve a natural, raw looking finish to your outdoor space, our Natura range of decking is the perfect solution. Enjoy the look and feel of a natural timber product but the durability of a composite.

With the look of real wood but without the heavy maintenance required of a timber deck and with no risk of rotting or warping, Trekker Natura can be simply enjoyed all year round.

Our range of styles and colours perfectly compliment the natural elements of nature and the outdoors.

Natura Range Pages 16-23

Endura

Woodgrain

24x150x3200mm
5 colours

Our Endura range brings you our most pronounced and realistic woodgrain yet! Manufactured with a nanotech shield and reinforced with titanium, these products are highly resistant to stains, splinter free and have high UV resistance.

Square Edge profile

Planks fit together with a small gap between each, using HO561 decking clips.



*Safeguard Profile available on request

GLACIER WOODGRAIN



HO1008
Composite Decking;
Woodgrain; Plank; Clip
Fixing; 25 clips per sq.m;
Square Edge

Thickness 24mm
Width 150mm
Length 3200mm

CHARCOAL WOODGRAIN



HO1016
Composite Decking;
Woodgrain; Plank; Clip
Fixing; 25 clips per sq.m;
Square Edge

Thickness 24mm
Width 150mm
Length 3200mm


HAZEL WOODGRAIN



HO1002
Composite Decking;
Woodgrain; Plank; Clip
Fixing; 25 clips per sq.m;
Square Edge

Thickness 24mm
Width 150mm
Length 3200mm

STORM WOODGRAIN



HO1006
Composite Decking;
Woodgrain; Plank; Clip
Fixing; 25 clips per sq.m;
Square Edge

Thickness 24mm
Width 150mm
Length 3200mm

WALNUT WOODGRAIN



HO1004
Composite Decking;
Woodgrain; Plank; Clip
Fixing; 25 clips per sq.m;
Square Edge

Thickness 24mm
Width 150mm
Length 3200mm



Matching nosing

GLACIER WOODGRAIN NOSING



HO438
Thickness 24mm
Width 150mm
Length 2300mm

STORM WOODGRAIN NOSING



HO430
Thickness 24mm
Width 150mm
Length 2300mm

WALNUT WOODGRAIN NOSING



HO434
Thickness 24mm
Width 150mm
Length 2300mm

CHARCOAL WOODGRAIN NOSING



HO436
Thickness 24mm
Width 150mm
Length 2300mm

HAZEL WOODGRAIN NOSING



HO432
Thickness 24mm
Width 150mm
Length 2300mm

New & Improved
with a deeper
woodgrain
design

Endura

Grooved

24x150x3200mm
5 colours

With all the durable qualities of the Endura range, Endura Grooved has a classic grooved finish and is available in 5 stylish colours to truly add the wow factor to your outdoor space.

Square Edge profile

Planks fit together with a small gap between each, using HO561 decking clips.




GLACIER GROOVED



HO1100
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm
Width 150mm
Length 3200mm

STORM GROOVED



HO1103
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm
Width 150mm
Length 3200mm

CHARCOAL GROOVED



HO1101
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm
Width 150mm
Length 3200mm

WALNUT GROOVED



HO1104
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm
Width 150mm
Length 3200mm

HAZEL GROOVED



HO1102
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 24mm
Width 150mm
Length 3200mm



ENDURA Grooved Glacier

Matching nosing

GLACIER WOODGRAIN NOSING



HO440
Thickness 24mm
Width 150mm
Length 2300mm

STORM WOODGRAIN NOSING



HO443
Thickness 24mm
Width 150mm
Length 2300mm

CHARCOAL WOODGRAIN NOSING



HO441
Thickness 24mm
Width 150mm
Length 2300mm

WALNUT WOODGRAIN NOSING



HO444
Thickness 24mm
Width 150mm
Length 2300mm

HAZEL WOODGRAIN NOSING




HO442
Thickness 24mm
Width 150mm
Length 2300mm

INSPIRATIONAL SPACES

Cricket Club

A renowned sporting hub in Devon



Project: Budleigh Salterton Cricket Club

Location: Devon

This two-story development allows for sports and changing facilities on the ground floor and a large entertaining and social space on the first floor. The stunning raised balcony gives a 180° panoramic view across the two cricket pitches with views all the way out to sea – the perfect place to enjoy a summer afternoon.

For this project, the client was looking for a low maintenance, highly durable decking solution that could withstand the high foot traffic – this is where Trekker comes in.

The installation of Trekker Composite Decking brought a transformative change to the Budleigh Salterton Cricket Club pavilion. The **Natura Grooved boards in Vulcan** added a touch of sophistication to the structure whilst ensuring resistance against the elements.

Find this product on Page 20

Natura


Woodgrain

22x143x3200mm
3 colours


Contemporary Woodgrain look and feel but with the advantage of not rotting or warping like solid timber. Safeguard profile prevents small items from falling between the boards and pairs nicely with our Woodgrain composite cladding range.

Safeguard profile

Planks fit together with no-fall gap between each, using HO561 decking clips.



VULCAN WOODGRAIN



HO904
Composite Decking;
Woodgrain; Plank; Clip
Fixing; Square Edge; 25
Clips per sq.m; Supplied
FOC
Thickness 22mm
Width 143mm
Length 3200mm

ANTHRACITE WOODGRAIN



HO902
Composite Decking;
Woodgrain; Plank; Clip
Fixing; Square Edge; 25
Clips per sq.m; Supplied
FOC
Thickness 22mm
Width 143mm
Length 3200mm

MOCHA WOODGRAIN



HO900
Composite Decking;
Woodgrain; Plank; Clip
Fixing; Square Edge; 25
Clips per sq.m; Supplied
FOC
Thickness 22mm
Width 143mm
Length 3200mm




Matching fascia

VULCAN FASCIA




HO960
Composite Fascia; Can
be installed either way
Thickness 11mm
Width 100mm
Length 1500mm

ANTHRACITE FASCIA



HO966
Composite Fascia; Can
be installed either way
Thickness 11mm
Width 100mm
Length 1500mm

MOCHA FASCIA



HO964
Composite Fascia; Can
be installed either way
Thickness 11mm
Width 100mm
Length 1500mm

Matching nosing

VULCAN WOODGRAIN NOSING



HO984
Can be installed either
way
Thickness 22mm
Width 133mm/64mm
Length 2300mm

ANTHRACITE WOODGRAIN NOSING



HO982
Can be installed either
way
Thickness 22mm
Width 133mm/64mm
Length 2300mm

MOCHA WOODGRAIN NOSING



HO980
Can be installed either
way
Thickness 22mm
Width 133mm/64mm
Length 2300mm

Natura

Narrow Grooved

20x120x2300mm
3 colours

A narrower and more cost-effective version of the classic grooved board. For residential projects on a budget, the narrow width grooved boards are available in three very earthy tones that help create a contemporary feel.

Square Edge profile

Planks fit together with a small gap between each, using HO561 decking clips.



VULCAN GROOVED



HO994
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm
Width 120mm
Length 2300mm

MOCHA GROOVED



HO990
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm
Width 120mm
Length 2300mm

BRONZE GROOVED



HO997
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm
Width 120mm
Length 2300mm



Matching fascia


VULCAN FASCIA



HO960
Composite Fascia; Can be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

MOCHA FASCIA



HO964
Composite Fascia; Can be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

BRONZE FASCIA



HO969
Composite Fascia; Can be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

Matching nosing

VULCAN GROOVED NOSING



HO988
Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

MOCHA GROOVED NOSING



HO987
Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

BRONZE GROOVED NOSING



HO989
Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

Natura

Standard Grooved

22x143x3200mm
3 colours

A standard width grooved board with a safeguard profile, available in two popular colours that nicely complement the natural elements of nature and the outdoors. Although already slip resistant, the grooves provide an extra element of grip.

Safeguard profile

Planks fit together with no-fall gap between each, using HO561 decking clips.



VULCAN GROOVED



HO924
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm
Width 143mm
Length 3200mm


EARTH GROOVED



HO926
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC

Thickness 22mm
Width 143mm
Length 3200mm

MOCHA GROOVED



HO925
Composite Decking; Grooved; Plank; Clip Fixing; Square Edge; 25 Clips per sq.m; Supplied FOC


Thickness 22mm
Width 143mm
Length 3200mm



NATURA Standard Grooved Vulcan

Matching fascia

VULCAN FASCIA



HO960
Composite Fascia; Can be installed either way

Thickness 11mm
Width 100mm
Length 1500mm


EARTH FASCIA



HO962
Composite Fascia; Can be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

MOCHA FASCIA



HO964
Composite Fascia; Can be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

Matching nosing

VULCAN GROOVED NOSING



HO988
Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

EARTH GROOVED NOSING



HO986
Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

MOCHA GROOVED NOSING



HO987
Can be installed either way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

Natura

Fluted

22x143x3200mm
3 colours

For a thicker grooved aesthetic, the channel composite decking boards come in a range of popular colours. The channelled style board is a sophisticated take on the classic grooved board and is great for both residential and commercial projects.



Safeguard profile

Planks fit together with no-fall gap between each, using HO561 decking clips.



VULCAN FLUTED



HO914
Composite Decking;
Fluted; Plank; Clip Fixing;
Square Edge; 25 Clips
per sq.m; Supplied FOC

Thickness 22mm
Width 143mm
Length 3200mm

ANTHRACITE FLUTED



HO912
Composite Decking;
Fluted; Plank; Clip Fixing;
Square Edge; 25 Clips
per sq.m; Supplied FOC

Thickness 22mm
Width 143mm
Length 3200mm

MOCHA FLUTED




HO910
Composite Decking;
Fluted; Plank; Clip Fixing;
Square Edge; 25 Clips
per sq.m; Supplied FOC

Thickness 22mm
Width 143mm
Length 3200mm

Matching fascia


VULCAN FASCIA



HO960
Composite Fascia; Can
be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

ANTHRACITE FASCIA



HO966
Composite Fascia; Can
be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

MOCHA FASCIA



HO964
Composite Fascia; Can
be installed either way

Thickness 11mm
Width 100mm
Length 1500mm

Matching nosing

VULCAN FLUTED NOSING



HO974
Can be installed either
way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

ANTHRACITE FLUTED NOSING



HO972
Can be installed either
way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

MOCHA FLUTED NOSING



HO970
Can be installed either
way

Thickness 22mm
Width 133mm/64mm
Length 2300mm

More Colours?

Ask us about
our bespoke
colour options
(see p30)

INSPIRATIONAL SPACES

Armathwaite Hall

The perfect location for a luxurious getaway.



Project: Armathwaite Hall

Location: Cumbria


Photography: Scopic

Nestled in the stunning Lake District, a stone's throw from the calming waters of Bassenthwaite Lake and overlooked by the dramatic Skiddaw Mountain, Armathwaite Hall Hotel is the perfect location for a luxurious getaway.

This stunning hotel was looking to regenerate the balconies and terraces of its 12 garden suites, creating a relaxing space for its guests to take in the surroundings.

With an area of 214m² to cover, this product provides not only a dramatic visual uplift but is easier to maintain than timber alternatives and is more hard wearing in a potentially highly trafficked area.

With anti-slip properties, **Natura Anthracite Woodgrain** is an ideal choice for hotels and hospitality where the safety of guests is paramount – meaning the area can now be enjoyed all year round.



Find this product on Page 16



Protect & Prolong

Trekker Pro Tape

Manufactured in the UK, the Trekker Pro Tape protects the timber frame deck sub structure giving the composite deck board a completely waterproof and weather seal.




50mm WIDE

HO615
Protects the top of the joists (timbers). This product will self-seal once a fastener has been driven through.

Width 50mm
Length 20 metres

£23.95 per roll



82mm WIDE

HO616
Protects the underside of joists and is ideal for example for flat roof or balcony applications. It is also perfect for cut ends of all joist sizes.

Width 82mm
Length 20 metres

£38.95 per roll



100mm WIDE

HO617
Designed to be applied on a double joist (2x50mm joists) or for deck posts resting on an area exposed to water.

Width 100mm
Length 20 metres

£46.95 per roll

Cleaning & Maintenance

Trekker decking and cladding is designed to stand the test of time with little maintenance but to keep it looking it's very best, we've got some tips on the best way of cleaning and maintaining your deck.

Looking after your Trekker deck couldn't be simpler! We recommend cleaning occasionally with soap and water and for a deeper clean, use a pressure washer under 2500psi, keeping the tip 30cm or more away from the deck surface. Use a with clean, stiff brush to work the water into the surface and loosen any dirt or debris.

WPC Cleaner


Keep your composite product clean, looking great and maximise it's performance.



HO557

WPC cleaner is an easy-to-use decking cleaner. Simply dilute in water as recommended and use on the surface of the deck regularly for a visibly cleaner and well-maintained finish.

Size 500ml
£37.95 each



Cleaning Top Tips

1. Keep the joints between the boards clean to ensure adequate drainage
2. Regularly sweep the deck to remove loose debris e.g. leaves
3. Clean in small sections to ensure soap is rinsed off completely
4. For more stubborn stains, let the cleaning product sit for 10-15 minutes
5. Let the deck dry completely before putting any tables, chairs or furniture back

Guide To Base Frames


When installing your new Trekker Decking, these are the most common bases used.

Timber Sub-Frame




- Can be existing or new (existing needs to be in a sound condition)
- Joists must be set to 300mm centres.
- Tailor-made to suit the heights that work for your project.
- Elevated deck areas enhance the Al Fresco experience!
- Easy to customise and incorporate features like steps, planters and seating.

Solid Sub-Base




- Can be existing paving, concrete slab, concrete oversite or similar firm and stable material.
- Requires little preparation.
- Uses Low Profile Composite Batten HO550
- Battens are fixed to sub-base.
- Very minimal height build-up.
- Works well with existing door/window thresholds.

Raised Deck On Adjustable Pedestals



- Fast and simple install method.
- Great for covering areas that have varying heights.
- No major construction work required.
- Pedestals are sited on firm level material i.e compacted aggregate or concrete pad.
- Can easily be lifted and re-located if required.

Raised Deck For Roof Terrace, Balconies & Verandas



- Fast and simple install method.
- Easily caters for varying heights, roof drainage falls and door thresholds.
- Suitable for most roof finishes, GRP, built-up felt, fibreglass compound etc.
- Does not interfere with waterproofing membranes.

Raised deck accessories

For all Trekker Decking products installed on a raised deck (see page 28)



ALUMINIUM RAIL

HO551
Aluminium rail for screw fix clips (HO564), can be fixed to a suitable substrate or mounted on pedestals uses self-drilling screws.

Width 50mm
Height 50mm
Length 3200mm



DECKING SCREWS

HO564
Stainless Steel Screws for use with aluminium joists/rails.

Size 4mm x 35mm
Quantity 500

Free with order

Free Screws
Free decking screws included with every order

Pedestals



12-17mm
HO938

18-123mm
HO939

24-29mm
HO936

30-44mm
HO937

BEARER CONNECTOR HO5012
For securing timber or aluminium joists/ rails to pedestals. Can accommodate up to 80mm width of rail

Adjustable pedestals



37-50mm
HO930
6 per sq mt

50-75mm
HO931
6 per sq mt

74-117mm
HO932
6 per sq mt

117-201mm
HO933
6 per sq mt

197-281mm
HO934
6 per sq mt

EXTENDER HO5060
Providing over 200mm increase in height. Fits in between the top and bottom section of adjustable pedestals HO933 and HO934

Heavy duty self-levelling pedestals are also available, please enquire for further information.

Clips & fitting accessories




DECKING JOIST

HO550

Solid composite 'low-profile' decking joist. Not load bearing; to be installed on solid level substrate.

Width 50mm
Height 30mm
Length 2300mm



DECKING STARTING CLIP

HO555

To be used at the start of each run of the deck boards.

Quantity 25



CLIPS & SCREWS

HO561

For use with Standard & Safeguard profile boards

Quantity 25 per sq mt

Free with order



DECKING LOCKING CLIP

HO553

Maintain consistent expansion/contraction of deck boards. 1 Clip required per board

Quantity 25



DECKING SCREWS

HO584

Stainless Steel Screws. Torx drive with cutter point and black coated heads.

Size 4mm x 35mm
Quantity 250

Free with order

All purchases are supplied with free decking screws.
Extra quantities are available to purchase, please contact us to order.



Go bespoke

Looking for something more specific? We can arrange bespoke sample packs - speak to a member of our team today.

Contact us +44(0)1483 310800 or info@trekkerglobal.com

Cladding



CLADDING Woodgrain Mocha

Cladding

Slatted

Our new slatted cladding panels emulate the look of contemporary individual timber slats, providing a stunning, eye-catching effect to any vertical surface. They are both easy to install, low-maintenance, and come in four colour options with a sanded finish.

Woodgrain

28x216x2800mm
4 colours

GLACIER SLATTED



HO1708
Composite Cladding;
Woodgrain; Panel;
Square Edge

Thickness 28mm
Width 216mm
Length 2800mm

HAZEL SLATTED



HO1710
Composite Cladding;
Woodgrain; Panel;
Square Edge

Thickness 28mm
Width 216mm
Length 2800mm

WALNUT SLATTED



HO1712
Composite Cladding;
Woodgrain; Panel;
Square Edge

Thickness 28mm
Width 216mm
Length 2800mm

CHARCOAL SLATTED



HO1714
Composite Cladding;
Woodgrain; Panel;
Square Edge

Thickness 28mm
Width 216mm
Length 2800mm



CLADDING Woodgrain Anthracite

Sanded

28x216x2800mm
4 colours

GLACIER SLATTED



HO1700
Composite Cladding;
Sanded; Panel; Square
Edge

Thickness 28mm
Width 216mm
Length 2800mm

HAZEL SLATTED



HO1702
Composite Cladding;
Sanded; Panel; Square
Edge

Thickness 28mm
Width 216mm
Length 2800mm

WALNUT SLATTED



HO1704
Composite Cladding;
Sanded; Panel; Square
Edge

Thickness 28mm
Width 216mm
Length 2800mm

CHARCOAL SLATTED



HO1706
Composite Cladding;
Sanded; Panel; Square
Edge

Thickness 28mm
Width 216mm
Length 2800mm



Cladding installation made easy

We've made installation simple! Find our quick guide to cladding installation on page 38, or visit the Trekker website for detailed advice and a list of approved professional installers.

www.trekkerglobal.com

Cladding

Cladding Planks

Bringing you sustainable, high-quality composite cladding products in 3 stunning new colours providing 12 finishes to choose from! Complete your project in style with matching cladding, which will last for years to come.

Woodgrain

16x125x3200mm
6 colours

VULCAN WOODGRAIN



HO944
Composite Cladding;
Woodgrain; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm


ANTHRACITE WOODGRAIN



HO942
Composite Cladding;
Woodgrain; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm


BRONZE WOODGRAIN



HO1400
Composite Cladding;
Woodgrain; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm


EARTH WOODGRAIN



HO1402
Composite Cladding;
Woodgrain; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

MOCHA WOODGRAIN



HO940
Composite Cladding;
Woodgrain; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

PEARL WOODGRAIN



HO1404
Composite Cladding;
Woodgrain; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

Sanded

16x125x3200mm
5 colours

VULCAN SANDED



HO1304
Composite Cladding;
Sanded; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

ANTHRACITE SANDED



HO1302
Composite Cladding;
Sanded; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

BRONZE SANDED



HO1600
Composite Cladding;
Sanded; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

EARTH SANDED



HO1602
Composite Cladding;
Sanded; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

MOCHA SANDED




HO1300
Composite Cladding;
Sanded; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

Polished

16x125x3200mm
1 colour

PEARL POLISHED



HO1604
Composite Cladding;
Polished; Plank;
Interlocking Square Edge

Thickness 16mm
Face Width 125mm
Length 3200mm

More colours?
Ask us about our bespoke colour options (see p30)



INSPIRATIONAL SPACES

Haslingden Cladding


A stunning garden building

Project: Haslingden
Location: Lancashire
Photography: Scopic

This stunning garden building has been finished with Trekker cladding to create an aesthetic, multi-purpose space for the homeowner to enjoy throughout the summer.

Installed by Ian Field and Michael Flood, **Trekker Vulcan Cladding** was selected for its ease of use. With its striking visual appeal and high durability, the composite cladding works perfectly in the space, whilst complementing the existing grey outdoor furniture and garden fencing.


Comprising a 1-strip pattern and clip fixing, the long-lasting grey boards can withstand all elements to provide an excellent focal point for the garden that will remain intact all year round.



Find this product on Page 34


Trekker cladding explained

Cladding sequence



A – Starter Rail
B – Base Plate for External Corner
C – TREKKER Cladding board, first row located in Starter Rail

For illustration purposes only, find our full installation methods including expansion details at www.trekkerglobal.com




D – Top Cover for External Corner, neatly covers all expansion requirements
E – Header joint over a batten with 6-8mm expansion gap (cut chamfered at 45deg minimises visual impact)

Door reveal




A – Base Plate for Window/Stop Trim
B – Top Cover for Window/Stop Trim
C – Base plate for External Corner
D – Top Cover External Corner

Internal corner detail



A – Base Plate for Window/Stop Trim
B – Top Cover for Window Stop Trim

Soffit detail



A – Base Plate for Window Stop Trim
B – Top Cover for Window Stop Trim
C – Base Plate for External Corner
D – Top Cover - External Corner



E – Soffit
F – Fascia
G – Guttering

Free cladding screws with every order

Cladding accessories

High quality trims are essential for the success of your cladding installation.

Starter rails

Starter Rails are your first step for a neat and easy install. The first row of boards fits neatly into the Starter Rail profile providing a sound and straight foundation to build upwards from.

GALVANISED STEEL STARTER RAIL




HO2300
Size 35x8mm
Length 2.4 metres

External trim

External Trim is a perfect finish for external corners of buildings, recesses and framework. The generous Base Plate allows a stable fix into most materials and Top Cover hides expansion gaps on the ends of the cladding boards.

ALUMINIUM EXTERNAL TRIM



HO2293
Black coloured

HO2294
Brown coloured

HO2295
Grey coloured

Size 35x35mm
Length 3 metres



Window/stop trim

Window/stop trim is an elegant solution for window and door frames, internal corners and soffit junctions.

This versatile trim has a variety of uses, the Base Plate is easily fixed to most materials and the Top Cover hides board ends and expansion.

ALUMINIUM WINDOW/STOP TRIM



HO2296
Black coloured trim for window surrounds

HO2297
Brown coloured

HO2298
Grey coloured

Size 35x8mm
Length 3 metres




CLADDING Woodgrain Vulcan



How to buy

Sales +44(0)1483 310800 info@trekerglobal.com

Online at trekerglobal.com



Order samples

Visit the Trekker website to browse our full range of composite decking & cladding, plus download detailed installation guides and maintenance tips from the virtual information hub.

www.trekerglobal.com

Showrooms

Come and see our Trekker products for yourself in our brand new showrooms located in Guildford, Surrey and Preston, Lancashire.

Whether you know exactly which product you want to see or you're looking for inspiration, our consultants will be happy to help

Call us on 01483 310800 to arrange an appointment.



Guildford

11a Midleton Industrial Estate
GU2 8XW

Preston

172 Brierley Road
Walton Summit Centre
PR5 8AH

Returns Policy

LEFTOVER GOODS

If you have any unused packs left over after fitting we can accept these back for credit, subject to the following conditions:

- Goods must be returned within 30 days from date of delivery (subject to our terms & conditions).
- A 20% restocking fee applies.
- You are responsible for returning the goods to us at our Guildford Warehouse at your expense. Original delivery cost is non-refundable. Refunds will be issued within 14 days of receipt of material into our warehouse.
- Any returned goods must be unopened, no partial packs will be accepted.
- Goods must be in their original, "as new" condition and with original packaging. Any packs returned in a damaged condition or not packaged correctly cannot be credited.
- Handed products must have an equal quantity of Left and Right hands.
- Please note that unfortunately we cannot accept products which are specials or bespoke, made to your specifications or non-stock items especially brought in for your order.
- Any bespoke or non-stock items remaining at our warehouse which are part of a call-off order will be invoiced 14 days after the end of the contract.
- Before returning any goods, a return order number must be obtained from the Trekker Sales Department. Please write this number, together with the names of both sender and recipient, clearly on each unit being returned.

GOODS ARRIVED DAMAGED OR SHORT DELIVERED

- Any deliveries with damaged or missing goods should be accepted but must be signed for accordingly (i.e. "damaged" or "short delivered"). Phrases such as "unchecked" will not be accepted.
- Photographs should be taken of any damaged goods at the point of accepting deliveries and forwarded with your claim.
- All damaged or missing goods must be reported to the Trekker Sales Department within 4 days, and a replacement will be sent out to you at the earliest available delivery date.
- If you notice a problem after signing for delivery, then please contact us within 4 days to arrange a replacement. Photographic evidence of any damaged goods must be provided.
- You will not normally be expected to return the damaged packs to us. After your claim has been accepted by us please dispose of the items safely.
- We do advise you to check your packs upon delivery to avoid any unnecessary delays if there is a problem with the delivery.

FAULTY GOODS

- If the products arrive with a manufacturing fault, please contact our customer services telephone line: 01483 310800 or email us: info@trekkerglobal.com. If you call us we will try to sort out your complaint while you are on the phone. If this is not possible the advisor will agree a course of action with you, in line with our terms and conditions.


CHANGING YOUR MIND

- Subject to our terms and conditions, and in line with the Consumer Contracts Regulations 2013, you have 14 days after the day you (or someone you nominate) receives the order, (or where the order is split into several deliveries over different days, 14 days after the date of the last delivery) to notify us that you wish to cancel the order.
- Please note bespoke or special order products cannot be returned for credit.
- To cancel an order please contact our customer services telephone line: 01483 310800 or email us: info@trekkerglobal.com.
- You must return the products to us as soon as reasonably practicable and in any event within 30 days of delivery.
- The product must not have been removed from their packaging or in any way handled, modified, or installed (such that they are no longer in a saleable condition).
- If you cannot arrange carriage yourself, we can collect the complete order from the address to which they were delivered, on your behalf. Such collection will be at your cost, and at your risk.

Pricing and deliveries

All prices are shown per sqm unless otherwise stated and exclude VAT. Prices are accurate at time of printing. Trekker provide a range of delivery options. Please contact us to discuss a cost-effective delivery solution for your order.

www.trekkerglobal.com



The only limit is
your creativity

TREKKER

LUXURY DECKING & CLADDING

172 Brierley Road
Walton Summit Centre
PR5 8AH

11a Midleton Industrial
Estate
Guildford
GU2 8XW

info@trekkglobal.com
T. +44(0)1483 310800
www.trekkglobal.com



The mark of
responsible forestry

