	US	Mandahada Ohinaat									
Updated 11/16/23	03	Worldwide Shipset									
		Shipset size -placing smaller shipsets increases the potential to ship portions of your order versus waiting for incoming supply to ship in full.	LT based off FCS								
SKU	Estimated Lead Time (calendar days) if booked this week	Recommended Shipset Size	FCS DATE	Description							
CW9162I-MR	days) ii booked tiiis week	1 425		Two 2:2 MU-MIMO 802.11ax, up to 3.9 Gbps tri-radio aggregate frame	e rate						
CW9163E-MR		1 10		Catalyst 9163E AP(W6E, tri-band 2x2,Outdoor) w/MERAKI							
CW9164I-MR		1 365	5	Tri-band 802.11ax-compatible access point with separate radios dedica	ated to security, RF management, and Blueto	oth® coupled with a USB port for a	ded connectivity options.				
CW9166I-MR		1 540	0	Tri-band 802.11ax-compatible access point with separate radios dedica	nted to security, RF management, and Blueto	oth® coupled with a USB port for a	ded connectivity options.				
CW9166D1-MR	1	.5 1!	5	Catalyst 9166D AP (W6E, tri-band 4X4) x/MERAKI							
C9300-24P-M	1	.4	0	Meraki C930024-port PoE+, Network Essentials							
C9300-24T-M		.4 10		Meraki C9300 24-port data only							
C9300-24U-M			0	Meraki C9300 24-port UPOE							
C9300-24UX-M		.4 10		Meraki C9300 24-port mGig and UPOE							
C9300-48P-M		.4 10	-	Meraki C9300 48-port PoE+							
C9300-48T-M		4 10		Meraki C9300 48-port data only							
C9300-48U-M	_	4 10		Meraki C9300 48-port UPOE							
C9300-48UN-M		4 10		Meraki C9300 48-port of 5Gbps							
C9300-48UXM-M C9300-NM-2Q-M	_	4 10	-	Meraki C9300 48-port (12 mGig, 36 2.5Gbps)  Meraki C9300 2 x 40GE Network Module							
C9300-NM-2Q-M		4 10		Meraki C9300 2 x 40GE Network Module  Meraki C9300 8 x 10GE Network Module							
MG21-HW-NA		1 2!		CAT6 Cellular Modem/Gateway with Internal Antennas.							
MG21-HW-WW		1 100		CAT6 Cellular Modern/Gateway with Internal Antennas.  CAT6 Cellular Modern/Gateway with Internal Antennas.							
MG21E-HW-NA		15 10		CAT6 Cellular Modern/Gateway with External Antennas.							
MG21E-HW-WW		1 20		CAT6 Cellular Modern/Gateway with External Antennas.							
MG41-HW		1 155		MG41 CAT18 Cellular Gateway with Integrated Antennas							
MG41E-HW		1 30		MG41 CAT18 Cellular Connectivity with External Antennas							
MG51-HW		1 2	5	Meraki MG51 Cellular Gateway							
MG51E-HW	1	.0 1		Meraki MG51E Cellular Gateway External Antennas							
MR28-HW		1 179		802.11ax MU-MIMO with up to eight spatial streams built for voice an	d video						
MR36-HW		1 890	0	WIFI6 - 2 x 2:2 UL/DL MU-MIMO and OFDMA with Bluetooth and integ	rated scanning radio - recommended for ger	neral coverage					
MR36H-HW		1 310	0	Dual-band, 802.11ax 2x2:2 Wall Switch Access Point with dedicated se	curity, wired access ports and RF manageme	nt radio as well as an integrated Blu	ietooth Low Energy beacon	and scanning radio.			
MR44-HW		1 280	0	WIFI6 - 2 x 2:2 + 4x4 UL/DL MU-MIMO and OFDMA - 2.5Gbps Multigig	abit with Bluetooth and integrated scanning	radio - recommended for medium o	density coverage				
MR46-HW		1 390	0	WIFI6 - 4x4:4 UL/DL MU-MIMO and OFDMA - 2.5Gbps Multigigabit wi	6 - 4x4:4 UL/DL MU-MIMO and OFDMA - 2.5Gbps Multigigabit with Bluetooth and integrated scanning radio - recommended for high density coverage						
MR46E-HW		1 90			6 - 4x4-4 UL/DL MU-MIMO and OFDMA - Multigigabit and external antenna connectors with Bluetooth and integrated scanning radio(external antenna) - recommended for focused coverage						
MR56-HW		1 69			6 - 8x8:8 UL/DL MU-MIMO and OFDMA - 5Gbps Multigigabit with Bluetooth and integrated scanning radio - recommended for high density coverage						
MR57-HW		1 60			and 802.11ax compatible access point with separate radios dedicated to security, RF management, and Bluetooth coupled with dual Ethernet ports and a USB port for added connectivity options.						
MR70-HW		1 99		WIFIS OUTDOOR - 2 x 2:2 MU-MIMO - integrated omni-directional ant							
MR76-HW		1 85		WIFI6 OUTDOOR- 2 x 2:2 MU-MIMO and OFDMA - with Bluetooth and	integrated scanning radio External Antenna	connectors - recommended for focu	ised coverage and flexibility	/			
MR78-HW MR86-HW		1 190		Meraki MR78 Wi-Fi 6 Outdoor AP							
MS120-24-HW		1 50		WIFI6 OUTDOOR - 4x4:4 UL/DL MU-MIMO and OFDMA - Multigigabit 24 port qiqabit switch with qiqabit uplinks recommended for SOHO and		otn ana integratea scanning raaio(	externai antenna) - recomn	nenaea for focusea covera	ge		
MS120-24-HW MS120-24P-HW		1 110	-	24 port gigabit switch with gigabit uplinks recommended for SOHO  24 port PoE gigabit switch with gigabit uplinks recommended for SOHO							
MS120-24F-HW		15 11		48 port gigabit switch with gigabit uplinks recommended for SOHO and							
MS120-48-HW		1 5:		48 port PoE+ gigabit switch with gigabit uplinks recommended for SOH							
MS120-48LP-HW		1 9:		48 port PoE+ gigabit switch with gigabit uplinks recommended for SOH							
MS120-8-HW		5 20		8 port gigabit switch with gigabit uplinks - compact form factor recom							
MS120-8FP-HW		1 70		8 port PoE+ gigabit switch with gigabit uplinks - compact form factor in							
MS120-8LP-HW		1 40		8 port PoE+ gigabit switch with gigabit uplinks - compact form factor in							
MS125-24-HW	3	15		24 port gigabit switch with 10G uplinks recommended for SMB	, , , , , , , , , , , , , , , , , , , ,						
MS125-24P-HW		1 30	0	24 port PoE+ gigabit switch with 10G uplinks recommended for SMB							
MS125-48-HW		1 10	0	48 port gigabit switch with 10G uplinks recommended for SMB							
MS125-48FP-HW	6	i0 10	0	48 port PoE+ gigabit switch with 10G uplinks recommended for SMB							
MS125-48LP-HW		1 30	0	48 port PoE+ gigabit switch with 10G uplinks recommended for SMB							
MS130-12X-HW		1 1!	5	Meraki MS130-12X Cloud Mgd. 8GE + 4x(2.5GE) 240W PoE Switch							
MS130-24-HW			0	Meraki MS130-24 Cloud Managed 24GE Switch							
MS130-24P-HW		1 50	0	Meraki MS130-24P Cloud Managed 24GE 370W PoE Switch							
MS130-24X-HW		1 20		Meraki MS130-24X Cloud Mgd. 18GE + 6x(2.5GE) 370W PoE Switch							
MS130-48-HW		1 10		Meraki MS130-48 Cloud Managed 48GE Switch							
MS130-48P-HW		1 5!		Meraki MS130-48P Cloud Managed 48GE 740W PoE Switch							
MS130-48X-HW		1 25		Meraki MS130-48X Cloud Mgd. 40GE + 8x(2.5GE) 740W PoE Switch							
MS130-8-HW		1 10		Meraki MS130-8 Cloud Managed 8GE Switch							
MS130-8P-HW		1 40		Meraki MS130-8P Cloud Managed 8GE 120W PoE Switch							
MS130-8X-HW		1 2:	5	Meraki MS130-8X Cloud Mgd. 6GE + 2x(2.5GE) 120W PoE Switch							

	US											
Updated 11/16/23	US	Worldwide Shipset										
		Shipset size -placing smaller shipsets increases the potential to ship portions										
		of your order versus waiting for incoming supply to ship in full.	LT based off FCS date									
SKU	Estimated Lead Time (calendar days) if booked this week	Recommended Shipset Size	FCS DATE	Description								
MS130R-8P-HW	1	1	0	Meraki MS130R-8P Cloud Mgd Ruggedized 8GE 240W PoE Switch								
MS210-24-HW	35	5 10	D	24 port gigabit switch with gigabit uplinks, Physical Stacking, RPS230	0 support, stacks with MS225 - recommended	for branch and small c	ampus deployments					
MS210-24P-HW	1				PoE gigabit switch with gigabit uplinks, Physical Stacking, RPS2300 support, stacks with MS225 - recommended for branch and small campus deployments							
MS210-48-HW	1				abit switch with gigabit uplinks, Physical Stacking, RPS2300 support, stacks with MS225 - recommended for branch and small campus deployments							
MS210-48FP-HW	1				i+ gigabit switch with gigabit uplinks, Physical Stacking, RPS2300 support, stacks with MS225 - recommended for branch and small campus deployments							
MS210-48LP-HW MS225-24-HW	1				+ gigabit switch with gigabit uplinks, Physical Stacking, RPS2300 support, stacks with MS225 - recommended for branch and small campus deployments obtained to the control of the control							
MS225-24-HW MS225-24P-HW	37				abit switch with 10G uplinks, Physical Stacking, RPS2300 support, stacks with MS210 - recommended for branch and small campus deployments  Explaints fruit with 10G uplinks, Physical Stacking, RPS2300 support, stacks with MS210 - recommended for branch and small campus deployments  Explaints fruit with 10G uplinks, Physical Stacking, RPS2300 support, stacks with MS210 - recommended for branch and small campus deployments.							
MS225-48-HW	70				DE+ gigabit switch with 10G uplinks, Physical Stacking, RPS2300 support, stacks with MS210 - recommended for branch and small campus deployments  gabit switch with 10G uplinks, Physical Stacking, RPS2300 support, stacks with MS210 - recommended for branch and small campus deployments							
MS225-48FP-HW				48 port PoE+ gigabit switch with 10G uplinks, Physical Stacking, RPS2				5				
MS225-48LP-HW	1	40	D	48 port PoE+ gigabit switch with 10G uplinks, Physical Stacking, RPS2	., .							
MS250-24-HW	1	1	0	24 port gigabit switch with 10G uplinks, Layer 3 routing, Modular PSU								
MS250-24P-HW	1	2.	5	24 port PoE+ gigabit switch with 10G uplinks, Layer 3 routing, Module	nr PSU, Physical Stacking - recommended for n	nedium campus deploy	ments					
MS250-48-HW	1	-		48 port gigabit switch with 10G uplinks, Layer 3 routing, Modular PSU								
MS250-48FP-HW	1			48 port PoE+ gigabit switch with 10G uplinks, Layer 3 routing, Module								
MS250-48LP-HW	1			48 port PoE+ gigabit switch with 10G uplinks, Layer 3 routing, Module								
MS350-24-HW	175			24 port gigabit switch with 10G uplinks, Layer 3 routing, Modular PSU								
MS350-24P-HW	35			24 port PoE+ gigabit switch with 10G uplinks, Layer 3 routing, Module								
MS350-24X-HW	50			24 port gigabit switch with 10G uplinks, mGig, Layer 3 routing, Modu								
MS350-48-HW MS350-48FP-HW	15			48 port gigabit switch with 10G uplinks, Layer 3 routing, Modular PSL 48 port PoE+ gigabit switch with 10G uplinks, Layer 3 routing, Modula								
MS350-48LP-HW	100			48 port PoE+ gigabit switch with 10G uplinks, Layer 3 routing, Module								
MS355-24X-HW	40			24 port gigabit switch with 10G or 40G uplinks, mGig, Layer 3 routing				ments				
MS355-24X2-HW	1	-		24 port gigabit switch with 10G or 40G uplinks, mGig, Layer 3 routing								
MS355-48X-HW	1			48 port gigabit switch with 10G or 40G uplinks, mGig, Layer 3 routing								
MS355-48X2-HW	1	1	5	48 port gigabit switch with 10G or 40G uplinks, mGig, Layer 3 routing								
MS390-24-HW	1	1	0	24 port gigabit switch with 10G or 40G uplinks, mGig, Layer 3 routing	, Adaptive Policy (SGT), Modular PSU and Fan:	s, Physical Stacking, sto	ick power - recommen	ded for performance crit	ical environments			
MS390-24P-HW	1	1 10	D	24 port PoE+ gigabit switch with 10G or 40G uplinks, Layer 3 routing,	ort POE+ gigabit switch with 10G or 40G uplinks, Layer 3 routing, Adaptive Policy (SGT), Modular PSU and Fans, Physical Stacking, stack power - recommended for performance critical environments							
MS390-24U-HW	1	-		ort UPoE gigabit switch with 10G or 40G uplinks, Layer 3 routing, Adaptive Policy (SGT), Modular PSU and Fans, Physical Stacking, stack power - recommended for performance critical environments								
MS390-24UX-HW	1				ort UPOE gigabit switch with mGig, 10G or 40G uplinks, Layer 3 routing, Adaptive Policy (SGT), Modular PSU and Fans, Physical Stacking, stack power - recommended for performance critical environments							
MS390-48-HW	14				rt gigabit switch with 10G or 40G uplinks, mGig, Layer 3 routing, Adaptive Policy (SGT), Modular PSU and Fans, Physical Stacking, stack power - recommended for performance critical environments							
MS390-48P-HW MS390-48U-HW	1				ort PoE+ gigabit switch with 10G or 40G uplinks, Layer 3 routing, Adaptive Policy (SGT), Modular PSU and Fans, Physical Stacking, stack power - recommended for performance critical environments or UPOE gigabit switch with 10G or 40G uplinks, Layer 3 routing, Adaptive Policy (SGT), Modular PSU and Fans, Physical Stacking, stack power - recommended for performance critical environments							
MS390-48UX-HW	50											
MS390-48UX2-HW	15			48 port UPoE gigabit switch with mGig, 10G or 40G uplinks, Layer 3 rd 48 port UPoE gigabit switch with mGig, 10G or 40G uplinks, Layer 3 rd								
MS410-16-HW	1			16 port 1GbE fibre aggregation switch 10G SFP+ uplinks, dynamic rou			ig, stack power - reco	innended for performan	Le critical environme	ins		
MS410-32-HW	30			32 port 1GbE fibre aggregation switch 10G SFP+ uplinks, dynamic rou								
MS425-16-HW	1			16 port 10GbE fibre aggregation switch 40G QSFP+ uplinks, dynamic								
MS425-32-HW				32 port 10GbE fibre aggregation switch 40G QSFP+ uplinks, dynamic								
MS450-12-HW	1	10	D	12 port 40GbE QSFP+ with 2 x 100G QSFP28 uplinks - dynamic routing								
MT10-HW	1			Indoor temperature and humidity sensor - works with compatible MR								
MT11-HW	1			Indoor temperature probe sensor - works with compatible MR and M								
MT12-HW	1			Indoor water leak detection sensor - works with compatible MR and I	AV devices, flexible mounting options, 5 days o	on-board storage, IPX5	rated, 5 year battery	life or AC adapter				
MT14-HW	1			Air quality sensor								
MT15-HW	1			Meraki MT15 Indoor Air Quality with CO2 Sensor								
MT20-HW MT30-HW	1			Indoor Open/Close sensor - works with compatible MR and MV device Smart automation button	es, jiexible mounting options, 5 days on-board	storage, battery powe	rea					
MT40-HW	1			Smart automation button  Meraki MT40 Smart Power Monitor and Switch								
MV12N-HW	-			Smart Camera - compact fixed lens, advanced analytics, WLAN capab	le 256GB storage Narrow Field of View							
MV12W-HW	-			Smart Camera - compact fixed lens, advanced analytics, WLAN capab								
MV12WE-HW	1			Smart Camera - compact fixed lens, advanced analytics, WLAN capab								
MV2-HW				Smart Camera - fixed lens flex camera, unique compact form factor, fi		WLAN capable USB-C F	Power					
MV22-HW	1	1 285	5	Smart Camera - general purpose varifocal, advanced analytics, WLAN								
MV22X-HW	1	240	D	Smart Camera - general purpose varifocal, advanced analytics, WLAN	capable 512GB storage							
MV32-HW	1	31!	5	Smart Camera - fisheye lens, advanced analytics, WLAN capable 2560	GB storage							
MV52-HW	1			1TB of storage, records in up to 4K resolution, and has an ultra-long-	• •	• -			e details and distan	ce matter.		
MV63-HW	1			MV smart cameras are outdoor-rated, fixed lens mini-dome cameras								
MV63X-HW	25			MV smart cameras are outdoor-rated, fixed lens mini-dome cameras			storage and up to 4K r	esolution				
MV72-HW	1	360	D	Smart Camera OUTDOOR - general purpose varifocal, advanced analy	rtics, WLAN capable, IK10+ and IP67 rated, 25	6GB storage						

Updated 11/16/23	US	Worldwide Shipset											
		Shipset size -placing smaller shipsets increases the potential to ship portions of your order versus waiting for incoming supply to ship in full.											
SKU	Estimated Lead Time (calendar days) if booked this week	Recommended Shipset Size	FCS DATE	Description									
MV72X-HW	1	1 90	0	Smart Camera OUTDOOR - general purpose varifocal, advanced analy	rtics, WLAN capable, IK10+ and IP67 rated, 51	12GB storage							
MV93-HW	1	1 15	5	MV smart cameras are outdoor-rated, fixed lens mini-dome cameras	smart cameras are outdoor-rated, fixed lens mini-dome cameras that combine a wide FoV with ultra-high definition recording 256GB of storage and up to 2112x2112 resolution								
MV93X-HW	2	2 10	0	MV smart cameras are outdoor-rated, fixed lens mini-dome cameras	smart cameras are outdoor-rated, fixed lens mini-dome cameras that combine a wide FoV with ultro-high definition recording 1TB of storage and up to 2880x2880 resolution.								
MX105-HW	1	1 20	0	Security and SDWAN Appliance - 2 x 2.5 GbE (1 x PoE) WAN interface,	rity and SDWAN Appliance - 2 x 2.5 GbE (1 x POE) WAN interface, 2 x 10GbE SFP+ WAN, 1 x USB, 4 x GbE LAN, 2 x 10GbE (SFP+) - recommended clients 750, firewall 3GbE, VPN 1Gbps								
MX250-HW	1	1 30	0	Security and SDWAN Appliance - 2 x 10GbE WAN interface, 1 x USB, 8	rity and SDWAN Appliance - 2 x 10GbE WAN interface, 1 x USB, 8 x GbE LAN, 8 x GbE (SFP), 8 x 10GbE (SFP+) - recommended clients 2000, firewall 4Gbps, VPN 1Gbps								
MX450-HW	1	1 10	0	Security and SDWAN Appliance - 2 x 10GbE WAN interface, 1 x USB, 8	x GbE LAN, 8 x GbE (SFP), 8 x 10GbE (SFP+) - i	recommended clients 10000, firewa	all 6Gbps, VPN 2Gbps						
MX67-HW	1	1 160	0	Security and SDWAN Appliance - 2 x GbE WAN interface (1 configurab	urity and SDWAN Appliance - 2 x GbE WAN interface (1 configurable for LAN or WAN use), 1 x USB, 4 x GbE LAN (1 configurable for LAN or WAN use) - recommended clients 50, firewall 600Mbps, VPN 300Mbps								
MX67C-HW-NA	1	1 70	0	Security and SDWAN Appliance - 2 x GbE WAN interface (1 configurab	le for LAN or WAN use), 1 x integrated CAT6 C	Cellular Modem, 1 x USB, 4 x GbE LA	NN (1 configurable for LAN	or WAN use) - recomme	nded clients 50, firewo	all 600Mbps, VPI			
MX67C-HW-WW	1	1 40	0	Security and SDWAN Appliance - 2 x GbE WAN interface (1 configurab	le for LAN or WAN use), 1 x integrated CAT6 C	Cellular Modem, 1 x USB, 4 x GbE LA	NN (1 configurable for LAN	or WAN use) - recomme	nded clients 50, firewo	all 600Mbps, VPN			
MX67W-HW	1	1 25	5	Security and SDWAN Appliance - 2 x GbE WAN interface (1 configurab	le for LAN or WAN use), 1 x USB, 4 x GbE LAN	(1 configurable for LAN or WAN use	e), Wi-Fi 5 - recommended	d clients 50, firewall 600N	иbps, VPN 300Mbps				
MX68-HW	1	1 110	0	Security and SDWAN Appliance - 2 x GbE WAN interface, 1 x USB, 10 x	GbE LAN (2 PoE+) - recommended clients 50,	firewall 600Mbps, VPN 300Mbps							
MX68CW-HW-NA	1	1 35	5	Security and SDWAN Appliance - 2 x GbE WAN interface, 1 x integrate	d CAT6 Cellular Modem, 1 x USB, 10 x GbE LA	N (2 PoE+), Wi-Fi 5 - recommended	clients 50, firewall 600Mb	ps, VPN 300Mbps					
MX68CW-HW-WW	1	1 25	5	Security and SDWAN Appliance - 2 x GbE WAN interface, 1 x integrate	d CAT6 Cellular Modem, 1 x USB, 10 x GbE LA	N (2 PoE+), Wi-Fi 5 - recommended	clients 50, firewall 600Mb	ps, VPN 300Mbps					
MX68W-HW	1	1 110	0	Security and SDWAN Appliance - 2 x GbE WAN interface, 1 x USB, 10 x	GbE LAN (2 PoE+), Wi-Fi 5 - recommended cl	ients 50, firewall 600Mbps, VPN 300	0Mbps						
MX75-HW	1	1 120	0	Security and SDWAN Appliance - 2 x GbE WAN interface, 1 x GbE SFP	NAN interface, 1 x USB, 10 x GbE LAN (2 PoE+	-) - recommended clients 200, firewo	all 1Gbps, VPN 500Mbps						
MX85-HW	1	1 50	0	Security and SDWAN Appliance - 2 x GbE (1 x PoE) WAN interface, 2 x	GbE SFP WAN, 1 x USB, 8 x GbE LAN, 2 x GbE	(SFP) - recommended clients 250, fi	irewall 1GbE, VPN 750Mb <sub>l</sub>	25					
MX95-HW	1	1 30	0	Security and SDWAN Appliance - 2 x 2.5 GbE (1 x PoE) WAN interface,	curity and SDWAN Appliance - 2 x 2.5 GbE (1 x PoE) WAN interface, 2 x 10GbE SFP+ WAN, 1 x USB, 4 x GbE LAN, 2 x 10GbE (SFP+) - recommended clients 500, firewall 2GbE, VPN 800Mbps								
Z3-HW	1	1 360	0	Teleworker Security - 1 x GbE WAN, 1 x USB, 4 x GbE LAN (1 x PoE) Wi-	Fi 5 - recommended client 5, firewall 100Mbp	os, VPN 50Mbps							
Z3C-HW-NA	1	1 20	0	eleworker Security - 1 x GbE WAN, 1 x integrated CAT3 Cellular Modem, 1 x USB, 4 x GbE LAN (1 x PoE) Wi-Fi 5 - recommended client 5, firewall 100Mbps, VPN 50Mbps									
Z3C-HW-WW	30	10	0	Teleworker Security - 1 x GbE WAN, 1 x integrated CAT3 Cellular Mode	m, 1 x USB, 4 x GbE LAN (1 x PoE) Wi-Fi 5 - re	commended client 5, firewall 100M	lbps, VPN 50Mbps.						
Z4C-HW	1	1 20	0	Meraki Z4C Hardware									
Z4-HW	1	1 125	5	Meraki Z4 hardware									
GX20-HW-US	90	10	0	Meraki Go Security Gateway									
GX50-HW-US	1	1 20	0	Meraki Go Security Gateway									
GR12-HW-US	1	1 45	5	Meraki Go - Wi-Fi 6 Access Point- US Power									
GR62-HW-US	1	1 10	0	Meraki Go - Outdoor Wi-Fi 6 Access Point- US Power									