

MSDS Compilation – SPLIT RNA Extraction Kits

Lexogen GmbH

Campus Vienna Biocenter 5, 1030 Vienna, Austria www.lexogen.com

This information is provided for purchasers of the **SPLIT RNA Extraction Kits,** represented by catalogue numbers 008.03, 008.16, 008.48, as well as purchasers of the **Customized SPLIT RNA Extraction Kit without PLG tubes** (SR008.01), **Customized RNA Extraction Kit** (136.400), **Customized SPLIT RNA Extraction Kit** (137.400), and SPLIT Rapid Viral RNA/DNA Extraction Kit (138.400).

| Tube | Reagent | MSDS | |
|------|-------------------------|-------|--|
| | | | |
| IB | Isolation Buffer | Yes | |
| AB | Acidic Buffer | No 1) | |
| WB | Wash Buffer | No 1) | |
| WBC | Wash Buffer Concentrate | No 1) | |
| EB | Elution Buffer | No 1) | |
| SB | Storage Buffer | No 1) | |

Table 1: Overview of Lexogen MSDS for SPLIT RNA Extraction Kits

¹⁾ Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008. Not a hazardous substance or preparation according to EC directives 67/548/EEC or 1999/45/EC.



Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006 Version 1.2, revised 2020-06-19 Date of print 2020-06-19

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier:

Product Name Isolation Buffer (IB)

Product Number N/A

Kit name SPLIT RNA Extraction Kit

Kit numbers 008.03, 008.16, 008.48, SR008.01, 136.400, 137.400, 138.400

Brand Lexogen

REACH No. A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Laboratory chemicals, FOR RESEARCH USE ONLY

1.3 Details of the supplier of the Safety Data Sheet

Company Lexogen GmbH

Campus Vienna Biocenter 5

1030 Vienna Austria

 Telephone
 +43 1 345 1212

 Fax
 +43 1 345 1212-99

 Email Address
 support@lexogen.com

1.4 Emergency telephone number

Emergency Telephone +43 1 406 43 43

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Acute toxicity, Inhalation (Category 2) Serious eye damage (Category 1) Skin corrosion (Category 1C) Acute toxicity, Oral (Category 4)

Acute toxicity, Dermal (Category 4) Chronic aquatic toxicity (Category 3)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

T, Xi Toxic, Irritant R23, R38, R41

Harmful by inhalation, in contact with skin and if swallowed. Contact with acids liberates very toxic gas. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Causes burns.

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]



Pictogram :



Signal word Danger

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burn and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H412 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P284 Wear respiratory protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

2.3 Other hazards none

SECTION 3. Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients according to Regulation (EC) No 1272/2008

| Component | Classification | Concentration |
|------------------------------|---------------------------------------|---------------|
| Guanidine thiocyanate | | |
| CAS-No.: 593-84-0 | Acute Tox. Oral 4; Acute Tox. Inh. 4; | 20-80 % |
| EC-No.: 209-812-1 | Acute Tox. Derm. 4; Skin corr. 1C; | |
| Index-No.: 615-030-00-5 | Chron. Aquat. Tox. 3; H302 + H312 + | |
| | H332, H314, H412 | |
| Sodium N-lauroylsarcosinate | | |
| CAS-No.: 137-16-6 | Acute Tox. 2; Skin Irrit. 2; Eye Dam. | 1-10 % |
| EC-No.: 205-281-5 | 1; H315, H318, H330 | |

Hazardous ingredients according to Directive 1999/45/EC

| Component | Classification | Concentration |
|-----------------------------|----------------------------------|---------------|
| Guanidine thiocyanate | | |
| CAS-No.: 593-84-0 | R20/21/22, R32, R34, R41, R52/53 | 20-80 % |
| EC-No.: 209-812-1 | | |
| Index-No.: 615-030-00-5 | | |
| Sodium N-lauroylsarcosinate | | |
| CAS-No.: 137-16-6 | T, R23 - R38 - R41 | 1-10 % |
| EC-No.: 205-281-5 | | |

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16



SECTION 4. First aid measures

4.1 Description of first aid measures

General Advice

After exposure, consult physician. Show the physician this material safety data sheet.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or section 11.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx), sulphur oxides

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus for fire-fighting if necessary.

5.4 Further information

No data available.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.



6.4 Reference to other sections

For disposal see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Ensure all equipment is electrically grounded before beginning transfer operations. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place. Do not store near acids.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

None included.

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dust are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)



data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Form: liquid, clear Colour: colourless
Odour No data available

Odour threshold

pH

No data available

Melting/freezing point

No data available

No data available

No data available

No data available

Flash point

Evaporation rate

Flammability (solid, gas)

No data available

No data available

No data available

Upper/lower flammability or explosive limits No data available

Vapour pressure No data available No data available Vapour density Relative density No data available No data available Solubility(ies) Partition coefficient: n-octanol/water No data available Autoignition temperature No data available Decomposition temperature No data available Viscosity No data available **Explosive properties** No data available Oxidizing properties No data available

9.2 Other information

No data available.

SECTION 10. Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.



10.5 Incompatible materials

Strong acids, strong oxidizing agents, cyanides.

10.6 Hazardous decomposition products

No data available.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Sodium N-lauroylsarcosinate

LD50 Oral – rat > 5000 mg/kg (OECD Test Guideline 401)

LD50 Inhalation – rat – 4h 0,05 – 0,5 mg/l

Guanidine thiocyanate

LD50 – oral – rat 593 mg/kg LD50 – intraperitoneal – mouse 300 mg/kg

Skin corrosion/irritation

Sodium N-lauroylsarcosinate

Skin - rabbit

Result: Irritating to skin. **Guanidine thiocyanate**

May be harmful if absorbed through skin. Causes skin burns.

Serious eye damage/eye irritation

Sodium N-lauroylsarcosinate

Eyes - rabbit

Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

Guanidine thiocyanate

Causes eye burns.

Respiratory or skin sensitization

Sodium N-lauroylsarcosinate

Maximisation Test - guinea pig

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Sodium N-lauroylsarcosinate

Chromosome aberration test in vitro

Human lymphocytes

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard



Sodium N-lauroylsarcosinate

no data available

Guanidine thiocyanate

May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Additional Information

Sodium N-lauroylsarcosinate

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 30 mg/kg

RTECS: Not available

Cough, wheezing, respiratory difficulties, Diarrhoea, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish semi-static test EC50 - Danio rerio (zebra fish) - 107 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

Immobilization LC50 - Daphnia magna (Water flea) - 29,7 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 79 mg/l -

72 h

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition NOEC - Sludge Treatment - 100 mg/l - 3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 82 % - Readily biodegradable.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused products.



SECTION 14. Transport information

14.1 UN-Number

ADR/RID: 2810 IMDG: 2810 IATA: 2810

14.2 UN proper shipping name

ADR/RID:Toxic, liquids, organic, n.o.s. (Sodium N-lauroylsarcosinate, Guanidine thiocyanate)
IMDG: Toxic, liquids, organic, n.o.s. (Sodium N-lauroylsarcosinate, Guanidine thiocyanate)
IATA: Toxic, liquids, organic, n.o.s. (Sodium N-lauroylsarcosinate, Guanidine thiocyanate)

14.3 Transport hazard classes

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packing group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG: Marine pollutant: no IATA: no

14.6 Special precautions for users

No data available.

SECTION 15. Regulatory information

This material safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Oral Acute toxicity, Oral
Acute Tox. Inh. Acute toxicity, Inhalation
Acute Tox. Derm. Acute toxicity, Dermal
Eye Dam. Serious eye damage
Skin Irrit. Skin irritation

Skin Irritation
Skin Corr.
Skin corrosion

Chron. Aquat. Tox. Chronic aquatic toxicity

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Full text of R-phrases referred to under sections 2 and 3.

T Toxic

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

R23 Toxic by inhalation.

R32 Contact with acids liberates very toxic gas

R34 Causes burns



R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects

in the aquatic environment

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regards to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lexogen shall not be held liable for any damage resulting from handling or from contact with the above product. Please see also our terms and conditions on our website www.lexogen.com Copyright (2014): Lexogen GmbH. Copies may be made for internal use only.