

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoSpin miRNA Column/Buffer Set Page: 1/8

Date of issue: 26.09.2018 Printing date: 12.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

> REF 740304

Product name NucleoSpin miRNA Column/Buffer Set

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 35 mL MW1 1 x 25 mL MW2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11, 52355 Düren, GERMANY

E-mail: sds@mn-net.com (msds@mn-net.com) Tel.: +49 2421 969 0

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS02

WARNING Signal word

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

2.1 Classification of the substance or mixture

35 mL MW1



Signal word WARNING

Hazard identification Hazard classes/categories

Flam. Liq. 3 H226

www.mn-net.com

US:

AACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 2/8

Date of issue: 26.09.2018 Printing date: 12.05.2021

25 mL MW2

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

35 mL MW1



Signal word: WARNING

25 mL MW2

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

Flammable properties. For guanidine thiocyanate CAS 593-84-0: The properties H314, H332 "Causes severe skin burns and eye damage. Harmful if inhaled." are not relevant, because the mixture solution is buffered to pH 4-9 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

35 mL MW1

guanidinium thiocyanate CAS No.: 593-84-0 Chemical:

H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1B, H332, Acute Tox. 4 inh., Classification:

H412, Aquatic Chronic 3 Formula: C2 H6 N4 S

Pseudonym: guanidine rhodanide

TSCA Inventory: listed

REACH Reg. No.: 01-2120735072-65-0001

EC No.: 209-812-1 Indice No.: 615-004-00-3 RTECS: XL1225000 MFCD: 00013027

KE No.: not listed Concentration: 5 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

www.mn-net.com

US:

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 3/8

Date of issue: 26.09.2018 Printing date: 12.05.2021

> ethanol Chemical: CAS No.: 64-17-5

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU) Classification:

H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

ethyl alcohol, methylated spirit Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

603-002-00-5 EC No.: 200-578-6 Indice No.: KQ6300000 RTECS: MFCD: 00003568

KE-13217 KE No.: Concentration: 35 - < 55 % acc. CLP (GHS): H226, Flam. Liq. 3

25 mL MW2

CAS No.: -Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 **After SKIN Contact**

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.

4.1.2

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:

IACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 4/8

Date of issue: 26.09.2018 Printing date: 12.05.2021

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Regular staff training is necessary.

6.2 **Environmental precautions**

not necessary

- 6.3 Methods and material for containment and cleaning up
- 6.4 Reference to other sections

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

35 mL MW1

guanidinium thiocyanate CAS No.: 593-84-0 Chemical:

[inh] 1092 µg/m³
DNEL = Derived No-Effect Level (for workers) DNEL: $\begin{array}{ccc} PNEC (\text{fresh water}) : & 42.4 \ \mu\text{g/L} \\ PNEC = \text{Predicted No Effected Concentration} \end{array}$

not listed NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: CAS No.: 64-17-5

 $\label{eq:continuous} \hbox{[derm] 343 mg/kg; [inh] 950 mg/m}^3 \\ \hbox{DNEL = Derived No-Effect Level (for workers)}$ DNEL:

0.96 mg/L PNEC_(fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 mL/m3 / 380 mg/m3

E/e respirable 4 (II), Y Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

25 mL MW2

chemicals/mixture < 1% CAS No.: -Chemical:

8.2 **Exposure controls**

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 5/8 Date of issue: 26.09.2018 Printing date: 12.05.2021

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL).

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

35 mL MW1

Appearance: liquid Colour: colourless Odor: alcoholic

6.5 - 7.5pH: Flash point: 23 °C

25 mL MW2

Colour: colourless Odor: odorless Appearance: liquid

Specific gravity: 1.00 g/cm³

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. Possible: Contact with acids liberates toxic gas. No further data available

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances.

35 mL MW1

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: Canada CEPA 1999: DSL yes not listed

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: not listed

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 6/8

Date of issue: 26.09.2018 Printing date: 12.05.2021

> LD50_{orl rat}: 593 mg/kg >2000 mg/m³ LC50_{drm rbt}: LC50_{ihl rat}: [4h] 5.319 mg/L 300 mg/kg LD50_{ipr mus}:

CAS No.: 64-17-5 Chemical: ethanoi

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system Target Organs:

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 LD50_{orl rat}: 6200 mg/kg LC_Lowinl gpg: LC_Loworl hmn: 21.9 g/m³ 1400 mg/kg LC50_{ihl mouse}: [4h] 39 g/m³ [10h] 20 g/m³ LC50_{ihl rat}: LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

25 mL MW2

CAS No : -Chemical: chemicals/mixture < 1%

TSCA Inventory: all listed, <1% Korea Exist.Chem.Inventory: listed

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

35 mL MW1

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

 $42.4 \, \mu g/L$

PNEC(fresh water):
PNEC = Predicted No Effected Concentration

LC50_{fish/96h}: [4d] 89.1 mg/L EC50_{daphnia/48h}: 42.4 mg/L IC50_{scenedesmus} quadricauda/72h 130 mg/L EC10_{pseudomonas} putita/16h [10d] 200 mg/L

Water hazard class (DE):

Dispersion coefficient(octanol-water): [pH 5.1] -1.11

Storage class (VCI):

CAS No.: 64-17-5 Chemical: ethanol

0.96 mg/L

PNEC_(fresh water): PNEC = Predicted No Effected Concentration

LC50_{daphnia} magna/48h: >100 mg/L LC50pimephales promelas/96h: 13400 - 15100 mg/L LC50_{leuciscus idus/96h} [48h] 8140 mg/L LC50_{fish/96h}: 13 g/L 9.3-14.2 g/L EC50_{daphnia/48h}: [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h EC10pseudomonas putita/16h: [EC5] 6500 mg/L Water hazard class (DE): WGK No.: 0096

Dispersion coefficient(octanol-water): -0.31Storage class (VCI):

www.mn-net.com

US:

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 7/8

Printing date: 12.05.2021 Date of issue: 26.09.2018

25 mL MW2

Chemical: chemicals/mixture < 1% Water hazard class (DE): 1

12-13

CAS No.: -

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

Storage class (VCI):

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Do not collect in acidic waste. May form toxic gases.

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

SECTION 14: Transport information

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3 14.4 Packing group: II

Road transport

Classification code: F1

Limited Quantity: 1 L Tunnel restriction code:

Excepted Quantity: E 2 Special instructions: 640C

Air transport

PAX: 353 max. weight PAX: 5 L CAO: 364 max. weight CAO: 60 L

Maritime transport

EmS: F-E, S-E Storage category: B

14.5 Environmental hazards

none

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740304 NucleoSpin miRNA Column/Buffer Set Page: 8/8

Printing date: 12.05.2021 Date of issue: 26.09.2018

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-08 Adaption of new ethanol denaturation 2016/1867/EU

2017-11 Adaption of ECHA Registration dossier

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR: