

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740343.60	Paraffin Dissolver (blue) (60 mL)	Page: 1/6
Printing date: 12.05.2021	Date of issue: 06.06.2018	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 740343.60
 Product name Paraffin Dissolver (blue) (60 mL)
 REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 60 mL Paraffin Dissolver (blue)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.
Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valenciennr Str. 11, 52355 Düren, GERMANY
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

60 mL Paraffin Dissolver (blue)



GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H304	Asp. Tox. 1

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

60 mL Paraffin Dissolver (blue)



GHS08

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 2/6

Printing date: 12.05.2021

Date of issue: 06.06.2018

Signal word: DANGER

H304

May be fatal if swallowed and enters airways.

P301+310, P331

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting.

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms

May be fatal if swallowed and enters airways. The Paraffin Dissolver needs no labeling H350, because the aromates are reduced (<0.03%). -

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

60 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*
(, Aromates <0.03%)

CAS No.: 64742-46-7

Classification: H304, Asp. Tox. 1

Formula: C₁₅-C₂₀, isomere aliphates

Pseudonym: distillates (petroleum), hydrotreated middle

TSCA Inventory: listed

REACH Reg. No.: 01-2119827000-58-XXXX

EC No.: 934-956-3

Indice No.: 649-275-00-4

KE No.: KE-12554

Concentration: 90 - <100 %

acc. CLP (GHS): H304, Asp. Tox. 1

Chemical: *colour dye(s)*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1%

Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 3/6

Printing date: 12.05.2021

Date of issue: 06.06.2018

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into drains. Not for organic solvents (see section 13).

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 12

Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

60 mL Paraffin Dissolver (blue)

Chemical: *paraffin dissolver*

CAS No.: 64742-46-7

TRGS 900 (DE): 600 mg/m³
E/e respirable

Short-term exposure factor: 2 (II)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

NIOSH STEL: 10 mg/m³

OSHA: 5 mg/m³

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 4/6

Printing date: 12.05.2021

Date of issue: 06.06.2018

Chemical: *colour dye(s)*

CAS No.: -

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL).

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

60 mL Paraffin Dissolver (blue)

Appearance: liquid	Colour: blue	Odor: organic
pH: -		
Melting point: -18 _{pourpoint} °C		
Boiling point: 245-330 °C		
Flash point: >115 °C		
Evaporation rate _(ether=1) : >1000		
Explosion limits: 1-6 Vol%		
Vapour pressure (20°C): < 0.003 hPa		
Specific gravity: 0.82 g/cm ³		
Solubility in water: <0,001 %		
Dispersion coefficient _(octanol-water) : 7-8.7		
Flashing temperature: >230 °C		

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 5/6

Printing date: 12.05.2021

Date of issue: 06.06.2018

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

60 mL Paraffin Dissolver (blue)

Chemical:	<i>paraffin dissolver</i>	CAS No.:	64742-46-7
TSCA Inventory:	listed		
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed		
Japan ISHL:	not listed		
Korea Exist.Chem.Inventory:	KE-12554		
LD50 _{orl rat} :	>5000 mg/kg		
LC50 _{inh rat} :	>5266 _{4h} mg/m ³		
LD50 _{drm rbt} :	>3160 mg/kg		

Chemical:	<i>colour dye(s)</i>	CAS No.:	-
TSCA Inventory:	all listed, <1%		

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

60 mL Paraffin Dissolver (blue)

Chemical:	<i>paraffin dissolver</i>	CAS No.:	64742-46-7
LC50 _{fish/96h} :	>1028 mg/L		
Water hazard class (DE):	1	WGK No.:	0027
Dispersion coefficient _(octanol-water) :	7-8.7		
Storage class (VCI):	12		

Chemical:	<i>colour dye(s)</i>	CAS No.:	-
-----------	----------------------	----------	---

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Or collect in solvent waste (waste code number 07 07 04).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740343.60

Paraffin Dissolver (blue) (60 mL)

Page: 6/6

Printing date: 12.05.2021

Date of issue: 06.06.2018

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
 MN Leaflet/User manual, also see www.mn-net.com
 Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H304 May be fatal if swallowed and enters airways.

16.1.2 List of relevant P phrases

P301+310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P331 Do NOT induce vomiting.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area.

16.3 Recommended restriction on use

Only for professional user.
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
 Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
 SUVA .CH, Limits in air at work 2009, revised on 01.2009
 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU