

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 1/8

Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 740391.1000

Product name Buffer ENDO-EF (1000 mL)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 1000 mL ENDO-EF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

1000 mL ENDO-EF



GHS02

Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H412 Aquatic Chronic 3

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

1000 mL ENDO-EF



www.mn-net.com

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 2/8 Printing date: 12.05.2021 Date of issue: 17.02.2021

Signal word: WARNING

H226, H412

Flammable liquid and vapour. Harmful to aquatic life with long lasting effects.

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid release to the environment.

2.3 Other hazards

Possible hazards from physicochemical properties

Flammable properties. Vapour forms explosive mixtures with air. ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PRTnot applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

1000 mL ENDO-EF

ethanol (diluted < 20 %) CAS No.: 64-17-5d Chemical:

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O, C₂ H₅ OH

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

603-002-00-5 Indice No : EC No.: 200-578-6 RTECS: KQ6300000 MFCD: 00003568

KE No .: KE-13217 Concentration: 5 - < 20 % acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: potassium chloride CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx EC No.: 231-211-8

MFCD: RTECS: TS8050000 00011360

KE No.: KE-29086 Concentration: 1 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

CAS No.: 9036-19-5 Chemical: Triton® X-114

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H410, Aquatic Chronic 1

Formula: C₃₀ H₅₄ O₉

Pseudonym: Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-

TSCA Inventory: listed **SVHC listed:** listed EC No.: 232-658-1 RTECS: RI0720000 KE No .: KE-33567 0.25 - < 2.5 % Concentration:

acc. CLP (GHS): H412, Aquatic Chronic 3

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



CAS No .: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 3/8

Printing date: 12.05.2021 Date of issue: 17.02.2021

Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% listed
Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Keep product away from sources of ignition - No smoking. Regular staff training is necessary.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into drains.

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 4/8 Printing date: 12.05.2021 Date of issue: 17.02.2021

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1000 mL ENDO-EF

ethanol Chemical: CAS No.: 64-17-5d

 $[derm] \ 343 \ mg/kg; \ [inh] \ 950 \ mg/m^3 \\ \ DNEL = Derived \ No-Effect \ Level \ (for \ workers)$ DNFI:

PNEC_(fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³

Short-term exposure factor: 4 (II), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

Chemical: potassium chloride CAS No.: 7447-40-7

Chemical: Triton® X-114 CAS No.: 9036-19-5

Chemical: CAS No : chemicals/mixture < 1%

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL).

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

Skin protection 8.2.4

Recommended

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 5/8

Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1000 mL ENDO-EF

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 6-7 Flash point: 39 °C Specific gravity: 1.04 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability

10.3 Possibility of hazardous reactions

But avoid reactions with oxidizing agents. No further data available.

10.4 Conditions to avoid

Not necessary. But can form explosive gases/vapour with air. Use only in a well-ventilated working areas. ---

10.5 Incompatible materials

Avoid storage with oxidising substances.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1000 mL ENDO-EF

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

1000 ppm ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; Symptoms:

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: Canada CEPA 1999: DSL yes not listed

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50_{orl rat}: LC_Lowihl gpg: 21.9 g/m³ LC_Loworl hmn: LC50_{ihl mouse}: 1400 mg/kg [4h] 39 g/m³ LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-29086 LD50_{orl rat}: 2600 mg/kg

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 6/8

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Chemical: Triton® X-114 CAS No.: 9036-19-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-33567

Chemical: chemicals/mixture < 1% CAS No .: all listed. <1%

TSCA Inventory: Korea Exist.Chem.Inventory: listed

SECTION 12: Ecological information

12.1

Following information is valid for pure substances.

1000 mL ENDO-EF

Chemical: ethanol CAS No.: 64-17-5d 0.96 mg/L

PNEC_(fresh water):
PNEC = Predicted No Effected Concentration LC50_{daphnia magna/48h}: >100 g/L LC50pimephales promelas/96h: 13.4-15.1 g/L [48h] 8.14 g/L LC50leuciscus idus/96h: LC50_{fish/96h}: 13 g/L 9.3-14.2 g/L EC50_{daphnia/48h}: [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h [EC5] 6500 mg/L

EC10_{pseudomonas putita/16h} Water hazard class (DE): WGK No.: 0096

Dispersion coefficient(octanol-water): -0.31 Storage class (VCI):

Chemical: potassium chloride CAS No.: 7447-40-7

Water hazard class (DE): Storage class (VCI):

CAS No.: 9036-19-5 Chemical: Triton® X-114

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment. Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Water hazard class (DE): Storage class (VCI): 12-13

chemicals/mixture < 1% CAS No : -Chemical:

Water hazard class (DE): Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

Results of PBT and vPvB assessment 12.5

no data available

12.6 Other adverse effects

no additional data available

www.mn-net.com

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US:

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 7/8 Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations (Ethanol: ADR SI144/ IATA A58)

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 **Chemical safety assessment**

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

Flammable liquid and vapour.

Harmful to aquatic life with long lasting effects.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P273 Avoid release to the environment.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area.

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740391.1000 Buffer ENDO-EF (1000 mL) Page: 8/8 Printing date: 12.05.2021 Date of issue: 17.02.2021

SUVA .CH, Limits in air at work 2009, revised on 01.2009

Directive 1999/92/EC Minimum requirements for improving the safety and health protection of workers at risk from potentially explosive

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com