

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 1/9

Printing date: 15.11.2021 Date of issue: 09.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 740408.10

Product name NucleoSpin Inhibitor Removal (10)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 13 mL Elution Buffer BE

1 x 10 mL IR1 1 x 6 mL IRW 1 x 1 mL IRX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. 99089 Erfurt tel. +49 361 730 730 DE: Gemeinsames Giftinformationszentrum (GGIZ)

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS07

Signal word WARNING

Hazard identification Hazard classes/categories H302 Acute Tox. 4 oral H315 Skin Irrit. 2 H319 Eye Irrit. 2

Classification of the substance or mixture 2.1

13 mL Elution Buffer BE

Do not need labelling as hazardous

Signal word

No hazard class

www.mn-net.com

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.:

+1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 2/9 Printing date: 15.11.2021 Date of issue: 09.11.2020

10 mL IR1



Signal word WARNING

Hazard identification Hazard classes/categories H302 Acute Tox. 4 oral Skin Irrit. 2 H315 H319 Eye Irrit. 2

6 mL IRW

Do not need labelling as hazardous

Signal word

No hazard class

1 mL IRX

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

13 mL Elution Buffer BE

Do not need labelling as hazardous Signal word: -

10 mL IR1



Signal word: WARNING

6 mL IRW

Do not need labelling as hazardous Signal word: -

1 mL IRX

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. ---

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 3/9

Printing date: 15.11.2021 Date of issue: 09.11.2020

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities. ---

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

13 mL Elution Buffer BE

chemicals/mixture < 1% CAS No .: -Chemical:

Classification: No criteria for classification or naming of chemical not required.

all listed, <1% TSCA Inventory: KE No.: listed Concentration: 01-<1%

acc. CLP (GHS): The criteria for classification are not fulfilled

10 mL IR1

Chemical: guanidine hydrochloride CAS No.: 50-01-1

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: CH₆ CIN₃

guanidinium chloride Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119977063-35-0005

EC No.: 200-002-3 607-148-00-0 Indice No.: RTECS: MF4300000 MFCD: 00013026

KF No . KF-18111 Concentration: 50 - < 66 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

6 mL IRW

Chemical: chemicals/mixture < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No .: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled

1 mL IRX

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

Classification: No criteria for classification or naming of chemical not required.

Formula: C58 H114 O26

Pseudonym: Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.

TSCA Inventory: listed

RTECS: TR7400000 MFCD: 00165986

KE No.: KE-31681 Concentration: 80 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: E-mail: sales-ch@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 740408.10
 NucleoSpin Inhibitor Removal (10)
 Page: 4/9

 Printing date: 15.11.2021
 Date of issue: 09.11.2020

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

7.2.1

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 10
Water hazard class (DE): 1

Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 5/9

Date of issue: 09.11.2020 Printing date: 15.11.2021

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

13 mL Elution Buffer BE

Chemical: chemicals/mixture < 1% CAS No .: -

10 mL IR1

guanidine hydrochloride CAS No.: 50-01-1 Chemical:

DNEL [inh] 3.5 mg/m³

PNEC (fresh water): - PNEC = Predicted No Effected Concentration

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

6 mL IRW

Chemical: chemicals/mixture < 1% CAS No : -

1 mL IRX

polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5 Chemical:

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary

Personal hygiene 8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

13 mL Elution Buffer BE

Appearance: liquid Colour: colourless Odor: odorless

8-9 pH:

Specific gravity: 1.0 g/cm³

10 mL IR1

Appearance: liquid Colour: colourless Odor: odorless

pH: 4.5 - 5.0Specific gravity: 1.18 g/cm³

6 mL IRW

Colour: colourless Odor: odorless Appearance: liquid

pH: 7-8

Specific gravity: 1.00 g/cm³

1 mL IRX

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 +33 388 51 76 88 +1 484 821 1272 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 6/9

Date of issue: 09.11.2020 Printing date: 15.11.2021

> Colour: slightly yellow Odor: odorless Appearance: liquid

pH: 6-8 > 100 °C Boiling point: Specific gravity: 1.10 g/cm³ Solubility in water: 0-10 %

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. No further data available.

10.4 Conditions to avoid

10.5 Incompatible materials

Avoid contact with strong acids or alkalines

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

13 mL Elution Buffer BE

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory all listed. <1%

Korea Exist.Chem.Inventory: listed

10 mL IR1

Chemical: guanidine hydrochloride CAS No.: 50-01-1

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-18111 LD50_{orl rat}: 475-907 mg/kg LC50_{ihl rat}: [4h] 3181-7655 µg/m³ LD50_{drm rbt}: 2000 mg/kg

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

6 mL IRW

Chemical: CAS No.: chemicals/mixture < 1%

TSCA Inventory: all listed, <1% Korea Exist.Chem.Inventory: listed

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 7/9

Printing date: 15.11.2021 Date of issue: 09.11.2020

1 mL IRX

polyoxyethylene sorbitan monolaurate (Tween® 20) Chemical: CAS No.: 9005-64-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31681

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

13 mL Elution Buffer BE

Chemical: chemicals/mixture < 1% CAS No .: -

Water hazard class (DE): Storage class (VCI): 12-13

10 mL IR1

Chemical: guanidine hydrochloride CAS No.: 50-01-1

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50_{leuciscus idus/96h}: 1759 mg/L

LC50_{fish/96h}: [4d] 690-1850; [48h] 1758-2420 mg/L

 $EC50_{daphnia/48h}$: 70.2 mg/L

EC10pseudomonas putita/16h: Water hazard class (DE): [72h] 11.8-33.5 mg/L WGK No.: 0788

12

Storage class (VCI):

6 mL IRW

CAS No .: -Chemical: chemicals/mixture < 1%

Water hazard class (DE): Storage class (VCI): 12-13

1 mL IRX

Chemical: CAS No.: 9005-64-5 polyoxyethylene sorbitan monolaurate (Tween® 20)

Water hazard class (DE):

Storage class (VCI): 10-11

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 8/9

Date of issue: 09.11.2020 Printing date: 15.11.2021

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

Chemical safety assessment 15.2

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

Harmful if swallowed. H302 H315 Causes skin irritation. H319 Causes serious eye irritation.

16.1.2 List of relevant P phrases

P264W Wash with water thoroughly after handling. P280sh Wear protective gloves/eye protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+312

P330 Rinse mouth.

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

www.mn-net.com

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740408.10 NucleoSpin Inhibitor Removal (10) Page: 9/9
Printing date: 15.11.2021 Date of issue: 09.11.2020

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-11 Adaption of ECHA Registration dossier

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

+41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com