

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoBond PC 10000 EF (5) Page: 1/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

REF 740548

Product name NucleoBond PC 10000 EF (5)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 600 mL N2-EF 4 x 800 mL N3-EF 2 x 1000 mL N4-EF 1 x 600 mL N5-EF

1 x 0.6-100 mg RNase A (Iyo)

1 x 750 mL S1-EF 1 x 750 mL S2-EF 1 x 750 mL S3-EF 1 x 30 mL TE-EF

1 x 35 mL H<sub>2</sub> O-EF (for 70% ethanol)

1 x 30 mL H<sub>2</sub> O-EF

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses

Product for analytical use.

Exposuré Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

### Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

#### 1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

### **SECTION 2: Hazard identification**

#### 2.0 Classification of the complete product







GHS08

GHS02

Signal word **DANGER** 

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H412	Aquatic Chronic 3

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 2/21 Printing date: 12.05.2021 Date of issue: 17.02.2021

#### 2.1 Classification of the substance or mixture

600 mL N2-EF



Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H412 Aquatic Chronic 3

800 mL N3-EF



Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H412 Aquatic Chronic 3

1000 mL N4-EF



Signal word WARNING

**Hazard identification** Hazard classes/categories

H226 Flam. Liq. 3

600 mL N5-EF



Signal word **WARNING** 

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

0.6-100 mg RNase A (Iyo)



www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 3/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Signal word **DANGER**

Hazard identification Hazard classes/categories

H334 Resp. Sens. 1

750 mL S1-EF

Do not need labelling as hazardous

Signal word

No hazard class

750 mL S2-EF

Signal word **WARNING** 

Hazard identification Hazard classes/categories

H315 Skin Irrit. 2 Eye Irrit. 2 H319

750 mL S3-EF

Do not need labelling as hazardous

Signal word

No hazard class

30 mL TE-EF

Do not need labelling as hazardous

Signal word

No hazard class

35 mL H<sub>2</sub> O-EF (for 70% ethanol)

Do not need labelling as hazardous

Signal word

No hazard class

30 mL H<sub>2</sub> O-EF

Do not need labelling as hazardous

Signal word

No hazard class

#### 2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 4/21
Printing date: 12.05.2021 Date of issue: 17.02.2021

#### 600 mL N2-EF



GHS02

Signal word: WARNING

H226, H412

Flammable liquid and vapour. Harmful to aquatic life with long lasting effects.

P210, P273

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid release to the environment.

### 800 mL N3-EF



GHS02

Signal word: WARNING

H226, H412

Flammable liquid and vapour. Harmful to aquatic life with long lasting effects.

P210, P273

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid release to the environment.

### 1000 mL N4-EF



GHS02

Signal word: WARNING

H226

Flammable liquid and vapour.

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

### 600 mL N5-EF



GHS02

Signal word: WARNING

H226

Flammable liquid and vapour.

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

### 0.6-100 mg RNase A (Iyo)

www.mn-net.com

+1 484 821 0984

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.:

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 5/21

Printing date: 12.05.2021 Date of issue: 17.02.2021



GHS08

Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P342+311

Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

#### 750 mL S1-EF

Do not need labelling as hazardous Signal word: -

### 750 mL S2-EF



GHS07

Signal word: WARNING

H315 H319

Causes skin irritation. Causes serious eye irritation.

P280sh

Wear protective gloves/eye protection.

### 750 mL S3-EF

Do not need labelling as hazardous Signal word: -

### 30 mL TE-EF

Do not need labelling as hazardous Signal word: -

### 35 mL H<sub>2</sub> O-EF (for 70% ethanol)

Do not need labelling as hazardous Signal word: -

### 30 mL H<sub>2</sub> O-EF

Do not need labelling as hazardous Signal word: -

### 2.3 Other hazards

### Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. Vapour forms explosive mixtures with air

### Information pertaining to particular risks to human and possible symptoms

Cause after impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

### Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable vPvB: not applicable

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 6/21 Printing date: 12.05.2021 Date of issue: 17.02.2021

Other hazards

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

600 mL N2-EF

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

H225, Flam. Liq. 2 Classification: C2 H6 O; C2 H5 OH Formula:

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory:

REACH Reg. No.: 01-2119457610-43-xxxx

200-578-6 EC No.: Indice No.: 603-002-00-5 KQ6300000 00003568 RTFCS: MFCD:

KF-13217 KE No.: Concentration: 5 - < 20 % acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: potassium chloride CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: **KCI** 

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

RTECS: TS8050000 MFCD: 00011360

KF-29086 KE No.: Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Triton® X-114 CAS No.: 9036-19-5 H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H410, Aquatic Chronic 1 Classification:

Formula:

Pseudonym: Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-

TSCA Inventory: listed SVHC listed: listed EC No.: 232-658-1 RI0720000 RTECS: KE No .: KE-33567 Concentration: 0.25 - < 2.5 %

acc. CLP (GHS): H412, Aquatic Chronic 3

800 mL N3-EF

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 C<sub>2</sub> H<sub>6</sub> O; C<sub>2</sub> H<sub>5</sub> OH Formula:

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

01-2119457610-43-xxxx REACH Reg. No.:

200-578-6 Indice No.: 603-002-00-5 EC No.: RTECS: KQ6300000 MFCD: 00003568

KE No.: KE-13217 Concentration: 5 - <20 % acc. CLP (GHS): H226, Flam. Liq. 3

www.mn-net.com

US:

MACHEREY-NAGE  $\langle MN \rangle$ 

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 7/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

Chemical: potassium chloride CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required. Formula: KCl

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

RTECS: TS8050000 MFCD: 00011360

KE No.: KE-29086 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Triton® X-114 CAS No.: 9036-19-5

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H410, Aquatic Chronic 1

Formula: C<sub>30</sub> H<sub>54</sub> O<sub>9</sub>

Pseudonym: Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-

TSCA Inventory: listed

SVHC listed: listed

EC No.: 232-658-1

RTECS: RI0720000

KE No.: KE-33567

Concentration: 0.25 - <2.5 %

acc. CLP (GHS): H412, Aquatic Chronic 3

1000 mL N4-EF

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula:  $C_2 H_6 O$ ;  $C_2 H_5 OH$ 

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 Indice No.: 603-002-00-5 RTECS: KQ6300000 MFCD: 00003568

KE No.: KE-13217 Concentration: 5 - <20 % acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: potassium chloride CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: KCI

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8 RTECS: TS8050000 MFCD:

KE No.: KE-29086 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

600 mL N5-EF

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula:  $C_2 H_6 O$ ;  $C_2 H_5 OH$ 

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 Indice No.: 603-002-00-5 RTECS: KQ6300000 MFCD: 00003568

KE No.: KE-13217 Concentration: 5 - <20 % acc. CLP (GHS): H226, Flam. Liq. 3

00011360

www.mn-net.com

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE/international: CH: FR:

DE/international: CH: FR: US:
Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984
Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

## **ACHEREY-NAGEI**



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 8/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

> potassium chloride CAS No.: 7447-40-7 Chemical:

Classification: No criteria for classification or naming of chemical not required. Formula: **KCI** 

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

TS8050000 MFCD: 00011360 RTFCS

KE-29086 KE No .: Concentration: 10 - <20 %

acc. CLP (GHS): The criteria for classification are not fulfilled

0.6-100 mg RNase A (Iyo)

Chemical: CAS No.: 9001-99-4

H334, Resp. Sens. 1 Classification:

Enzyme Comm. No. 3.1.27.5, origin: bovine pancreas (controlled population) Formula:

Pseudonym: Nuclease, ribo-TSCA Inventory: listed 232-646-6 EC No.: RF0760000 RTECS: KE-30341 KE No.:

Concentration: 90 - <100 % acc. CLP (GHS): H334, Resp. Sens. 1

750 mL S1-EF

Chemical: chemicals/mixture < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

750 mL S2-EF

Chemical: sodium hydroxide solution (diluted < 2 %) CAS No.: 1310-73-2d

Classification: H314, Skin Corr. 1B NaOH•H<sub>2</sub> O Formula: Pseudonvm: diluted soda lye

TSCA Inventory: listed

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5 Indice No.: 011-002-00-6

WB4900000 RTECS: KE-31487 KE No.: Concentration: 0.5 - <1 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

dodecyl sulfate, sodium salt CAS No.: 151-21-3 Chemical:

H228, Flam. Sol. 1, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H332, Acute Classification:

Tox. 4 inh., H335, STOT SE 3, H412, Aquatic Chronic 3 Formula: C<sub>12</sub> H<sub>25</sub> NaO<sub>4</sub> S

Pseudonym: sodium lauryl sulfate, sulfuric acid monododecyl ester sodium salt

TSCA Inventory: listed

REACH Reg. No.: 01-2119489461-32-xxxx

205-788-1 EC No.:

WT1050000 MFCD: RTECS: 00036175

KE No.: KE-21884 Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

CAS No : -Chemical: indicator dye(s)

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

750 mL S3-EF

www.mn-net.com

US:

MACHEREY-NAGE  $\langle MN \rangle$ 

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



CAS No .: -

CAS No.: -

# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 9/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

Chemical: acetate buffer solution

Classification: No criteria for classification or naming of chemical not required.

Formula: CH<sub>3</sub> COOH/K/Na•H<sub>2</sub> O

TSCA Inventory: all listed KE No.: listed Concentration: 25 - <45 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL TE-EF

Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% listed
Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

35 mL H<sub>2</sub> O-EF (for 70% ethanol)

Chemical: water CAS No.: 7732-18-5

Classification: No criteria for classification or naming of chemical not required.

Formula: H<sub>2</sub> O TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV EC No.: 231-791-2 RTECS: ZC0110000 KE No.: KE-35400 Concentration: 90 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL H<sub>2</sub> O-EF

Chemical: water CAS No.: 7732-18-5

Classification: No criteria for classification or naming of chemical not required.

Formula: H<sub>2</sub> O TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV EC No.: 231-791-2 RTECS: ZC0110000 KE No.: KE-35400 Concentration: 90 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4 1 1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoBond PC 10000 EF (5) Page: 10/21 Printing date: 12.05.2021 Date of issue: 17.02.2021

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

#### 4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

#### 4.3 Indication of any immediate medical attention and special treatment needed

After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. Inform patient respectively further measures and the possibility of long-term

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. --

#### 5.3 Advice for firefighters

No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment. For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

#### 5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Keep product away from sources of ignition -No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

#### 6.2 **Environmental precautions**

not necessary, contains only small amounts of these substances

#### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

#### 6.4 Reference to other sections

see information in section 5.4 ---

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 11/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

#### 7.3 Specific end use(s)

Product for analytical use.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

600 mL N2-EF

Chemical: ethanol CAS No.: 64-17-5d

[derm] 343 mg/kg; [inh] 950 mg/m<sup>3</sup> DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m<sup>3</sup>

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

500 ppm / 960 mg/m<sup>3</sup> SUVA(CH) MAK value:

NIOSH:

I: [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m<sup>3</sup>

potassium chloride Chemical: CAS No.: 7447-40-7

Chemical: Triton® X-114 CAS No.: 9036-19-5

800 mL N3-EF

Chemical: ethanol CAS No.: 64-17-5d

[derm] 343 mg/kg; [inh] 950 mg/m3 DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m<sup>3</sup>

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m<sup>3</sup>

NIOSH:

l: [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m<sup>3</sup>

Chemical: potassium chloride CAS No : 7447-40-7

Chemical: Triton® X-114 CAS No.: 9036-19-5

1000 mL N4-EF

Chemical: CAS No.: 64-17-5d ethanol

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m<sup>3</sup>

DNEL = Derived No-Effect PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

200 ppm / 380 mg/m<sup>3</sup> TRGS 900 (DE):

Short-term exposure factor: 4 (II), Y ratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded skin resorptive (H), respi

500 ppm / 960 mg/m<sup>3</sup> SUVA(CH) MAK value:

NIOSH:

E [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m<sup>3</sup>

Chemical: potassium chloride CAS No.: 7447-40-7

600 mL N5-EF

CAS No.: 64-17-5d Chemical: ethanol

[derm] 343 mg/kg; [inh] 950 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC<sub>(fresh water)</sub>: 0.96 mg/L

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 12/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m<sup>3</sup>

E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m<sup>3</sup>

I: [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m<sup>3</sup>

Chemical: CAS No.: 7447-40-7 potassium chloride

0.6-100 mg RNase A (Iyo)

CAS No.: 9001-99-4 Chemical: RNase

750 ml S1-FF

Chemical: chemicals/mixture < 1% CAS No .: -

750 mL S2-EF

Chemical: sodium hydroxide solution CAS No.: 1310-73-2d

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

NIOSH: not listed

weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: indicator dye(s) CAS No .: -

750 mL S3-EF

CAS No .: -Chemical: acetate buffer solution

30 mL TE-EF

CAS No.: -Chemical: chemicals/mixture < 1%

35 mL H<sub>2</sub> O-EF (for 70% ethanol)

CAS No.: 7732-18-5 Chemical: water

30 ml Ho O-FF

Chemical: water CAS No.: 7732-18-5

#### 8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

#### 8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

### 8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

#### Skin protection 8.2.4

Recommended to avoid contamination with these hazards.

#### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoBond PC 10000 EF (5) Page: 13/21 Printing date: 12.05.2021 Date of issue: 17.02.2021

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

600 mL N2-EF

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 6-6.5 Flash point: 38 °C 1.03 g/cm<sup>3</sup> Specific gravity:

800 mL N3-EF

Appearance: liquid Colour: colourless Odor: alcoholic

6-6.5 38 °C Flash point: Specific gravity: 1.04 g/cm<sup>3</sup>

1000 mL N4-EF

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 6-6.5 38 °C Flash point: Specific gravity: 1.04 g/cm<sup>3</sup>

600 mL N5-EF

Appearance: liquid Colour: colourless Odor: alcoholic

6.7-7.2 pH: 38 °C Flash point: Specific gravity: 1.05 g/cm<sup>3</sup>

0.6-100 mg RNase A (Iyo)

Appearance: solid (lyoph.) Colour: colourless Odor: odorless

Solubility in water: 0-100 %

750 mL S1-EF

Appearance: liquid Colour: colourless Odor: odorless

7.5-8.5 pH: Specific gravity: 1.00 g/cm<sup>3</sup>

750 mL S2-EF

Colour: blue Appearance: liquid Odor: odorless

pH:

Specific gravity: 1.008 g/cm<sup>3</sup>

750 mL S3-EF

Colour: colourless Odor: acetic Appearance: liquid

5.2-5.7 pH: Specific gravity: 1.15 g/cm<sup>3</sup>

30 mL TE-EF

Appearance: liquid Colour: colourless Odor: odorless

7.2-7.7 Specific gravity: 1.0 g/cm<sup>3</sup>

35 mL H<sub>2</sub> O-EF (for 70% ethanol)

Colour: colourless Odor: odorless Appearance: liquid

pH: 6-8 Specific gravity: 1.0 g/cm<sup>3</sup>

30 mL H<sub>2</sub> O-EF

Appearance: liquid Colour: colourless Odor: odorless

Specific gravity: 1.0 g/cm<sup>3</sup>

www.mn-net.com

US:

MACHEREY-NAGE **(MN)** 

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 14/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

#### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. Relevant Properties of Substance Group

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no further data available.

#### 10.2 Chemical stability

No known instability.

#### 10.3 Possibility of hazardous reactions

But avoid reactions with oxidizing agents. No further data available.

#### 10.4 Conditions to avoid

Not necessary. But can form explosive gases/vapour with air. Use only in a well-ventilated working areas. ---

#### 10.5 Incompatible materials

Avoid contact with strong acids or alkalines. Avoid storage with oxidising substances.

#### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

### 600 mL N2-EF

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: California Proposition 65 List: not listed listed

1000 ppm ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50<sub>orl rat</sub>: LC Lowihl gpg: 21.9 g/m<sup>3</sup> 1400 mg/kg LC\_Loworl hmn: LC50<sub>ihl mouse</sub>: [4h] 39 g/m<sup>3</sup> LC50<sub>ihl rat</sub>: [10h] 20 g/m3 LD50<sub>drm rbt</sub>: 20 000 mg/kg LD50<sub>oral mouse</sub>: 3450 ma/ka

TRGS 905 (DE): K5, M5, R<sub>F</sub> C

potassium chloride CAS No.: 7447-40-7 Chemical:

TSCA Inventory: listed KE-29086 Korea Exist.Chem.Inventory: LD50<sub>orl rat</sub>: 2600 mg/kg

Triton® X-114 CAS No.: 9036-19-5 Chemical:

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-33567

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 15/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

800 mL N3-EF

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50<sub>orl rat</sub>: LC\_Lowihl gpg: 21.9 g/m<sup>3</sup> LC\_Loworl hmn: 1400 mg/kg [4h] 39 g/m<sup>3</sup> LC50<sub>ihl mouse</sub>: LC50<sub>ihl rat</sub>: [10h] 20 g/m<sup>3</sup> LD50<sub>drm rbt</sub>: 20 000 mg/kg LD50<sub>oral mouse</sub>: 3450 mg/kg

TRGS 905 (DE): K5, M5, R<sub>F</sub> C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed
Korea Exist Chem Inventory: KE-29086
LD50<sub>orl rat</sub>: 2600 mg/kg

Chemical: *Triton® X-114* CAS No.: 9036-19-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-33567

1000 mL N4-EF

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50<sub>orl rat</sub>: LC\_Lowihl gpg: 21.9 g/m<sup>3</sup> LC Loworl hmn: 1400 mg/kg LC50<sub>ihl mouse</sub>: [4h] 39 g/m<sup>3</sup> LC50<sub>ihl rat</sub>: [10h] 20 g/m<sup>3</sup> 20 000 mg/kg  $LD50_{drm\ rbt}$ : LD50<sub>oral mouse</sub>: 3450 mg/kg

TRGS 905 (DE): K5, M5, R<sub>F</sub> C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-29086 LD50<sub>orl rat</sub>: 2600 mg/kg

600 mL N5-EF

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm Exposure Routes: inhalation, ingestion, skin and/or eye contact

www.mn-net.com

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE/international: CH: FR: US:



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 16/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: Canada CEPA 1999: DSL yes not listed

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

K5, M5, R<sub>F</sub> C

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50<sub>orl rat</sub>: LC\_Lowihl gpg: 21.9 g/m<sup>3</sup> LC\_Low<sub>orl hmn</sub>: 1400 mg/kg [4h] 39 g/m<sup>3</sup> LC50<sub>ihl mouse</sub>: LC50ihl rat: [10h] 20 g/m<sup>3</sup> LD50<sub>drm rbt</sub>: 20 000 mg/kg LD50<sub>oral mouse</sub>: 3450 mg/kg

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-29086 LD50<sub>orl rat</sub>: 2600 mg/kg

0.6-100 mg RNase A (Iyo)

TRGS 905 (DE):

Chemical: CAS No.: 9001-99-4

TSCA Inventory listed Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-30341 LD50intraperitonaeal rat: 392 mg/kg

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma

symptoms or breathing difficulties if inhaled.

750 mL S1-EF

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

750 mL S2-EF

CAS No.: 1310-73-2d Chemical: sodium hydroxide solution

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact Eyes, skin, respiratory system

Target Organs: Symptoms:

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed Japan ISHL: listed ≥1,0%/≥1,0% SDS required

Korea Exist.Chem.Inventory: KE-31487 LD50<sub>orl rat</sub>: [< 1%] > 50 g/kgLD50<sub>drm rbt</sub>: not applicable [< 1%] > 4 g/kgLD50<sub>orl mus</sub>:

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: Canada CEPA 1999: DSL yes not listed

PRTR - Class I Designated Chemical Substance, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-21884 LD50<sub>orl rat</sub>: 1288 mg/kg LC50<sub>inh rat</sub>: 3900<sub>1h</sub> mg/m<sup>3</sup> LD50<sub>drm rbt</sub>: 10 g/kg

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 17/21

Date of issue: 17.02.2021 Printing date: 12.05.2021

> CAS No .: -Chemical: indicator dye(s)

TSCA Inventory: all listed, <1%

750 mL S3-EF

acetate buffer solution Chemical: CAS No : -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

30 mL TE-EF

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

35 mL H<sub>2</sub> O-EF (for 70% ethanol)

Chemical: CAS No.: 7732-18-5 water

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-35400

30 mL H<sub>2</sub> O-EF

Chemical: CAS No.: 7732-18-5 water

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-35400

## **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Following information is valid for pure substances.

600 mL N2-EF

CAS No.: 64-17-5d Chemical: ethanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50daphnia magna/48h: >100 g/L

LC50pimephales promelas/96h : 13.4-15.1 g/L [48h] 8.14 g/L LC50<sub>leuciscus idus/96h</sub>: LC50<sub>fish/96h</sub>: 13 g/L EC50<sub>daphnia/48h</sub>: 9.3-14.2 g/L IC50<sub>scenedesmus</sub> quadricauda/72h: [7d] 5000 mg/L [EC5] 6500 mg/L EC10<sub>pseudomonas putita/16h</sub>:

Water hazard class (DE): WGK No.: 0096

 $Dispersion\ coefficient \ (octanol-water):$ -0.31Storage class (VCI):

CAS No.: 7447-40-7 potassium chloride

Water hazard class (DE): Storage class (VCI): 12-13

Triton® X-114 CAS No.: 9036-19-5

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment. Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Water hazard class (DE): Storage class (VCI): 12-13

800 mL N3-EF

www.mn-net.com

US:

MACHEREY-NAGE <MN>

MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE/international: CH: FR:

## **ACHEREY-NAGEI**



CAS No.: 64-17-5d

# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 18/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

> ethanol Chemical:

0.96 mg/L

PNEC(fresh water):
PNEC = Predicted No Effected Concentration

LC50<sub>daphnia magna/48h</sub>: >100 g/L  $LC50_{pime phales\ promelas/96h}$  : 13.4-15.1 g/L LC50 leuciscus idus/96h [48h] 8.14 g/L  $LC50_{fish/96h}$ : 13 g/L

EC50<sub>daphnia/48h</sub>: 9.3-14.2 g/L IC50<sub>scenedesmus</sub> quadricauda/72h: [7d] 5000 mg/L EC10<sub>pseudomonas</sub> putita/16h: Water hazard class (DE): [EC5] 6500 mg/L WGK No.: 0096

Dispersion coefficient<sub>(octanol-water)</sub>: -0.31 Storage class (VCI):

potassium chloride CAS No.: 7447-40-7

Water hazard class (DE): Storage class (VCI):

Chemical: CAS No.: 9036-19-5 Triton® X-114

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment. Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Water hazard class (DE):

Storage class (VCI): 12-13

1000 mL N4-EF

CAS No : 64-17-5d ethanol Chemical:

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50<sub>daphnia magna/48h</sub>: >100 g/L LC50pimephales promelas/96h: 13.4-15.1 g/L [48h] 8.14 g/L LC50<sub>leuciscus</sub> idus/96h:  $LC50_{fish/96h}$ : 13 g/L 9.3-14.2 g/L EC50daphnia/48h: IC50<sub>scenedesmus</sub> quadricauda/72h: [7d] 5000 mg/L EC10<sub>pseudomonas putita/16h</sub>: Water hazard class (DE): [EC5] 6500 mg/L WGK No.: 0096

Dispersion coefficient<sub>(octanol-water)</sub>: -0.31 Storage class (VCI):

Chemical: potassium chloride CAS No.: 7447-40-7

Water hazard class (DE):

12-13 Storage class (VCI):

600 mL N5-EF

Chemical: ethanol CAS No.: 64-17-5d

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50<sub>daphnia magna/48h</sub>: >100 g/L LC50pimephales promelas/96h: 13.4-15.1 a/L [48h] 8.14 g/L LC50leuciscus idus/96h: LC50fish/96h: 13 g/L EC50<sub>daphnia/48h</sub>: 9.3-14.2 g/L IC50<sub>scenedesmus</sub> quadricauda/72h [7d] 5000 mg/L EC10<sub>pseudomonas putita/16h</sub>: [EC5] 6500 mg/L WGK No.: 0096 Water hazard class (DE):

Dispersion coefficient(octanol-water): -0.31Storage class (VCI):

potassium chloride CAS No.: 7447-40-7

Water hazard class (DE):

Storage class (VCI): 12-13

0.6-100 mg RNase A (lyo)

CAS No.: 9001-99-4 Chemical: RNase

Water hazard class (DE): Storage class (VCI): 13

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

## **ACHEREY-NAGEI**



CAS No : -

# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 19/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

750 mL S1-EF

chemicals/mixture < 1% Chemical:

Water hazard class (DE): Storage class (VCI): 12-13

750 mL S2-EF

CAS No.: 1310-73-2d Chemical: sodium hydroxide solution

 $LC50_{leuciscus\ idus/96h}$  : 35-189 mg/L LC50<sub>fish/96h</sub>: 45.4 mg/L EC50<sub>daphnia/48h</sub>: >100 mg/L

Water hazard class (DE): nwg WGK No.: 0142

Storage class (VCI):

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

LC50<sub>daphnia magna/48h</sub>: 6.3 mg/L LC50<sub>fish/96h</sub>: 1.31-22.5 mg/L

Water hazard class (DE): Dispersion coefficient<sub>(octanol-water)</sub>: 1.6 Storage class (VCI): 12-13

CAS No .: -Chemical: indicator dye(s)

Storage class (VCI):

750 mL S3-EF

Chemical: acetate buffer solution CAS No .: -

Storage class (VCI):

30 mL TE-EF

Chemical: chemicals/mixture < 1% CAS No .: -

Water hazard class (DE): Storage class (VCI): 12-13

35 mL H<sub>2</sub> O-EF (for 70% ethanol)

CAS No.: 7732-18-5 Chemical: water

30 mL H<sub>2</sub> O-EF

Chemical: water CAS No.: 7732-18-5

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

### **SECTION 13: Disposal considerations**

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 20/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

### **SECTION 14: Transport information**

14.1 - 14.4: No dangerous goods according the transport regulations (Ethanol: ADR SI144/ IATA A58)

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

## 15.2 Chemical safety assessment

not necessary for these small amounts ---

### **SECTION 16: Other information**

### 16.1 List of H and P phrases

### 16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H412 Harmful to aquatic life with long lasting effects.

### 16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261sh Avoid breathing dust/vapours.
P273 Avoid release to the environment.
P280sh Wear protective gloves/eye protection.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### 16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EÉC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

## 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.5 Sources of key data

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740548 NucleoBond PC 10000 EF (5) Page: 21/21

Printing date: 12.05.2021 Date of issue: 17.02.2021

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU,  $4^{th}$  adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU,  $4^{th}$  adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009
TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 Directive 1999/92/EC Minimum requirements for improving the safety and health protection of workers at risk from potentially explosive

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-us@mn-net.com

E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com