

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoBond PC 10000 (5) Page: 1/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 740593

Product name NucleoBond PC 10000 (5)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 125 mL N2 1 x 500 mL N2 1 x 125 mL N3 1 x 1000 mL N3 1 x 500 mL N5 1 x 125 mL N5

1 x 0.6-100 mg RNase A (Iyo)

1 x 750 mL S1 1 x 750 mL S2 1 x 750 mL S3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

Classification of the complete product 2.0







GHS02

GHS07 **GHS08**

Signal word **DANGER**

Hazard identification Hazard classes/categories H226 Flam. Liq. 3 H315 Skin Irrit. 2 Eye Irrit. 2 H319 H334 Resp. Sens. 1

2.1 Classification of the substance or mixture

www.mn-net.com

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 2/23 Printing date: 12.05.2021 Date of issue: 17.02.2021

125 mL N2

Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

500 mL N2

Signal word **WARNING**

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

125 mL N3



Signal word WARNING

Hazard identification Hazard classes/categories H226 Flam. Liq. 3

1000 mL N3



Signal word **WARNING**

Hazard identification Hazard classes/categories H226 Flam. Liq. 3

500 mL N5



Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.:

+1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoBond PC 10000 (5) Page: 3/23 Printing date: 12.05.2021 Date of issue: 17.02.2021

125 mL N5

Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

0.6-100 mg RNase A (Iyo)

Signal word **DANGER**

Hazard identification Hazard classes/categories

H334 Resp. Sens. 1

750 mL S1

Do not need labelling as hazardous

Signal word

No hazard class

750 mL S2



Signal word WARNING

Hazard identification Hazard classes/categories

H315 Skin Irrit. 2 H319 Eye Irrit. 2

750 mL S3

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

E-mail: sales-ch@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 4/23 Printing date: 12.05.2021 Date of issue: 17.02.2021

125 mL N2



Signal word: WARNING

500 mL N2



Signal word: WARNING

H226

Flammable liquid and vapour.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

125 mL N3



Signal word: WARNING

1000 mL N3



Signal word: WARNING

Flammable liquid and vapour.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

500 mL N5



GHS02

Signal word: WARNING

Flammable liquid and vapour.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

www.mn-net.com

US:

MACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 5/23 Printing date: 12.05.2021 Date of issue: 17.02.2021

125 mL N5



Signal word: WARNING

0.6-100 mg RNase A (Iyo)



GHS08

Signal word: DANGER

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P342+311

Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

750 mL S1

Do not need labelling as hazardous Signal word: -

750 mL S2



Signal word: WARNING

H315, H319

Causes skin irritation. Causes serious eye irritation.

Wear protective gloves/eye protection.

750 mL S3

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. Vapour forms explosive mixtures

Information pertaining to particular risks to human and possible symptoms

Cause after impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

not applicable PBT: vPvB: not applicable

Other hazards

www.mn-net.com

ACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoBond PC 10000 (5) Page: 6/23 Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

125 mL N2

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU) Classification: H225, Flam. Liq. 2

Formula: C₂ H₆ O; C₂ H₅ OH

ethyl alcohol, methylated spirit Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 Indice No.: 603-002-00-5 RTECS: KQ6300000 00003568 MFCD:

KE-13217 KE No.: Concentration: 5 - < 20 % acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: potassium chloride CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: KCI

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx 231-211-8 EC No.:

RTECS: TS8050000 MFCD: 00011360

KE-29086 KE No.: Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Triton® X-100 CAS No.: 9002-93-1

Classification: No criteria for classification or naming of chemical not required.

Formula: C₃₃ H₆₀ O_{10,5} Pseudonym: octoxynol-9 TSCA Inventory: listed SVHC listed: listed

RTECS: MD0907700 MFCD: 00132505

KE-33568 KE No.: Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed. <1% KE No.: listed Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

500 mL N2

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 C₂ H₆ O; C₂ H₅ OH Formula:

ethyl alcohol, methylated spirit Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

Indice No.: 603-002-00-5 EC No.: 200-578-6 RTECS: KQ6300000 MFCD: 00003568

KE-13217 KE No.: Concentration: 5 - <20 % acc. CLP (GHS): H226, Flam. Liq. 3

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR:



CAS No.: 7447-40-7

00011360

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 7/23

Date of issue: 17.02.2021 Printing date: 12.05.2021

> Chemical: potassium chloride Classification: No criteria for classification or naming of chemical not required.

Formula: **KCI**

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

RTFCS TS8050000 MFCD:

KE-29086 KE No .: Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Triton® X-100 CAS No.: 9002-93-1

Classification: No criteria for classification or naming of chemical not required.

C₃₃ H₆₀ O_{10,5} Formula: Pseudonym: octoxynol-9

TSCA Inventory: listed **SVHC listed:** listed

MFCD: MD0907700 00132505 RTFCS:

KE-33568 KE No .: Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Stabilisators. Buffers. Detergents < 1% CAS No .: -Chemical:

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

125 mL N3

ethanol (diluted < 20 %) Chemical: CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

01-2119457610-43-xxxx REACH Reg. No.:

603-002-00-5 EC No.: 200-578-6 Indice No.: RTECS: KQ6300000 MFCD: 00003568

KE No.: KE-13217 Concentration: 5 - < 20 % acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: CAS No.: 7447-40-7 potassium chloride

Classification: No criteria for classification or naming of chemical not required.

Formula: TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

RTECS: TS8050000 MFCD: 00011360

KE No.: KE-29086 Concentration: 1 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required. all listed, <1%

TSCA Inventory: KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

1000 mL N3

www.mn-net.com

US:

MACHEREY-NAGE $\langle MN \rangle$

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

ACHEREY-NAGEI



CAS No.: 64-17-5d

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 8/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Chemical: ethanol (diluted < 20 %)

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

ethyl alcohol, methylated spirit Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

200-578-6 603-002-00-5 EC No.: Indice No.: KQ6300000 RTECS: MFCD: 00003568

KE-13217 KE No .: Concentration: 5 - < 20 % H226, Flam. Liq. 3 acc. CLP (GHS):

potassium chloride Chemical: CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

RTECS: TS8050000 MFCD: 00011360

KE-29086 KE No.: Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed 0.1 - <1 % Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

500 mL N5

Chemical: ethanol (diluted < 20 %) CAS No.: 64-17-5d

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU) Classification: H225, Flam. Liq. 2

C₂ H₆ O, C₂ H₅ OH Formula: Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 Indice No.: 603-002-00-5 RTECS: KQ6300000 MFCD: 00003568

KE No.: KE-13217 Concentration: 5 - < 20 % acc. CLP (GHS): H226, Flam. Liq. 3

potassium chloride Chemical: CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: KCI

TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

231-211-8 EC No.: RTECS: TS8050000

MFCD: 00011360

KE-29086 KE No.: Concentration: 1 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

CAS No .: -Chemical: Stabilisators. Buffers. Detergents < 1%

Classification: No criteria for classification or naming of chemical not required. TSCA Inventory: all listed, <1%

KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

125 mL N5

www.mn-net.com

US:

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

ACHEREY-NAGEI



CAS No.: 64-17-5d

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 9/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Chemical: ethanol (diluted < 20 %)

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

ethyl alcohol, methylated spirit Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 603-002-00-5 Indice No.: KQ6300000 RTECS: MFCD: 00003568

KE-13217 KE No .: Concentration: 5 - < 20 % H226, Flam. Liq. 3 acc. CLP (GHS):

potassium chloride Chemical: CAS No.: 7447-40-7

Classification: No criteria for classification or naming of chemical not required.

Formula: TSCA Inventory: listed

REACH Reg. No.: 01-2119539416-36-xxxx

EC No.: 231-211-8

RTECS: TS8050000 MFCD: 00011360

KE-29086 KE No.: Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed 0.1 - <1 % Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

0.6-100 mg RNase A (Iyo)

Chemical: CAS No.: 9001-99-4 Classification: H334, Resp. Sens. 1

Enzyme Comm. No. 3.1.27.5,origin: bovine pancreas (controlled population) Formula:

Pseudonym: Nuclease ribo-

TSCA Inventory: listed 232-646-6 EC No.: RTECS: RF0760000 KE No.: KE-30341 Concentration: 90 - <100 %

acc. CLP (GHS): H334, Resp. Sens. 1

750 mL S1

CAS No .: -Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed Concentration: 01-<1%

acc. CLP (GHS): The criteria for classification are not fulfilled.

750 mL S2

sodium hydroxide solution (diluted < 2 %) CAS No.: 1310-73-2d Chemical:

Classification: H314, Skin Corr. 1B NaOH•H2O Formula: Pseudonym: diluted soda lye

TSCA Inventory: listed

01-2119457892-27-xxxx REACH Reg. No.:

215-185-5 011-002-00-6 EC No.: Indice No.:

RTECS: WB4900000 KE No .: KE-31487 Concentration: 0.5 - <1 %

H315, Skin Irrit. 2, H319, Eye Irrit. 2 acc. CLP (GHS):

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 10/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

Classification: H228, Flam. Sol. 1, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H332, Acute

Tox. 4 inh., H335, STOT SE 3, H412, Aquatic Chronic 3

Formula: $C_{12} H_{25} NaO_4 S$

Pseudonym: sodium lauryl sulfate, sulfuric acid monododecyl ester sodium salt

TSCA Inventory: listed

REACH Reg. No.: 01-2119489461-32-xxxx

EC No.: 205-788-1

RTECS: WT1050000 MFCD: 00036175

KE No.: KE-21884 Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: indicator dye(s) CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

750 mL S3

Chemical: acetate buffer solution CAS No.: -

Classification: No criteria for classification or naming of chemical not required. Formula: CH₃ COOH/K/Na•H₂ O

TSCA Inventory: all listed KE No.: listed Concentration: 25 - <45 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. Inform patient respectively further measures and the possibility of long-term damages. ---

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 11/23
Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Keep product away from sources of ignition - No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI):

3
Water hazard class (DE):
2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

125 mL N2

Chemical: ethanol CAS No.: 64-17-5d

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 12/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

NIOSH:

: [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

CAS No.: 7447-40-7 Chemical: potassium chloride

Chemical: Triton® X-100 CAS No.: 9002-93-1

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

500 mL N2

Chemical: ethanol CAS No.: 64-17-5d

[derm] 343 mg/kg; [inh] 950 mg/m³ Level (for workers) DNEL: DNEL = Derived No-Effect

PNEC_(fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration 0.96 mg/L

TRGS 900 (DE): 200 ppm / 380 mg/m³

4 (II), Y Short-term exposure factor: skin resorptive (H), respi

ratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³ NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

Chemical: potassium chloride CAS No.: 7447-40-7

Chemical: Triton® X-100 CAS No.: 9002-93-1

CAS No .: -Chemical: Stabilisators. Buffers. Detergents < 1%

125 mL N3

CAS No.: 64-17-5d Chemical: ethanol

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): U.90 Ing/L PNEC = Predicted No Effected Concentration

200 ppm / 380 mg/m³ E/e respirable TRGS 900 (DE):

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH

[TWA] 1000 ppm / 1900 mg/m³
Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

1000 ppm / 1900 mg/m³ OSHA:

Chemical: potassium chloride CAS No.: 7447-40-7

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No : -

1000 mL N3

Chemical: ethanol CAS No.: 64-17-5d

[derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³

E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH:

i: [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 13/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Chemical: CAS No.: 7447-40-7 potassium chloride

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No.: -

500 mL N5

Chemical: CAS No.: 64-17-5d

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): U.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH:

E [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

potassium chloride CAS No : 7447-40-7 Chemical:

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

125 mL N5

Chemical: ethanol CAS No.: 64-17-5d

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³ NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

CAS No.: 7447-40-7 Chemical: potassium chloride

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

0.6-100 mg RNase A (Iyo)

Chemical: RNase CAS No.: 9001-99-4

750 mL S1

Chemical: chemicals/mixture < 1% CAS No .: -

750 mL S2

CAS No.: 1310-73-2d Chemical: sodium hydroxide solution

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: CAS No : indicator dve(s)

750 mL S3

Chemical: acetate buffer solution CAS No .: -

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 14/23 Printing date: 12.05.2021 Date of issue: 17.02.2021

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell

or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

823

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

> Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands

thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

125 mL N2

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 6-6.5 38 °C Flash point: Specific gravity: 1.03 g/mL

500 mL N2

Colour: colourless Odor: alcoholic Appearance: liquid

6-6.5 pH: Flash point: 38 °C Specific gravity: 1.03 g/mL

125 mL N3

Appearance: liquid Colour: colourless Odor: alcoholic

6-6.5 Flash point: 49 °C Specific gravity: 1.04 g/cm³

1000 mL N3

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 6-6.5 Flash point: 49 °C Specific gravity: 1.04 g/cm³

500 mL N5

Appearance: liquid Colour: colourless Odor: alcoholic

8-9 pH: 38 °C Flash point: Specific gravity: 1.03 g/cm³

125 mL N5

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 8-9 38 °C Flash point: 1.03 g/cm³ Specific gravity:

0.6-100 mg RNase A (Iyo)

Colour: colourless Appearance: solid (lyoph.) Odor: odorless

Solubility in water: 0-100 %

750 mL S1

Appearance: liquid Colour: colourless Odor: odorless

7.5-8.5 pH: Specific gravity: 1.00 g/cm³

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 15/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

750 mL S2

Colour: blue Odor: odorless Appearance: liquid

pH.

Specific gravity: 1.008 g/cm³

750 mL S3

Appearance: liquid Colour: colourless Odor: acetic

5-5.5 Specific gravity: 1.14 g/mL

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability

10.3 Possibility of hazardous reactions

But avoid reactions with oxidizing agents. No further data available.

10.4 Conditions to avoid

Not necessary. But can form explosive gases/vapour with air. Use only in a well-ventilated working areas. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines. Avoid storage with oxidising substances.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

125 mL N2

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: **Exposure Routes:**

inhalation, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; Symptoms:

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: Canada CEPA 1999: DSL yes not listed

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 LD50orl rat: 6200 mg/kg LC Lowihl gpg: 21.9 g/m³ LC Loworl hmn: 1400 mg/kg LC50_{ihl mouse}: [4h] 39 g/m³ LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5. M5. RF C

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 16/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-29086 LD50_{orl rat}: 2600 mg/kg

Chemical: Triton® X-100 CAS No.: 9002-93-1

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-33568
LD50_{orl rat}: 707-1800 mg/kg
LD50_{drm rbt}: 3000-12300 mg/kg

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

500 mL N2

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 LD50_{orl rat}: 6200 mg/kg 21.9 g/m³ LC_Lowihl gpg: LC Loworl hmn: 1400 mg/kg LC50_{ihl mouse}: [4h] 39 g/m³ LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-29086
LD50_{orl rat}: 2600 mg/kg

Chemical: *Triton® X-100* CAS No.: 9002-93-1

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-33568
LD50_{orl rat}: 707-1800 mg/kg
LD50_{drm rbt}: 3000-12300 mg/kg

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

125 mL N3

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 17/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

K5, M5, R_F C

South Korea TCCA: not listed KE-13217 Korea Exist.Chem.Inventory: LD50_{orl rat}: 6200 mg/kg LC_Lowihl gpg: 21.9 g/m³ 1400 mg/kg LC_Loworl hmn: LC50_{ihl mouse}: [4h] 39 g/m³ LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-29086 LD50_{orl rat}: 2600 mg/kg

Stabilisators. Buffers. Detergents < 1% Chemical: CAS No .: -

TSCA Inventory: all listed <1%

Korea Exist.Chem.Inventory: listed

1000 mL N3

TRGS 905 (DE):

Chemical: CAS No.: 64-17-5d ethanol

TSCA Inventory: California Proposition 65 List: not listed listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; Symptoms:

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) Japan ISHL: South Korea TCCA:

Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50_{orl rat}: 21.9 g/m³ LC_Lowihl gpg: 1400 mg/kg LC_Loworl hmn: LC50_{ihl mouse}: [4h] 39 g/m³ [10h] 20 g/m³ LC50_{ihl rat}: 20 000 mg/kg LD50_{drm rbt}: LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-29086 LD50_{orl rat}: 2600 mg/kg

Chemical: Stabilisators. Buffers. Detergents < 1% CAS No .: -

TSCA Inventory: all listed. <1%

Korea Exist.Chem.Inventory: listed

500 mL N5

ethanol Chemical: CAS No.: 64-17-5d

TSCA Inventory: California Proposition 65 List: not listed listed

1000 ppm ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; Symptoms:

liver damage; anemia; reproductive, teratogenic

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

Japan ISHL:

LD50_{oral mouse}:

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 18/23

listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

Printing date: 12.05.2021 Date of issue: 17.02.2021

> Australia NICNAS: not listed Canada CEPA 1999: DSL yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

3450 mg/kg

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50_{orl rat}: 21.9 g/m³ LC_Lowihl gpg: 1400 mg/kg LC_Loworl hmn: LC50_{ihl mouse}: [4h] 39 g/m³ LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed KE-29086 Korea Exist.Chem.Inventory: LD50_{orl rat}: 2600 mg/kg

Chemical: Stabilisators, Buffers, Detergents < 1% CAS No .: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

125 mL N5

Chemical: ethanol CAS No.: 64-17-5d

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; Symptoms:

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-13217 LD50_{orl rat}: 6200 mg/kg LC_Lowihl gpg: 21.9 g/m³ LC_Loworl hmn: 1400 mg/kg [4h] 39 g/m³ LC50_{ihl mouse}: LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: potassium chloride CAS No.: 7447-40-7

TSCA Inventory: listed KE-29086 Korea Exist.Chem.Inventory: LD50_{orl rat}: 2600 mg/kg

Stabilisators. Buffers. Detergents < 1% CAS No : -Chemical:

TSCA Inventory: all listed, <1% Korea Exist.Chem.Inventory: listed

0.6-100 mg RNase A (Iyo)

Chemical: CAS No.: 9001-99-4 RNase

TSCA Inventory listed Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-30341 LD50intraperitonaeal rat: 392 ma/ka

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 19/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

750 mL S1

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed, <1% Korea Exist.Chem.Inventory: listed

750 mL S2

Chemical: CAS No.: 1310-73-2d sodium hydroxide solution

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system Symptoms:

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed listed ≥1,0%/≥1,0% SDS required Japan ISHL:

Korea Exist.Chem.Inventory: KE-31487 LD50_{orl rat}: [< 1%] > 50 g/kg LD50_{drm rbt}: not applicable LD50_{orl mus}: [< 1%] > 4 g/kg

CAS No.: 151-21-3 Chemical: dodecyl sulfate, sodium salt

California Proposition 65 List: not listed TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance, Japan PDSCL: not listed Japan ISHL: not listed

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-21884 LD50_{orl rat}: 1288 mg/kg LC50_{inh rat}: 3900_{1h} mg/m³ LD50_{drm rbt}: 10 g/kg

CAS No .: -Chemical: indicator dye(s)

TSCA Inventory: all listed, <1%

750 mL S3

Chemical: acetate buffer solution CAS No .: -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

125 mL N2

Chemical: CAS No.: 64-17-5d ethanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

 $LC50_{daphnia\ magna/48h}$: >100 g/L 13.4-15.1 g/L LC50pimephales promelas/96h: LC50_{leuciscus} idus/96h: [48h] 8.14 g/L LC50fish/96h: 13 g/L EC50_{daphnia/48h}: 9.3-14.2 g/L [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h: [EC5] 6500 mg/L EC10_{pseudomonas} putita/16h WGK No.: 0096 Water hazard class (DE):

Dispersion coefficient(octanol-water): -0.31 Storage class (VCI):

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 20/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

> potassium chloride Chemical: CAS No.: 7447-40-7

Water hazard class (DE):

Storage class (VCI):

Chemical: Triton® X-100 CAS No.: 9002-93-1

Water hazard class (DE): WGK No.: n.n. Storage class (VCI): 12-13

Stabilisators. Buffers. Detergents < 1% Chemical: CAS No .: -

Storage class (VCI): 12-13

500 mL N2

CAS No.: 64-17-5d Chemical: ethanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50_{daphnia magna/48h}: >100 g/L LC50_{pimephales} promelas/96h: 13.4-15.1 g/L LC50leuciscus idus/96h [48h] 8.14 g/L LC50fish/96h: 13 g/L

9.3-14.2 g/L EC50_{daphnia/48h}: [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h: EC10_{pseudomonas} putita/16h: Water hazard class (DE): [EC5] 6500 mg/L WGK No.: 0096

Dispersion coefficient(octanol-water): -0.31Storage class (VCI):

Chemical: potassium chloride CAS No.: 7447-40-7

Water hazard class (DE): Storage class (VCI): 12 - 13

Chemical: Triton® X-100 CAS No.: 9002-93-1

Water hazard class (DE): WGK No.: n.n.

Storage class (VCI): 12-13

Stabilisators. Buffers. Detergents < 1% CAS No : -Chemical:

Storage class (VCI): 12-13

125 mL N3

Chemical: ethanol CAS No.: 64-17-5d 0.96 mg/L

PNEC_(fresh water):
PNEC = Predicted No Effected Concentration >100 g/L LC50_{daphnia magna/48h}: LC50pimephales promelas/96h: 13.4-15.1 g/L [48h] 8.14 g/L LC50_{leuciscus idus/96h}: LC50_{fish/96h}: 13 g/L

 $EC50_{daphnia/48h}$: 9.3-14.2 g/L [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h [EC5] 6500 mg/L EC10pseudomonas putita/16h: Water hazard class (DE): WGK No.: 0096

Dispersion coefficient (octanol-water): -0.31 Storage class (VCI):

Chemical: potassium chloride CAS No.: 7447-40-7

Water hazard class (DE): Storage class (VCI): 12-13

Stabilisators. Buffers. Detergents < 1% CAS No .: -Chemical:

Storage class (VCI): 12-13

1000 mL N3

CAS No.: 64-17-5d Chemical ethanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50_{daphnia magna/48h}: >100 g/L 13.4-15.1 g/L LC50_{pimephales} promelas/96h : [48h] 8.14 g/L LC50_{leuciscus idus/96h}:

www.mn-net.com

US:

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 21/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

> LC50_{fish/96h}: 13 g/L 9.3-14.2 g/L EC50_{daphnia/48h}: IC50_{scenedesmus} quadricauda/72h: [7d] 5000 mg/L EC10_{pseudomonas} putita/16h : Water hazard class (DE): [EC5] 6500 mg/L WGK No.: 0096

Dispersion coefficient_(octanol-water): -0.31Storage class (VCI):

potassium chloride CAS No.: 7447-40-7

Water hazard class (DE): Storage class (VCI): 12-13

Stabilisators. Buffers. Detergents < 1% Chemical: CAS No .: -

Storage class (VCI):

500 mL N5

Chemical: CAS No.: 64-17-5d ethanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50daphnia magna/48h: >100 g/L LC50pimephales promelas/96h: 13.4-15.1 g/L LC50_{leuciscus idus/96h} [48h] 8.14 g/L LC50_{fish/96h}: 13 g/L EC50_{daphnia/48h}: 9.3-14.2 g/L [7d] 5000 mg/L IC50scenedesmus quadricauda/72h:

EC10pseudomonas putita/16h: [EC5] 6500 mg/L Water hazard class (DE): WGK No.: 0096

Dispersion coefficient_(octanol-water): Storage class (VCI):

potassium chloride Chemical: CAS No.: 7447-40-7

Water hazard class (DE):

Storage class (VCI): 12-13

Stabilisators. Buffers. Detergents < 1% CAS No .: -Chemical:

Storage class (VCI): 12-13

125 mL N5

CAS No.: 64-17-5d Chemical: ethanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50_{daphnia magna/48h}: >100 g/L 13.4-15.1 g/L LC50pimephales promelas/96h: [48h] 8.14 g/L LC50leuciscus idus/96h: LC50_{fish/96h}: 13 g/L EC50_{daphnia/48h}: 9.3-14.2 g/L IC50_{scenedesmus} quadricauda/72h [7d] 5000 mg/L EC10_{pseudomonas putita/16h}: [EC5] 6500 mg/L WGK No.: 0096 Water hazard class (DE):

Dispersion coefficient(octanol-water): -0.31 Storage class (VCI):

Chemical: CAS No.: 7447-40-7 potassium chloride

Water hazard class (DE): 12-13 Storage class (VCI):

Stabilisators. Buffers. Detergents < 1% CAS No .: -

Storage class (VCI):

0.6-100 mg RNase A (Iyo)

CAS No.: 9001-99-4 Chemical: RNase

Water hazard class (DE): Storage class (VCI): 13

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 22/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

750 mL S1

Chemical: chemicals/mixture < 1% CAS No .: -

Water hazard class (DE): Storage class (VCI): 12-13

750 mL S2

Chemical: sodium hydroxide solution CAS No.: 1310-73-2d

LC50leuciscus idus/96h: 35-189 mg/L LC50_{fish/96h}: 45.4 mg/L EC50_{daphnia/48h}: >100 mg/L

Water hazard class (DE): nwg WGK No.: 0142

Storage class (VCI):

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

LC50_{daphnia magna/48h}: 6.3 mg/L LC50_{fish/96h}: 1.31-22.5 mg/L

Water hazard class (DE): Dispersion coefficient_(octanol-water): 1.6 Storage class (VCI): 12-13

CAS No .: -Chemical: indicator dye(s)

Storage class (VCI):

750 mL S3

Chemical: acetate buffer solution CAS No .: -

Storage class (VCI):

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations (Ethanol: ADR SI144/ IATA A58)

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740593 NucleoBond PC 10000 (5) Page: 23/23

Printing date: 12.05.2021 Date of issue: 17.02.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

16.1.2 List of relevant P phrases

Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210

P261sh Avoid breathing dust/vapours. P280sh Wear protective gloves/eye protection.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 Directive 1999/92/EC Minimum requirements for improving the safety and health protection of workers at risk from potentially explosive atmospheres

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com