MACHEREY-NAGEI



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740597	Buffer NT2 (100 mL)	Page: 1/6
Printing date: 12.05.2021	Date of issue: 14.03.2019	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF Product name

740597 Buffer NT2 (100 mL)

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 100 mL NT2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

100 mL NT2

	GHS03 GHS07
Signal word	DANGER
Hazard identification	Hazard classes/categories
H272 H302	Ox. Liq. 2 Acute Tox. 4 oral

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

Oxidizing mixtures with signal word: DANGER and H272 must not be labelled with H and P phrases until 125 mL.

100 mL NT2



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: Tel.: +49 24 21 969-0 Tel.: Fax: +49 24 21 969-199 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com

+41 62 388 55 00 +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 +1 484 821 1272 Fax: E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740597	Buffer NT2 (100 mL)	Page: 2/6
Printing date: 12.05.2021	Date of issue: 14.03.2019	



Signal word: DANGER

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms Cause after oral intake, impairments of health when ingested in small quantities. ---

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

100 mL NT2

Chemical: sodiul	m perchlorate		CAS No.: 7601-89-0
Classification:	H271, Ox. Sol. 1, H302, Acute	Tox. 4 oral	
Formula:	NaClO ₄		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119540521-50-xxxx		
EC No.:	231-511-9	Indice No.:	017-010-00-6
RTECS:	SC9800000	MFCD:	-
KE No.:	KE-31569		
Concentration:	40 - <60 %		
acc. CLP (GHS):	H272, Ox. Liq. 2, H302, Acute 7	Tox. 4 oral	

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740597	Buffer NT2 (100 mL)	Page: 3/6
Printing date: 12.05.2021	Date of issue: 14.03.2019	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture Formation of hazardous and caustic vapour-air mixtures possible. ---5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

Additional information 54

SECTION 6: Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures
	Do not breathe vapours. Regular staff training is necessary.

- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into drains.
- **Reference to other sections** 6.4

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 12 Water hazard class (DE): 1
- 7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

100 mL NT2 Chemical: sodium perchlorate CAS No.: 7601-89-0 [derm] 2.16 mg/kg bw/day; [inh] 0.28 mg/m³ DNEL: DNEL = Derived No-Effect Level (for workers) TRGS 900 (DE): E/e respirable not listed NIOSH [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period OSHA: not listed

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 **Respiratory protection**

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: **FR**· Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740	597	Buffer NT2 (100 mL)	Page: 4/6
Printing d	ate: 12.05.2021	Date of issue: 14.03.2019	
	No additional recommendation	S.	
8.2.2	Hand protection Yes, gloves according EN 374	(permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell	or KCL).
8.2.3	Eye protection Yes, safety glasses according	EN 166 with integrated side shields or wrap-around protection.	
8.2.4	Skin protection Not necessary.		
8.2.5	with the skin, eyes and clothing	ng snuff and storage of food in work areas and at outdoor workplaces i J. Rinse any clothing on which the substance has been spilled, and so r when stopping work and before eating, and then apply protective ski	ak it in water. Wash hands

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

100 mL NT2 Appearance: liquid pH: Specific gravity: Oxidising properties:

Colour: colourless 6-7 1.46 g/cm³ low potential and quantity Odor: odorless

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

- 10.2 Chemical stability No known instability.
- **10.3 Possibility of hazardous reactions** No further data available.

10.4 Conditions to avoid

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 mL NT2

Chemical:	odium perchlorate	CAS No.: 7601-89-0
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan	PDSCL: not listed
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inve	entory: KE-31569	
LD50 _{orl rat} :	2100 mg/kg	
LD50 _{ipr mus} :	551 mg/kg	
	fter oral intake, impairm	nents of health when indested in small quantities.





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 7	40597	Buffer NT2 (100 mL)	Page: 5/6
Printing	g date: 12.05.2021	Date of issue: 14.03.2019	_
SECT	ION 12: Ecological inform	ation	
12.1	Toxicity		
	Following information is valid for put	e substances.	
	100 mL NT2 Chemical: sodium , Water hazard class (DE): Storage class (VCI):	perchlorate 1 WGK No.: 0382 12	CAS No.: 7601-89-0
12.2	Persistence and degradability not necessary	1	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB ass no data available	essment	
12.6	Other adverse effects no additional data available		

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 UN number: 14.3 Class: Road transport		UN proper shipping name: Perchlorates, inorganic, aqueous solution, n.o.s. (sodium perchlorate) Packing group: III
Classification code:	01	
Limited Quantity:	5 L	Tunnel restriction code: E
Excepted Quantity:	E 1	
Air transport		
PAX:	551	max. weight PAX: 2,5 L
CAO:	555	max. weight CAO: 30 L
Maritime transport		-
EmS:	F-H, S-Q	Storage category: B
Maritime pollutant (5	.2.1.6):	P* (Limited Quantity (LQ) until 5 L kg per inner package)

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

ACHEREY-NAGE (MN>





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740597	Buffer NT2 (100 mL)	Page: 6/6
Printing date: 12.05.2021	Date of issue: 14.03.2019	

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

H272

16.1.1 List of relevant H phrases May intensify fire; oxidizer.

H302	Harmful if swallowed.
List of relevant	P phrases
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking
P264W	Wash with water thoroughly after handling.
P280sh	Wear protective gloves/eye protection.
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell
P330	Rinse mouth.

16.2 **Training advice**

16.1.2

Regular safety training.

16.3 **Recommended restriction on use**

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com