

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 1/15

Printing date: 12.05.2021 Date of issue: 23.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 740770.10

Product name NucleoSpin Plant II (10)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 6 mL PC 1 x 13 mL PE 1 x 5 mL PL1 1 x 4 mL PL2 1 x 1 mL PL3 1 x 6 mL PW1 1 x 6 mL PW2

1 x 0.6-20 mg RNase A (lyo)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

SECTION 2: Hazard identification

Classification of the complete product 2.0







GHS02

GHS07

GHS08

Signal word DANGER

Hazard identification Hazard classes/categories H226 Flam. Liq. 3 H302 Acute Tox. 4 oral H319 Eye Irrit. 2 H334 Resp. Sens. 1 H336, H335 STOT SE 3

2.1 Classification of the substance or mixture

6 mL PC

www.mn-net.com

US:

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 2/15 Printing date: 12.05.2021 Date of issue: 23.01.2020





Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H302 Acute Tox. 4 oral

13 mL PE

Do not need labelling as hazardous

Signal word

No hazard class

5 mL PL1

Do not need labelling as hazardous

Signal word

No hazard class

4 mL PL2

Do not need labelling as hazardous

Signal word

No hazard class

1 mL PL3

Do not need labelling as hazardous

Signal word

No hazard class

Signal word

6 mL PW1





WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H302 Acute Tox. 4 oral H319 Eye Irrit. 2 H336, H335 STOT SE 3

6 mL PW2

Do not need labelling as hazardous

Signal word

No hazard class

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 3/15 Printing date: 12.05.2021 Date of issue: 23.01.2020

0.6-20 mg RNase A (Iyo)



Signal word **DANGER**

Hazard identification Hazard classes/categories H334 Resp. Sens. 1

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

6 mL PC





Signal word: WARNING

13 mL PE

Do not need labelling as hazardous Signal word: -

5 mL PL1

Do not need labelling as hazardous Signal word: -

4 mL PL2

Do not need labelling as hazardous Signal word: -

1 mL PL3

Do not need labelling as hazardous Signal word: -

6 mL PW1





Signal word: WARNING

6 mL PW2

Do not need labelling as hazardous Signal word: -

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

E-mail: sales-ch@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 4/15 Printing date: 12.05.2021 Date of issue: 23.01.2020

0.6-20 mg RNase A (Iyo)



GHS08

Signal word: DANGER

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. ---

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

6 mL PC

Chemical: guanidine hydrochloride CAS No.: 50-01-1

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: CH₆ CIN₃

guanidinium chloride Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2119977063-35-0005

EC No.: 200-002-3 607-148-00-0 Indice No.: RTECS: MF4300000 MFCD: 00013026

KE No.: KE-18111 Concentration: 24 - < 36 %

acc. CLP (GHS): H302, Acute Tox. 4 oral

Chemical: CAS No.: 64-17-5 ethanol

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 Formula: C₂ H₆ O; C₂ H₅ OH

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory:

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 Indice No.: 603-002-00-5 KQ6300000 RTECS: 00003568 MFCD:

KE No.: KE-13217 Concentration: 35 - < 55 % acc. CLP (GHS): H226, Flam. Liq. 3

13 mL PE

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



CAS No .: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 5/15

Date of issue: 23.01.2020 Printing date: 12.05.2021

> Chemical: chemicals/mixture < 1%

> > No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed Concentration: 0.1 - <1 %

Classification:

acc. CLP (GHS): The criteria for classification are not fulfilled.

5 mL PL1

Chemical: sodium chloride CAS No.: 7647-14-5

Classification: No criteria for classification or naming of chemical not required.

Formula: NaCl Pseudonym: salt TSCA Inventory: listed

REACH Reg. No.: exempt, Annex V 231-598-3 EC No.: VZ4725000 RTECS: KE No.: KE-31387 5 - <10 % Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

4 mL PL2

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

H228, Flam. Sol. 1, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H332, Acute Classification:

Tox. 4 inh., H335, STOT SE 3, H412, Aquatic Chronic 3

Formula: C₁₂ H₂₅ NaO₄ S

Pseudonym: sodium lauryl sulfate, sulfuric acid monododecyl ester sodium salt

TSCA Inventory: listed

REACH Reg. No.: 01-2119489461-32-xxxx

205-788-1 EC No.:

RTECS: WT1050000 MFCD: 00036175

KE No.: KE-21884 Concentration: 1 - < 2.5 %

acc. CLP (GHS): The criteria for classification are not fulfilled

CAS No.: 7647-14-5 Chemical: sodium chloride

Classification: No criteria for classification or naming of chemical not required.

Formula: NaCl Pseudonym: salt TSCA Inventory: listed

REACH Reg. No.: exempt, Annex V EC No.: 231-598-3 RTECS: VZ4725000 KE No.: KE-31387 Concentration: 1 - < 5 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: chemicals/mixture < 2% CAS No .: -

Classification: No criteria for classification or naming of chemical not required all listed. <2%

TSCA Inventory: KF No . listed Concentration: 1 - < 2 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

1 mL PL3

CAS No .: -Chemical: acetate buffer solution

Classification: No criteria for classification or naming of chemical not required. Formula: CH₃ COOH/K/Na•H₂ O

TSCA Inventory: all listed KE No.: listed Concentration: 45 - <60 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

6 mL PW1

www.mn-net.com

MACHEREY-NAGE $\langle MN \rangle$

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 6/15

Date of issue: 23.01.2020 Printing date: 12.05.2021

> guanidine hydrochloride Chemical: CAS No.: 50-01-1

H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2 Classification:

CH₆ CIN₃ Formula:

Pseudonym: guanidinium chloride

TSCA Inventory: listed

REACH Reg. No.: 01-2119977063-35-0005

200-002-3 EC No.: Indice No: 607-148-00-0 RTECS: MF4300000 MFCD: 00013026

KE No.: KE-18111 Concentration: 36 - < 50 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

CAS No.: 67-63-0 Chemical: 2-propanol

Classification: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3

Formula: C₃ H₈ O

Pseudonym: isopropanol, IPA, propan-2-ol

TSCA Inventory: listed

REACH Reg. No.: 01-2119457558-25-XXXX

EC No.: 200-661-7 603-117-00-0 Indice No.: RTECS: NT8050000 MFCD: 00011674

KE-29363 KE No.: Concentration: 20 - <35 %

acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, STOT SE 3

6 mL PW2

CAS No : -Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled

0.6-20 mg RNase A (Iyo)

CAS No. 9001-99-4 Chemical:

Classification: H334, Resp. Sens. 1

Enzyme Comm. No. 3.1.27.5, origin: bovine pancreas (controlled population) Formula:

Pseudonym: Nuclease, ribo-TSCA Inventory: listed 232-646-6 EC No.: RF0760000 RTECS: KE No.: KE-30341

Concentration: 90 - <100 % acc. CLP (GHS): H334, Resp. Sens. 1

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

> Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 740770.10
 NucleoSpin Plant II (10)
 Page: 7/15

 Printing date: 12.05.2021
 Date of issue: 23.01.2020

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3
Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

6 mL PC

Chemical: guanidine hydrochloride

DNEL: [inh] 3.5 mg/m³

DNEL: [inh] 3.5 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): -

www.mn-net.com

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

CAS No.: 50-01-1

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 8/15

Printing date: 12.05.2021 Date of issue: 23.01.2020

PNEC = Predicted No Effected Concentration

not listed NIOSH:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: CAS No.: 64-17-5

[derm] 343 mg/kg; [inh] 950 mg/m³ Level (for workers) DNEL:

PNEC_(fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

200 mL/m³ / 380 mg/m³ TRGS 900 (DE):

4 (II), Y Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

13 mL PE

Chemical: chemicals/mixture < 1% CAS No .: -

5 mL PL1

Chemical: sodium chloride CAS No.: 7647-14-5

4 mL PL2

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

NIOSH: not listed

age to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: sodium chloride CAS No.: 7647-14-5

Chemical: chemicals/mixture < 2% CAS No .: -

1 mL PL3

acetate buffer solution CAS No · -Chemical:

6 mL PW1

Chemical: guanidine hydrochloride CAS No.: 50-01-1

DNEL:

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: CAS No.: 67-63-0 2-propanol

[inh] 500 mg/m³ DNEL: DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 140.9 mg/L PNEC = Predicted No Effected Concentration TRGS 900 (DE): 200 ppm / 500 mg/m³

Short-term exposure factor: 2 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³ TRGS 903 (DE):

[Aceton B/b, U/b] 25 mg/L B blood, U urine, a no limitation, b end of exposition or shift

[TWA] 400 ppm / 980 mg/m³ NIOSH:

NIOSH STEL: 500 ppm / 1225 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³

www.mn-net.com

US:

MACHEREY-NAGE (MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 9/15 Printing date: 12.05.2021 Date of issue: 23.01.2020

6 mL PW2

chemicals/mixture < 1% CAS No · -Chemical:

0.6-20 mg RNase A (Iyo)

Chemical: RNase CAS No.: 9001-99-4

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: liquid Colour: yellow Odor: alcoholic

pĤ: 5-7 23 °C Flash point Specific gravity: 1.01 g/cm³

13 mL PE

Appearance: liquid Colour: colourless Odor: odorless

8-9 Specific gravity: 1.0 g/cm3

5 mL PL1

Appearance: liquid Colour: colourless Odor: odorless

7 5-8 5

Specific gravity: 1.06 g/cm³

4 mL PL2

Appearance: liquid Colour: colourless Odor: odorless

7.5-8.5 pH: Specific gravity: 1.03 g/cm³

1 mL PL3

Appearance: liquid Colour: colourless Odor: acetic

pH: 5-6

Specific gravity: 1.19 g/cm³

6 mL PW1

Appearance: liquid Colour: colourless Odor: alcoholic

25 °C Flash point: Specific gravity: 1.06 g/cm3

www.mn-net.com

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 10/15

Date of issue: 23.01.2020 Printing date: 12.05.2021

6 mL PW2

Colour: colourless Odor: odorless Appearance: liquid

pH. 7-8 Specific gravity: 1.00 g/cm³

0.6-20 mg RNase A (Iyo)

Appearance: solid (lyoph.) Colour: colourless Odor: odorless

Solubility in water: 0-100 %

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

6 mL PC

Chemical: guanidine hydrochloride CAS No : 50-01-1

California Proposition 65 List: not listed TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-18111 LD50_{orl rat}: 475-907 mg/kg LC50ihl rat: [4h] 3181-7655 µg/m³ LD50_{drm rbt}: 2000 mg/kg

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: ethano CAS No.: 64-17-5

TSCA Inventory: California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 LD50_{orl rat}: 6200 mg/kg LC_Lowihl gpg: 21.9 g/m³

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 11/15

Date of issue: 23.01.2020 Printing date: 12.05.2021

> 1400 mg/kg LC_Loworl hmn: [4h] 39 g/m³ LC50_{ihl mouse}: LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg TRGS 905 (DE): K5, M5, R_F C

13 mL PE

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

5 mL PL1

Chemical: sodium chloride CAS No.: 7647-14-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31387 LD50_{orl rat}: 3000 mg/kg

LD50_{drm rbt}: 10 g/kg

4 mL PL2

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

California Proposition 65 List: not listed TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-21884 1288 mg/kg LD50_{orl rat}: LC50_{inh rat}: 3900_{1h} mg/m³ LD50_{drm rbt}: 10 g/kg

sodium chloride CAS No.: 7647-14-5 Chemical:

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31387 LD50_{orl rat}: 3000 mg/kg LD50_{drm rbt}: 10 g/kg

chemicals/mixture < 2% Chemical: CAS No .: -

TSCA Inventory: all listed, <2%

Korea Exist.Chem.Inventory: listed

1 mL PL3

acetate buffer solution Chemical: CAS No : -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

6 mL PW1

Chemical: CAS No.: 50-01-1 guanidine hydrochloride

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-18111 LD50_{orl rat}: 475-907 mg/kg LC50_{ihl rat}: [4h] 3181-7655 µg/m³

LD50_{drm rbt}: 2000 mg/kg

www.mn-net.com

US:

ACHEREY-NAGE $\langle MN \rangle$

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 12/15

Date of issue: 23.01.2020 Printing date: 12.05.2021

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: CAS No.: 67-63-0

TSCA Inventory: California Proposition 65 List: not listed listed

1230 ppm ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis

Australia NICNAS: Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PAC yes, Japan PDSCL: -

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA:

Korea Exist.Chem.Inventory: KE-29363 LD50_{orl rat}: 5045 mg/kg 3570 mg/kg LC Loworl hmn: LC50_{ihl rat}: 16_{4h} g/m³ LD50_{drm rbt}: 12.8 g/kg

TRGS 905 (DE): R_F C

6 mL PW2

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed. <1%

Korea Exist.Chem.Inventory: listed

0.6-20 mg RNase A (lyo)

Chemical: CAS No.: 9001-99-4

TSCA Inventory: listed Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-30341 LD50intraperitonaeal rat: 392 mg/kg

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma

symptoms or breathing difficulties if inhaled.

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

Chemical: guanidine hydrochloride CAS No.: 50-01-1

PNEC_(fresh water):
PNEC = Predicted No Effected Concentration

LC50leuciscus idus/96h: 1759 mg/L

LC50_{fish/96h}: [4d] 690-1850; [48h] 1758-2420 mg/L

EC50_{daphnia/48h}: 70.2 mg/L

[72h] 11.8-33.5 mg/L EC10_{pseudomonas putita/16h}: Water hazard class (DE): WGK No.: 0788

Storage class (VCI): 12

Chemical: ethanol CAS No.: 64-17-5

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50_{daphnia magna/48h}: >100 mg/L LC50pimephales promelas/96h: 13400 - 15100 mg/L

LC50 leuciscus idus/96h: [48h] 8140 mg/L LC50_{fish/96h}: 13 g/L EC50_{daphnia/48h}: 9.3-14.2 g/L [7d] 5000 mg/L IC50_{scenedesmus} quadricauda/72h: EC10_{pseudomonas putita/16h}: [EC5] 6500 mg/L Water hazard class (DE): WGK No.: 0096

Dispersion coefficient_(octanol-water): -0.31

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 13/15

Date of issue: 23.01.2020 Printing date: 12.05.2021

> Storage class (VCI): 3

13 mL PE

Chemical: chemicals/mixture < 1% CAS No .: -

Water hazard class (DE): Storage class (VCI): 12-13

5 mL PL1

Chemical: sodium chloride CAS No.: 7647-14-5

Water hazard class (DE): Storage class (VCI): 12-13

4 mL PL2

dodecyl sulfate, sodium salt CAS No.: 151-21-3 Chemical:

LC50_{daphnia magna/48h}: 6.3 mg/L 1.31-22.5 mg/L LC50_{fish/96h}:

Water hazard class (DE): 2 Dispersion coefficient(octanol-water): 1.6 Storage class (VCI): 12-13

sodium chloride CAS No.: 7647-14-5

Water hazard class (DE): Storage class (VCI): 12-13

Chemical: chemicals/mixture < 2% CAS No .: -

Water hazard class (DE): Storage class (VCI):

1 mL PL3

Chemical: acetate buffer solution CAS No .: -

Storage class (VCI):

6 mL PW1

Chemical: guanidine hydrochloride CAS No.: 50-01-1

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50_{leuciscus idus/96h}: 1759 mg/L

LC50_{fish/96h}: [4d] 690-1850; [48h] 1758-2420 mg/L

EC50_{daphnia/48h}: 70.2 mg/L

[72h] 11.8-33.5 mg/L EC10_{pseudomonas putita/16h}: Water hazard class (DE): WGK No.: 0788

Storage class (VCI):

CAS No.: 67-63-0 Chemical: 2-propanol

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 140.9 mg/L

LC50_{fish/96h}: 1400 mg/L EC50_{daphnia/48h}: 13.3 g/L

>1000 mg/L IC50scenedesmus quadricauda/72h EC5: 1050 mg/L EC10_{pseudomonas putita/16h}: WGK No.: 0135 Water hazard class (DE):

Dispersion coefficient(octanol-water): 0.05 Storage class (VCI):

6 mL PW2

CAS No .: chemicals/mixture < 1%

Water hazard class (DE):

Storage class (VCI): 12-13

0.6-20 mg RNase A (Iyo)

RNase

CAS No.: 9001-99-4

Water hazard class (DE): Storage class (VCI):

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 14/15 Printing date: 12.05.2021 Date of issue: 23.01.2020

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

355

366

UN 1993 class 3 III, Excepted Quantities (≤30 mL/∑≤1 L) = ADR/ IATA E1

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol, 2-propanol mixture)

14.3 Class: 14.4 Packing group:

Road transport

Classification code:

Limited Quantity: **Excepted Quantity:**

5 L Tunnel restriction code: Ε Special instructions: 640F

Air transport

PAX: CAO: max. weight PAX: 60 L max. weight CAO: 220 L

Maritime transport

F-E, S-E EmS: Storage category:

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740770.10 NucleoSpin Plant II (10) Page: 15/15 Printing date: 12.05.2021 Date of issue: 23.01.2020

SECTION 16: Other information

List of H and P phrases 16.1

16 1 1 List of relevant H phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause drowsiness or dizziness. H336

16.1.2 List of relevant P phrases

Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210

P260D Do not breathe vapours. P261sh Avoid breathing dust/vapours.

P264W Wash with water thoroughly after handling.

P280sh Wear protective gloves/eye protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+312

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

Sources of key data 16.5

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-08 Adaption of new ethanol denaturation 2016/1867/EU

2017-11 Adaption of ECHA Registration dossier

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: