

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 1/14

Printing date: 12.05.2021 Date of issue: 21.09.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 740952.250

Product name NucleoSpin Tissue (250)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 75 mL B3 1 x 50 mL B5 1 x 60 mL BE 1 x 150 mL BW 1 x 8 mL PB

2 x 1-75 mg Proteinase K (Iyo)

1 x 100 mL T1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product







GHS02

GHS07 GHS08

Signal word **DANGER**

Hazard identification Hazard classes/categories H226 Flam. Liq. 3 H302 Acute Tox. 4 oral H315 Skin Irrit. 2 H319 Eye Irrit. 2 H334 Resp. Sens. 1 H336, H335 STOT SE 3

2.1 Classification of the substance or mixture

75 mL B3

www.mn-net.com

US:

ACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 2/14 Printing date: 12.05.2021 Date of issue: 21.09.2020



Signal word WARNING

Hazard identification Hazard classes/categories

H302 Acute Tox. 4 oral H319 Eye Irrit. 2

50 mL B5

Do not need labelling as hazardous

Signal word

No hazard class

60 mL BE

Do not need labelling as hazardous

Signal word

No hazard class

150 mL BW



Signal word WARNING

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H302 Acute Tox. 4 oral H319 Eye Irrit. 2 H336, H335 STOT SE 3

8 mL PB

Do not need labelling as hazardous

Signal word

No hazard class

1-75 mg Proteinase K (Iyo)





Signal word **DANGER**

Hazard identification Hazard classes/categories

H315 Skin Irrit. 2 H319 Eye Irrit. 2 H334 Resp. Sens. 1

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 3/14 Date of issue: 21.09.2020 Printing date: 12.05.2021

100 mL T1

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

75 mL B3



Signal word: WARNING

50 mL B5

Do not need labelling as hazardous Signal word: -

60 mL BE

Do not need labelling as hazardous Signal word: -

150 mL BW





Signal word: WARNING

H226, H302, H319, H336

Flammable liquid and vapour. Harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.

P210, P260D, P264W, P280sh, P301+312, P330

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not breathe vapours. Wash with water thoroughly after handling. Wear protective gloves/eye protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

8 mL PB

Do not need labelling as hazardous Signal word: -

1-75 mg Proteinase K (Iyo)





Signal word: DANGER

www.mn-net.com

US:

MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 4/14 Printing date: 12.05.2021 Date of issue: 21.09.2020

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P342+311

Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

100 mL T1

Do not need labelling as hazardous

Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. Vapour forms explosive mixtures

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

75 mL B3

guanidine hydrochloride CAS No.: 50-01-1 Chemical:

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

CH₆ CIN₃ Formula:

guanidinium chloride Pseudonym: TSCA Inventory: listed

01-2119977063-35-0005 REACH Reg. No.:

607-148-00-0 EC No.: 200-002-3 Indice No.: RTECS: MF4300000 MFCD: 00013026

KE No.: KE-18111 Concentration: 36 - <50 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

Classification: No criteria for classification or naming of chemical not required.

Formula: C₅₈ H₁₁₄ O₂₆

Pseudonym: Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs. TSCA Inventory:

RTECS:

TR7400000 MFCD: 00165986

KE No.: KE-31681 Concentration: 10 - <20 %

acc. CLP (GHS): The criteria for classification are not fulfilled

listed

50 mL B5

CAS No : -Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

60 mL BE

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



CAS No .: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 5/14

Date of issue: 21.09.2020 Printing date: 12.05.2021

> Chemical: chemicals/mixture < 1%

Classification: No criteria for classification or naming of chemical not required. all listed, <1%

TSCA Inventory: KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

150 mL BW

guanidine hydrochloride Chemical: CAS No.: 50-01-1

H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2 Classification:

Formula: CH₆ CIN₃

Pseudonym: guanidinium chloride

TSCA Inventory: listed

REACH Reg. No.: 01-2119977063-35-0005

200-002-3 607-148-00-0 EC No.: Indice No.: RTECS: MF4300000 MFCD: 00013026

KE No.: KE-18111 Concentration: 36 - < 50 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

Chemical: CAS No.: 67-63-0

Classification: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3

Formula:

Pseudonym: isopropanol, IPA, propan-2-ol TSCA Inventory: listed

01-2119457558-25-XXXX REACH Reg. No.:

EC No.: 200-661-7 Indice No.: 603-117-00-0 RTECS: NT8050000 MFCD: 00011674

KE-29363 KE No.: Concentration: 20 - <35 %

H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, STOT SE 3 acc. CLP (GHS):

8 mL PB

Chemical: CAS No : 56-81-5 glycerole

Classification: No criteria for classification or naming of chemical not required.

Formula: C₃ H₈ O₃ glycerin, 1,2,3-propanetriol listed (1,2,3-Propanetriol) Pseudonym:

TSCA Inventory 01-2119471987-18-xxxx REACH Reg. No.:

Indice No.: EC No.: 200-289-5 n/a RTECS: MA8050000 MFCD: 00004722

KE-29297 KE No.: Concentration: 10 - <50 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

1-75 mg Proteinase K (Iyo)

Chemical: proteinase K (origin: tritirachium album) CAS No.: 39450-01-6

Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1

Enzyme Comm. No. 3.4.21.64, origin: tritirachium album Formula:

listed (CAS 102925-54-2) TSCA Inventory:

254-457-8 647-014-00-9 EC No.: Indice No: RTECS: MECD: 00132129

not listed KE No .:

Concentration:

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1

100 mL T1

Chemical: chemicals/mixture < 2% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed. <2% KE No.: listed Concentration: 1 - <2 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

www.mn-net.com

US:

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 6/14
Printing date: 12.05.2021 Date of issue: 21.09.2020

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances. ---

sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Keep product away from sources of ignition - No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 7/14 Printing date: 12.05.2021 Date of issue: 21.09.2020

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

Requirements for stock rooms and containers 7.2.1

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

75 mL B3

CAS No.: 50-01-1 Chemical: guanidine hydrochloride

DNEL: [inh] 3.5 mg/m³ DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): PNEC = Predicted No Effected Concentration

not listed NIOSH

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

50 mL B5

chemicals/mixture < 1% CAS No : -Chemical:

60 mL BE

Chemical: chemicals/mixture < 1% CAS No.: -

150 mL BW

Chemical: guanidine hydrochloride CAS No.: 50-01-1

[inh] 3.5 mg/m³ DNEL = Derived No-Effect Level (for workers)

not listed [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: CAS No.: 67-63-0 2-propanol

[inh] 500 mg/m³ DNEL DNFI = Derived No-Effect Level (for workers)

PNEC_(fresh water): 140.9 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³

Short-term exposure factor: 2 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³ TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 8/14

Printing date: 12.05.2021 Date of issue: 21.09.2020

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA] 400 ppm / 980 mg/m³

NIOSH STEL: 500 ppm / 1225 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³

8 mL PB

Chemical CAS No.: 56-81-5 alvcerole

[inh] 56 mg/m³ Level (for workers) DNFI · DNEL = Derived No-Effect PNEC (fresh water): U.000 mg/L
PNEC = Predicted No Effected Concentration

200 E mg/m³ TRGS 900 (DE):

2 (I), Y Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

50 e* mg/m³ SUVA(CH) MAK value:

1-75 mg Proteinase K (Iyo)

CAS No.: 39450-01-6 Chemical: proteinase K (origin: tritirachium album)

SUVA(CH) MAK value: 0,00006_{15min} mg/m³

100 mL T1

CAS No · -Chemical: chemicals/mixture < 2%

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

75 mL B3

Appearance: liquid Colour: colourless Odor: odorless

pH: 3.5 - 4.5

50 mL B5

Appearance: liquid Colour: colourless Odor: odorless

pH: Specific gravity: 1.00 g/cm³

60 mL BE

Appearance: liquid Colour: colourless Odor: odorless

Specific gravity: 1.0 g/cm³

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Printing date: 12.05.2021 Date of issue: 21.09.2020

150 mL BW

Appearance: liquid Colour: colourless Odor: alcoholic

pH: 7-8
Flash point: 25 °C
Specific gravity: 1.06 g/cm³

8 mL PB

Appearance: liquid Colour: colourless Odor: alcoholic

Specific gravity: 1.11 g/cm³

1-75 mg Proteinase K (Iyo)

Appearance: solid (lyoph.) Colour: slightly grey Odor: odorless

100 mL T1

Appearance: liquid Colour: colourless Odor: odorless

pH: 7.5-8.5 Specific gravity: 1.02 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

But avoid reactions with oxidizing agents. Note: Can form very reactive substances with oxidizing agents. No further data available.

10.4 Conditions to avoid

Not necessary. But can form explosive gases/vapour with air. Use only in a well-ventilated working areas. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines. Avoid storage with oxidising substances.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

75 mL B3

Chemical: guanidine hydrochloride CAS No.: 50-01-1

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-18111
LD50_{orl rat}: 475-907 mg/kg
LC50_{ihl rat}: [4h] 3181-7655 μg/m³
LD50_{drm rbt}: 2000 mg/kg

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-31681

www.mn-net.com

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 10/14

Printing date: 12.05.2021 Date of issue: 21.09.2020

50 mL B5

Chemical: chemicals/mixture < 1% CAS No : -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

60 mL BE

Chemical: chemicals/mixture < 1% CAS No · -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

150 mL BW

Chemical: guanidine hydrochloride CAS No : 50-01-1

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-18111 LD50_{orl rat}: 475-907 mg/kg LC50_{ihl rat}: [4h] 3181-7655 µg/m³

LD50_{drm rbt}: 2000 mg/kg
Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

CAS No.: 67-63-0 Chemical: 2-propanol

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1230 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis

Australia NICNAS: Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PAC yes, Japan PDSCL: -

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA:

Korea Exist.Chem.Inventory: KE-29363 LD50_{orl rat}: 5045 mg/kg LC_Loworl hmn: 3570 mg/kg LC50_{ihl rat}: 16_{4h} g/m³ LD50_{drm rbt}: 12.8 g/kg

TRGS 905 (DE): R_F C

8 mL PB

Chemical: CAS No.: 56-81-5 glycerole

TSCA Inventory: listed (1,2,3-Propanetriol) inhalation, skin and/or eye contact **Exposure Routes:** Target Organs: Eyes, skin, respiratory system, kidneys

irritation eyes, skin, respiratory system; headache, nausea, vomiting; kidney injury Symptoms:

Jápan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-29297 LD50_{orl rat}: 12.6 g/kg LD50_{drm rbt}: >18.7 a/ka

TRGS 905 (DE):

1-75 mg Proteinase K (Iyo)

Chemical: proteinase K (origin: tritirachium album) CAS No.: 39450-01-6

TSCA Inventory listed (CAS 102925-54-2)

Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: not listed

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 11/14

Date of issue: 21.09.2020 Printing date: 12.05.2021

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

100 mL T1

Chemical: chemicals/mixture < 2% CAS No.: -

TSCA Inventory: all listed, <2% Korea Exist.Chem.Inventory: listed

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

75 ml B3

CAS No.: 50-01-1 Chemical: guanidine hydrochloride

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

 $LC50_{leuciscus\ idus/96h}$: 1759 mg/L

LC50_{fish/96h}: [4d] 690-1850; [48h] 1758-2420 mg/L

70.2 mg/L EC50_{daphnia/48h}:

EC10pseudomonas putita/16h [72h] 11.8-33.5 mg/L Water hazard class (DE): WGK No.: 0788

Storage class (VCI):

polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5 Chemical:

Water hazard class (DE):

Storage class (VCI): 10-11

50 mL B5

chemicals/mixture < 1% CAS No .: -

Water hazard class (DE): Storage class (VCI): 12-13

60 mL BE

Chemical: chemicals/mixture < 1% CAS No : -

Water hazard class (DE): Storage class (VCI): 12-13

150 mL BW

Chemical: guanidine hydrochloride CAS No.: 50-01-1

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50_{leuciscus idus/96h}: 1759 mg/L [4d] 690-1850; [48h] 1758-2420 mg/L LC50_{fish/96h}:

EC50_{daphnia/48h}: 70.2 mg/L

EC10pseudomonas putita/16h: Water hazard class (DE): [72h] 11.8-33.5 mg/L WGK No.: 0788

Storage class (VCI): 12

Chemical: CAS No.: 67-63-0 2-propanol

140.9 mg/L

PNEC(fresh water):
PNEC = Predicted No Effected Concentration $LC50_{fish/96h}$: 1400 mg/L 13.3 g/L EC50_{daphnia/48h}:

IC50_{scenedesmus} quadricauda/72h: >1000 mg/L EC10_{pseudomonas} putita/16h: Water hazard class (DE): EC5: 1050 mg/L WGK No.: 0135

Dispersion coefficient(octanol-water): 0.05 Storage class (VCI):

www.mn-net.com

US:

MACHEREY-NAGE $\langle MN \rangle$

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:



CAS No.: 56-81-5

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740952.250 NucleoSpin Tissue (250) Page: 12/14

Printing date: 12.05.2021 Date of issue: 21.09.2020

8 mL PB

Chemical: glycerole

PNEC (fresh water): 0.885 mg/L PNEC = Predicted No Effected Concentration

 $\begin{array}{lll} LC50_{fish/96h}: & >5000_{24h} \text{ mg/L} \\ EC50_{daphnia/48h}: & >10_{24h} \text{ g/L} \\ IC50_{scenedesmus quadricauda/72h}: & IC5_{7d} >10 \text{ g/L} \\ EC10_{pseudomonas putita/16h}: & EC5: >10 \text{ g/L} \\ Water hazard class (DE): & 0 \end{array}$

Water hazard class (DE): 0
Dispersion coefficient_(octanol-water): -1.76
Storage class (VCI): 10

1-75 mg Proteinase K (Iyo)

Chemical: proteinase K (origin: tritirachium album) CAS No.: 39450-01-6

Water hazard class (DE): 1
Storage class (VCI): 13

100 mL T1

Chemical: chemicals/mixture < 2% CAS No.: -

Water hazard class (DE): 1 Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol mixture)

14.3 Class: 3 14.4 Packing group: III

Road transport
Classification code: F1

Limited Quantity: 5 L Tunnel restriction code: Ε **Excepted Quantity:** Special instructions: 640E Air transport PAX: 355 max. weight PAX: 60 I CAO: 366 max. weight CAO: 220 L

Maritime transport

EmS: F-E, S-E Storage category: A

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 740952.250
 NucleoSpin Tissue (250)
 Page: 13/14

 Printing date: 12.05.2021
 Date of issue: 21.09.2020

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H336 May cause drowsiness or dizziness.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260D Do not breathe vapours.
P261sh Avoid breathing dust/vapours.

P264W Wash with water thoroughly after handling.
P280sh Wear protective gloves/eye protection.

P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 Directive 1999/92/EC Minimum requirements for improving the safety and health protection of workers at risk from potentially explosive

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 740952.250
 NucleoSpin Tissue (250)
 Page: 14/14

 Printing date: 12.05.2021
 Date of issue: 21.09.2020

atmospheres

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-11 Adaption of ECHA Registration dossier

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR: