

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 1/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 740981.10

Product name NucleoSpin miRNA Plasma (10)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 7 mL DRB (OEM) 1 x 3 mL MLP 1 x 5 mL MPP 1 x 10 mL MW1 1 x 6 mL MW2

1 x 200 U, Size D, rDNase 1 x 13 mL RNase-free H₂ O

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY

Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product









GHS07 **GHS08**

GHS09

DANGER Signal word

| Hazard identification | Hazard classes/categories |
|-----------------------|---------------------------|
| H226 | Flam. Liq. 3 |
| H302 | Acute Tox. 4 oral |
| H315 | Skin Irrit. 2 |
| H319 | Eye Irrit. 2 |
| H334 | Resp. Sens. 1 |
| H411 | Aquatic Chronic 2 |
| H412 | Aquatic Chronic 3 |

2.1 Classification of the substance or mixture

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 2/14 Printing date: 12.05.2021 Date of issue: 12.04.2021

7 mL DRB (OEM)

Do not need labelling as hazardous

Signal word

No hazard class

3 mL MLP

Signal word WARNING

Hazard identification Hazard classes/categories

H302 Acute Tox. 4 oral H412 Aquatic Chronic 3

5 mL MPP





Signal word WARNING

Hazard identification Hazard classes/categories H315 Skin Irrit. 2

H319 Eye Irrit. 2 H411 Aquatic Chronic 2

10 mL MW1



GHS02

WARNING Signal word

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3

6 mL MW2

Do not need labelling as hazardous

Signal word

No hazard class

200 U, Size D, rDNase



www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 3/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

> DANGER Signal word

Hazard identification Hazard classes/categories

H334 Resp. Sens. 1

13 mL RNase-free H₂ O

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The corrosive hazard should be minimized to irritant, because of buffer chemicals inside.

7 mL DRB (OEM)

Do not need labelling as hazardous Signal word: -

3 mL MLP



Signal word: WARNING

Harmful to aquatic life with long lasting effects.

5 mL MPP





Signal word: WARNING

10 mL MW1



Signal word: WARNING

6 mL MW2

Do not need labelling as hazardous Signal word: -

200 U, Size D, rDNase

www.mn-net.com

(MN

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.:

+33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

+49 24 21 969-199

Fax:

US:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 4/14

Printing date: 12.05.2021 Date of issue: 12.04.2021



Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

13 mL RNase-free H₂ O

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). For quanidine thiocyanate CAS 593-84-0: The properties H314, H332 "Causes severe skin burns and eye damage. Harmful if inhaled." are not relevant, because the mixture solution is buffered to pH 4-9 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). ---

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

7 mL DRB (OEM)

CAS No .: -Chemical: chemicals/mixture < 2%

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <2% KE No.: listed Concentration: 1 - <2 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3 mL MLP

guanidinium thiocyanate CAS No.: 593-84-0 Chemical:

Classification: H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1B, H332, Acute Tox. 4 inh.,

H412, Aquatic Chronic 3

Formula: C₂ H₆ N₄ S

guanidine rhodanide Pseudonym: TSCA Inventory: listed REACH Reg. No.: 01-2120735072-65-0001

615-004-00-3 EC No.: 209-812-1 Indice No.: MFCD: RTECS: XL1225000 00013027

KE No.: not listed Concentration: 45 - <60 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H412, Aquatic Chronic 3

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 5/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

5 mL MPP

CAS No.: 7646-85-7 Chemical: zinc chloride

Classification: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H400, Aquatic Acute 1, H410, Aquatic Chronic 1

Formula: ZnCl₂ TSCA Inventory: listed

REACH Reg. No.: 01-2119472431-44-xxxx

231-592-0 EC No.: 030-003-00-2 Indice No : ZH1400000 RTECS: MFCD: 00011295

KE No.: KE-35535, >25% Toxic 97-1-91

Concentration: Correlation factor: x 0.48 (= %Zn) The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H411, Aquatic Chronic 2

10 mL MW1

guanidinium thiocyanate Chemical: CAS No.: 593-84-0

H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1B, H332, Acute Tox. 4 inh., Classification:

H412, Aquatic Chronic 3

Formula: C₂ H₆ N₄ S

guanidine rhodanide Pseudonym:

TSCA Inventory: listed

REACH Reg. No.: 01-2120735072-65-0001

EC No.: 209-812-1 Indice No.: 615-004-00-3 RTECS: XL1225000 MFCD: 00013027

KE No .: not listed Concentration: 5 - < 10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Chemical: ethanol CAS No.: 64-17-5

(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)

Classification: H225, Flam. Liq. 2 C₂ H₆ O; C₂ H₅ OH Formula:

Pseudonym: ethyl alcohol, methylated spirit

TSCA Inventory: listed

REACH Reg. No.: 01-2119457610-43-xxxx

EC No.: 200-578-6 Indice No.: 603-002-00-5 KQ6300000 RTECS: 00003568 MFCD:

KE No.: KE-13217 Concentration: 35 - < 55 % acc. CLP (GHS): H226, Flam. Liq. 3

6 mL MW2

Chemical: chemicals/mixture < 1% CAS No .: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed. <1% KE No .: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled

200 U, Size D, rDNase

Chemical: CAS No.: 9003-98-9

H334, Resp. Sens. 1 Classification:

Enzyme Comm. No. 3.1.21.1, origin: cloned Formula: Pseudonym: Nuclease, deoxyribo-

TSCA Inventory: listed EC No.: 232-667-0 RTECS: RF0750000 KE No.: KF-09612

Concentration: 90 - <100 % acc. CLP (GHS): H334, Resp. Sens. 1

13 mL RNase-free H₂ O

www.mn-net.com

US:

MACHEREY-NAGE $\langle MN \rangle$

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Chemical:



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Printing date: 12.05.2021 Date of issue: 12.04.2021

water

CAS No.: 7732-18-5

Classification: No criteria for classification or naming of chemical not required.

Formula: H₂ O TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV EC No.: 231-791-2 RTECS: ZC0110000 KE No.: KE-35400 Concentration: 90 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Fax:

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 7/14 Printing date: 12.05.2021 Date of issue: 12.04.2021

6.2 **Environmental precautions**

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

7 mL DRB (OEM)

Chemical: chemicals/mixture < 2% CAS No .: -

3 mL MLP

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

DNEL: [inh] 1092 µg/m³ DNEL = Derived No-Effect Level (for workers) PNEC (fresh water) 42.4 µg/L PNEC = Predicted No Effected Concentration

not listed [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

5 mL MPP

zinc chloride CAS No.: 7646-85-7 Chemical:

DNEL: $1.3_{Zn, inh} \ mg/m^3$ DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): U.UZUU IIIgr L
PNEC = Predicted No Effected Concentration 1 a mg/m³ SUVA(CH) MAK value:

NIOSH: not listed [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

10 mL MW1

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

DNEL [inh] 1092 µg/m³ DNEL = Derived No-Effect Level (for workers) $\begin{array}{ccc} PNEC_{(fresh\ water)} & 42.4\ \mu g/L \\ PNEC = Predicted\ No\ Effected\ Concentration \end{array}$

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

www.mn-net.com

US:

MACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 8/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

> Chemical: CAS No.: 64-17-5 ethanol

 $[derm] \ 343 \ mg/kg; \ [inh] \ 950 \ mg/m^3 \\ \ DNEL = Derived \ No-Effect \ Level \ (for \ workers)$ DNEL:

 $\begin{array}{ccc} \text{PNEC}_{(\text{fresh water})}: & 0.96 \text{ mg/L} \\ \text{PNEC} = \text{Predicted No Effected Concentration} \end{array}$

200 mL/m3 / 380 mg/m3 TRGS 900 (DE):

4 (II), Y Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³ NIOSH:

[TWA] Time-weighted avera age to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

6 mL MW2

Chemical: chemicals/mixture < 1% CAS No .: -

200 U, Size D, rDNase

rDNase CAS No.: 9003-98-9 Chemical:

13 mL RNase-free H₂ O

Chemical: CAS No.: 7732-18-5

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

7 mL DRB (OEM)

Colour: colourless Odor: odorless Appearance: liquid

6 5-7 5 pH: Specific gravity: 1.01 g/cm³

3 mL MLP

Appearance: liquid Colour: colourless Odor: odorless

pH: 4.5-5.5

5 mL MPP

Appearance: liquid Colour: colourless Odor: acetic

4.0-4.6 :Ha

10 mL MW1

Colour: colourless Odor: alcoholic Appearance: liquid

pH: 6.5 - 7.523 °C Flash point:

www.mn-net.com

US:

MACHEREY-NAGE **(MN)**

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 9/14

Printing date: 12.05.2021 Date of issue: 12 04 2021

6 mL MW2

Colour: colourless Odor: odorless Appearance: liquid

pH. 7-8 Specific gravity: 1.00 g/cm³

200 U, Size D, rDNase

Appearance: solid (lyoph.) Colour: white Odor: odorless

13 mL RNase-free H₂ O

Appearance: liquid Colour: colourless Odor: odorless

:Ha 6-8 Specific gravity: 1.0 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. Possible: Contact with acids liberates toxic gas. No further data

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

7 mL DRB (OEM)

chemicals/mixture < 2% CAS No .: -Chemical:

TSCA Inventory: all listed, <2%

Korea Exist.Chem.Inventory: listed

3 mL MLP

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

California Proposition 65 List: not listed TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes Japan CSCL/PRTR: not listed. Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: not listed LD50_{orl rat}: 593 mg/kg LC50_{drm rbt}: >2000 mg/m³ LC50_{ihl rat}: [4h] 5.319 mg/L

LD50_{ipr mus}: 300 mg/kg Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

www.mn-net.com

US:

AACHEREY-NAGE (MN)

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 +41 62 388 55 05 Fax: +33 388 51 76 88 +1 484 821 1272 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 10/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

5 mL MPP

Chemical: zinc chloride CAS No.: 7646-85-7

TSCA Inventory: California Proposition 65 List: not listed listed Australia NICNAS: not listed Canada CEPA 1999: DSL Yes Japan CSCL/PRTR: PRTR: ≥1,0%Zn class I, Japan PDSCL: Deleterious Substance

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-35535, >25% Toxic 97-1-91

350 mg/kg LD50_{orl rat}: LD50_{orl mus}: 329 mg/kg

10 mL MW1

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

California Proposition 65 List: not listed TSCA Inventory: listed not listed Australia NICNAS: Canada CEPA 1999: DSL yes not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: not listed LD50_{orl rat}: 593 mg/kg LC50_{drm rbt}: >2000 mg/m³ LC50_{ihl rat}: [4h] 5.319 mg/L LD50_{ipr mus}: 300 mg/kg

Chemical: CAS No.: 64-17-5 ethanol

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-13217 6200 mg/kg LD50_{orl rat}: LC_Lowihl gpg: 21.9 g/m³ LC_Loworl hmn: 1400 mg/kg [4h] 39 g/m³ LC50_{ihl mouse}: LC50_{ihl rat}: [10h] 20 g/m³ LD50_{drm rbt}: 20 000 mg/kg LD50_{oral mouse}: 3450 mg/kg TRGS 905 (DE): K5. M5. R_F C

6 mL MW2

Chemical: chemicals/mixture < 1% CAS No .: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

200 U, Size D, rDNase

Chemical: rDNase CAS No.: 9003-98-9

TSCA Inventory: listed Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-09612

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma

symptoms or breathing difficulties if inhaled.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 11/14

Date of issue: 12.04.2021 Printing date: 12.05.2021

13 mL RNase-free H2 O

Chemical: CAS No.: 7732-18-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-35400

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

7 mL DRB (OEM)

chemicals/mixture < 2% CAS No .: -

Water hazard class (DE): Storage class (VCI): 12-13

3 mL MLP

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

PNEC_(fresh water):
PNEC = Predicted No Effected Concentration 42.4 µg/L

LC50_{fish/96h}: [4d] 89.1 mg/L EC50_{daphnia/48h}: 42.4 mg/L 130 mg/L IC50scenedesmus quadricauda/72h: EC10_{pseudomonas putita/16h}: [10d] 200 mg/L

Water hazard class (DE):

Dispersion coefficient(octanol-water): [pH 5.1] -1.11

Storage class (VCI): <u>1</u>2

5 mL MPP

CAS No.: 7646-85-7 Chemical: zinc chloride

Toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

PNEC_(fresh water): PNEC = Predicted No Effected Concentration 0.0206 mg/L

LC50_{fish/96h}: 38 mg/L 1.24 mg/L EC50_{daphnia/48h}: EC50_{pseudokirchneriella} subcapitata/72h 0.05 mg/L

Water hazard class (DE): 3 WGK No.: 0207

Storage class (VCI):

10 mL MW1

Chemical: guanidinium thiocyanate CAS No.: 593-84-0

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 42.4 µg/L

LC50_{fish/96h}: [4d] 89.1 mg/L EC50daphnia/48h: 42.4 mg/L $IC50_{scenedesmus}$ quadricauda/72h : 130 mg/L EC10_{pseudomonas putita/16h}: [10d] 200 mg/L Water hazard class (DE):

Dispersion coefficient_(octanol-water): [pH 5.1] -1.11 12

Storage class (VCI):

Chemical: ethanol CAS No.: 64-17-5

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.96 mg/L

LC50_{daphnia magna/48h}: >100 mg/L LC50_{pimephales} promelas/96h: 13400 - 15100 mg/L

LC50 leuciscus idus/96h: [48h] 8140 mg/L LC50_{fish/96h}: 13 g/L 9.3-14.2 g/L [7d] 5000 mg/L EC50_{daphnia/48h}: IC50_{scenedesmus} quadricauda/72h: EC10_{pseudomonas putita/16h}: [EC5] 6500 mg/L Water hazard class (DE): WGK No.: 0096

Dispersion coefficient_(octanol-water): -0.31

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 12/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

Storage class (VCI): 3

6 mL MW2

Chemical: chemicals/mixture < 1% CAS No.: -

Water hazard class (DE): 1
Storage class (VCI): 12-13

200 U, Size D, rDNase

Chemical: rDNase CAS No.: 9003-98-9

Water hazard class (DE): 1 WGK No.: n.n.

Storage class (VCI): 13

13 mL RNase-free H₂ O

Chemical: water CAS No.: 7732-18-5

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Do not collect in acidic waste. May form toxic gases.

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

UN 1993 class 3 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2

or

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3 14.4 Packing group: II

Road transport

Classification code: F1

Limited Quantity: 1 L Tunnel restriction code: **Excepted Quantity:** E 2 Special instructions: 640C Air transport PAX: 353 max. weight PAX: 5 L CAO: 364 max. weight CAO: 60 I Maritime transport

EmS: F-E, S-E Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

www.mn-net.com

US:

ISO 9001 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740981.10 NucleoSpin miRNA Plasma (10) Page: 13/14

Printing date: 12.05.2021 Date of issue: 12.04.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

List of H and P phrases 16.1

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

1612 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261sh Avoid breathing dust/vapours. P264W Wash with water thoroughly after handling.

P273 Avoid release to the environment. P280sh Wear protective gloves/eye protection.

P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 740981.10
 NucleoSpin miRNA Plasma (10)
 Page: 14/14

 Printing date: 12.05.2021
 Date of issue: 12.04.2021

2017-08 Adaption of new ethanol denaturation 2016/1867/EU 2017-11 Adaption of ECHA Registration dossier

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE/international: CH: FR:

+41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com