MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10	NucleoSpin RNA Plus (10)	Page: 1/11
Printing date: 12.05.2021	Date of issue: 24.06.2020	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	REF	740984.10
	Product name	NucleoSpin RNA Plus (10)
	REACH Registration number(s): A registration number for the su	see SECTION 3.1/3.2 or bstance(s) does not exist because the annual tonnage does not require registration or
	the substance or its use is exclu	ided from registration.
		1 x 1.5 mL BS
		1 x 5 mL LBP
		1 x 3 mL WB1
		1 x 6 mL WB2
		1 x 13 mL RNase-free H ₂ O
1.2	Relevant identified uses of t	he substance or mixture and uses advised against
	Relevant identified uses Product for analytical use. Exposure Scenario Classi	fication according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
		integrated into sections 1-16.
	Uses advised against	5
	not described	
1.3	Details of the supplier of the	safety data sheet
	Manufactured by:	
	MACHEREY-NAGEL GmbH & Co	p. KG
	Valencienner Str. 11, 52355 Düre	
	Tel.: +49 2421 969 0	E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone numb	er
	Outside Germany (DE): Call your DE: Gemeinsames Giftinformation	regional Poisons Information Service or call local Life Saving Service. nszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product



Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H226 H302 H412	Flam. Liq. 3 Acute Tox. 4 oral Aquatic Chronic 3	

2.1 Classification of the substance or mixture

1.5 mL BS

Do not need labelling as hazardous

Signal word





REF: 740984.10	NucleoSpin RNA Plus (10) Page: 2/
Printing date: 12.05.2021	Date of issue: 24.06.2020
5 mL LBP	
	\wedge
	GHS07
Signal word	WARNING
Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral
H412	Aquatic Chronic 3
3 mL WB1	
	GHS02 GHS07
Signal word	WARNING
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
6 mL WB2	
	Do not need labelling as hazardous
Signal word	-
No hazard class	
13 mL RNase-free H_2 O	
	Do not need labelling as hazardous
Signal word	-
No hazard class	
.2 Label elements	
	ages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

1.5 mL BS

Do not need labelling as hazardous Signal word: -

5 mL LBP



Signal word: WARNING

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10	NucleoSpin RNA Plus (10)	Page: 3/11
Printing date: 12.05.2021	Date of issue: 24.06.2020	

H412 Harmful to aquatic life with long lasting effects.

3 mL WB1



Signal word: WARNING

6 mL WB2

Do not need labelling as hazardous Signal word: -

13 mL RNase-free H₂ O

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

Flammable properties. For guanidine thiocyanate CAS 593-84-0: The properties H314, H332 "Causes severe skin burns and eye damage. Harmful if inhaled." are not relevant, because the mixture solution is buffered to pH 4-9 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). --

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities. -

Information pertaining to particular risks to the environment Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment. not applicable PBT: not applicable vPvB:

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

1.5 mL BS

Chemical: ethyle	eneglycol diacetate		CAS No.: 111-55-7
Classification:	No criteria for classification or naming of che	mical not required.	
Formula:	C ₆ H ₁₀ O ₄		
Pseudonym:	1,2-Ethanediol, 1,2-diacetate		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119969454-26-xxxx		
EC No.:	203-881-1		
RTECS:	KW4025000	MFCD:	00008718
KE No.:	KE-13170		
Concentration:	80 - <100 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

5 mL LBP



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10		NucleoSpin RN/		Page: 4/1
Printing date: 12.05.20)21	Date of issue: 24	4.06.2020	
	Chemical: guanic Classification: H412, Aquatic Chror Formula: Pseudonym: TSCA Inventory: REACH Reg. No.:		2, Acute Tox. 4 derm., H314,	CAS No.: 593-84-0 Skin Corr. 1B, H332, Acute Tox. 4 inh.,
	EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	209-812-1 XL1225000 not listed 30 - <45 % H302, Acute Tox. 4 oral, H412	Indice No.: MFCD: 2, Aquatic Chronic 3	615-004-00-3 00013027
3 mL W				
	Classification: Formula: Pseudonym: TSCA Inventory:	dine hydrochloride H302, Acute Tox. 4 oral, H31 CH ₆ CIN ₃ guanidinium chloride listed	5, Skin Irrit. 2, H319, Eye Irrit	CAS No.: 50-01-1 2
	REACH Reg. No.: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	01-2119977063-35-0005 200-002-3 MF4300000 KE-18111 24 - <36 % H302, Acute Tox. 4 oral	Indice No.: MFCD:	607-148-00-0 00013026
	Chemical: ethan	วไ		CAS No.: 64-17-5
		Litured with 1%IPA/1%MEK, acc. H225, Flam. Liq. 2 $C_2 H_6 O; C_2 H_5 OH$ ethyl alcohol, methylated spiri listed 01-2119457610-43-xxxx 200-578-6 KQ6300000 KE-13217 20 - <35 % H226, Flam. Liq. 3		603-002-00-5 00003568
6 mL W				
13 mL	Chemical: <i>chemi</i> Classification: TSCA Inventory: KE No.: Concentration: acc. CLP (GHS): RNase-free H ₂ O	cals/mixture < 1% No criteria for classification or naming all listed, <1% listed 0.1 - <1 % The criteria for classification are not f		CAS No.: -
	Chemical: water Classification: Formula: TSCA Inventory: REACH Reg. No.: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	No criteria for classification or naming H ₂ O listed exempt, Annex IV 231-791-2 ZC0110000 KE-35400 90 - <100 % The criteria for classification are not f	- ·	CAS No.: 7732-18-5

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10 NucleoSpin RNA Plus (10)	Page: 5/11
Printing date: 12.05.2021 Date of issue: 24.06.2020	

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---4.1.4

After ORAL Intake After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.2

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

Special hazards arising from the substance or mixture WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. -

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Regular staff training is necessary.

6.2 **Environmental precautions**

not necessary, contains only small amounts of these substances

- 6.3 Methods and material for containment and cleaning up Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 3 Water hazard class (DE): 3



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 +1 484 821 1272 Fax: E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	40984.10 j date: 12.05.2021		leoSpin RNA Plus (10) Page: 6/1 e of issue: 24.06.2020
7.2.1		ts for stock rooms and container	
	•	product packages tightly closed du	
7.3	Specific end		
	Product for analyti	cal use.	
SECT	ION 8: Expos	sure controls/personal	protection
3.1	Control paran	neters	
	1.5 mL BS		
	Chemical:	ethyleneglycol diacetate	CAS No.: 111-55-7
	5 mL LBP		
	Chemical: DNEL:	guanidinium thiocyanate [inh] 1092 µg/m ³	CAS No.: 593-84-0
	DNEL =	Derived No-Effect Level (for workers)	
	PNEC(fresh wa PNEC =	ter): 42.4 μg/L = Predicted No Effected Concentration	
	NIOSH:	not listed	of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
	OSHA:	not listed	
	3 mL WB1		
	Chemical: DNEL:	guanidine hydrochloride [inh] 3.5 mg/m ³	CAS No.: 50-01-1
	DNEL =	Derived No-Effect Level (for workers)	
	PNEC _{(fresh wa} PNEC =	ter) =	
	NIOSH:	not listed	of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
	OSHA:	not listed	
	Chemical:	ethanol	CAS No.: 64-17-5
	DNEL:	[derm] 343 mg/kg; Derived No-Effect Level (for workers)	jinh] 950 mg/m³
		nter): 0.96 mg/L Predicted No Effected Concentration	
	TRGS 900 (D	E): 200 mL/m ³ / 380 m	g/m³
	Short-term ex	E/e respirable	
	skin re	sorptive (H), respiratory sensitizable (Sa), s	xin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
	SUVA(CH) M NIOSH:	[TWA] 1000 ppm /	1900 mg/m³
	[TWA] 1 OSHA:	ime-weighted average to a reference period [TWA] 1000 ppm /	of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
	USHA.	[TWA] Tood ppin/	1900 mg/m
	6 mL WB2 Chemical:	chemicals/mixture < 1%	CAS No.: -
	13 mL RNase Chemical:	e-free H ₂ O water	CAS No.: 7732-18-5
. .		trolo	
3.2			oor resistant to chemicals with floor drainage and washing facilities. The highest ace.
.2.1	Respiratory No additional	protection recommendations.	
3.2.2		ccording EN 374 (permeation time	>30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse tex gloves with code EN 374-3 level 1.
3.2.3	Eye protection	on	

MACHEREY-NAGE **(MN)** ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

US: +33 388 68 22 68 Tel.: +1 484 821 0984 +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10	NucleoSpin RNA Plus (10)	Page: 7/11
Printing date: 12.05.2021	Date of issue: 24.06.2020	

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection Recommended.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1.5 mL BS Appearance: liquid Melting point: Boiling point: Flash point: Vapour pressure (20°C): Specific gravity: Solubility in water:	Colour: colourless -31 °C 186-191 °C 88 °C 0.33 hPa 1.10 g/cm ³ 0-16 %	Odor: odorless
Flashing temperature: 5 mL LBP Appearance: liquid	482 °C Colour: slightly yellow	Odor: odorless
pH: 3 mL WB1 Appearance: liquid	6.5-7.5 Colour: slightly yellow	Odor: alcoholic
pH: Flash point: 6 mL WB2	6.5-8 26 °C	
Appearance: liquid pH: Specific gravity:	Colour: colourless 7-8 1.00 g/cm³	Odor: odorless
13 mL RNase-free H ₂ O Appearance: liquid pH: Specific gravity:	Colour: colourless 6-8 1.0 g/cm³	Odor: odorless

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 **Chemical stability** No known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. Possible: Contact with acids liberates toxic gas. No further data available

10.4 Conditions to avoid

Not necessary. ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10	NucleoSpin RNA Plus (10)	Page: 8/11
Printing date: 12.05.2021	Date of issue: 24.06.2020	

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1.5 mL BS

eglycol diacetate listed KE-13170 6850 mg/kg 9328 mg/kg
9328 mg/kg

CAS No.: 111-55-7

5 mL LBP

Chemical:	guanidinium thiocyanate	CAS No.: 593-84-0
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan PD	OSCL: not listed
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.In	ventory: not listed	
LD50 _{orl rat} :	593 mg/kg	
LC50 _{drm rbt} :	>2000 mg/m³	
LC50ihl rat :	[4h] 5.319 mg/L	
LD50ipr mus :	300 mg/kg	
Acute Effects: Cause	e after oral intake, impairmen	ts of health when ingested in small quantities.

3 mL WB1

••			
	Chemical: gu	uanidine hydrochloride	CAS No.: 50-01-1
	TSCA Inventory:	listed	California Proposition 65 List: not listed
	Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
	Japan CSCL/PRTR:	not listed, Japan PDS	SCL: not listed
	Japan ISHL:	not listed	
	South Korea TCCA:	not listed	
	Korea Exist.Chem.Inver		
	LD50orl rat :	475-907 mg/kg	
	LC50ihl rat :	[4h] 3181-7655 µg/m	3
	LD50 _{drm rbt} :	2000 mg/kg	
	Acute Effects: Cause af	ter oral intake, impairments	of health when ingested in small quantities.
	Chemical: et	hanol	CAS No.: 64-17-5
	TSCA Inventory:	listed	California Proposition 65 List: not listed
	ACGIH:	1000 ppm	
	Exposure Routes:	inhalation, ingestion,	skin and/or eye contact
	Target Organs:	Eyes, skin, respirator	y system, central nervous system, liver, blood, reproductive system
	Symptoms:	irritation eyes, skin, n	ose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
	liver damage; anemia; r	eproductive, teratogenic	
	Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
	Japan CSCL/PRTR:	not listed, Japan PDS	SCL: not listed
	Japan ISHL:	listed ≥0,1%/≥0,1%, /	Article 57-2 (SDS required)
	South Korea TCCA:	not listed	
	Korea Exist.Chem.Inver	ntory: KE-13217	
	LD50 _{orl rat} :	6200 mg/kg	
	LC_Low _{ihl gpg} :	21.9 g/m³	
	LC_Loworl hmn :	1400 mg/kg	
	LC50 _{ihl mouse} :	[4h] 39 g/m³	
	LC50 _{ihl rat} :	[10h] 20 g/m³	
	LD50 _{drm rbt} :	20 000 mg/kg	
	LD50 _{oral mouse} :	3450 mg/kg	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 74 Printing	0984.10 date: 12.05.2021	NucleoSpin RNA Plu Date of issue: 24.06.	
<u> </u>			
	TRGS 905 (DE):	K5, M5, R _F C	
	6 mL WB2		
	Chemical: cl TSCA Inventory: Korea Exist.Chem.Inve	hemicals/mixture < 1% all listed, <1% htory: listed	CAS No.: -
	13 mL RNase-free H ₂	0	
	Chemical: w TSCA Inventory: Korea Exist.Chem.Inve	ater listed ntory: KE-35400	CAS No.: 7732-18-5
	ION 12: Ecological	information	
12.1	Toxicity Following information is v	alid for pure substances.	
	1.5 mL BS Chemical: Water hazard class	ethyleneglycol diacetate	CAS No.: 111-55-7
		42.4 µg/L [ffected Concentration [4d] 89.1 mg/L 42.4 mg/L 42.4 mg/L 130 mg/L utita/16h : [10d] 200 mg/L s (DE): 3 ent(octanol-water) : [PH 5.1] -1.11	CAS No.: 593-84-0 of substance/mixture to environment. ntil 125 mL (EU 1272/2008 Annex I - 1.5.2).
	3 mL WB1 Chemical: PNEC(fresh water) : PNEC = Predicted No E	guanidine hydrochloride	CAS No.: 50-01-1
	LC50leuciscus idus/96 LC50fish/96h : EC50daphnia/48h : EC10pseudomonas p Water hazard class Storage class (VCI	sh : 1759 mg/L [4d] 690-1850; [48h] 175 70.2 mg/L utita/16h : [72h] 11.8-33.5 mg/L s (DE): 1 WGK No.: 0788	58-2420 mg/L
	Chemical: PNEC _(fresh water) : PNEC = Predicted No E		CAS No.: 64-17-5
	LC50daphnia magna/ LC50pimephales pron LC50leuciscus idus/96 LC50fish/96h : EC50daphnia/48h : IC50scenedesmus qu: EC10pseudomonas p	helas/96h : 13400 - 15100 mg/L sh : [48h] 8140 mg/L 13 g/L 9.3-14.2 g/L adricauda/72h : [7d] 5000 mg/L utita/16h : [EC5] 6500 mg/L	
	Water hazard class	s (DE): 1 WGK No.: 0096	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 7	40984.10	NucleoSpin RNA Plus (10)	Page: 10/1
Printing	g date: 12.05.2021	Date of issue: 24.06.2020	
	6 mL WB2 Chemical: chemic Water hazard class (DE): Storage class (VCI):	als/mixture < 1% 1 12-13	CAS No.: -
	13 mL RNase-free H ₂ O Chemical: water		CAS No.: 7732-18-5
12.2	Persistence and degradabilit not necessary	ty	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB as no data available	sessment	
12.6	Other adverse effects no additional data available		

SECTION 13: Disposal considerations

Do not collect in acidic waste. May form toxic gases. Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

UN 1993 class 3 III, Excepted Quantities (≤30 mL/∑≤1 L) = ADR/ IATA E1 or

14.1 UN number: 14.3 Class: Road transport	3 14.4	UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture) Packing group: III
Classification code:	F1	
Limited Quantity:	5 L	Tunnel restriction code: E
Excepted Quantity: Air transport	E 1	Special instructions: 640E
PAX:	355	max. weight PAX: 60 L
CAO: Maritime transport	366	max. weight CAO: 220 L
EmS:	F-E, S-E	Storage category: A

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.



MACHEREY-NAGEL	MACH	HEREY-NAGEL GmbH & C	o. KG ·	Neumann-Neander-Str. 6–8	· 5235	5 Düren · Germany		
	DE/ir	iternational:	CH:		FR:		US:	
	Tel.:	+49 24 21 969-0	Tel.:	+41 62 388 55 00	Tel.:	+33 388 68 22 68	Tel.:	+1 484 821 0984
ISO 9001 CERTIFIED	Fax:	+49 24 21 969-199	Fax:	+41 62 388 55 05	Fax:	+33 388 51 76 88	Fax:	+1 484 821 1272
Version: M V 4.	12.0 E-mai	l: info@mn-net.com	E-ma	il: sales-ch@mn-net.com	E-mai	l: sales-fr@mn-net.com	E-mai	l: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740984.10	NucleoSpin RNA Plus (10)	Page: 11/11
Printing date: 12.05.2021	Date of issue: 24.06.2020	

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

	H226	Flammable liquid and vapour.			
	H302	Harmful if swallowed.			
	H412	Harmful to aquatic life with long lasting effects.			
16.1.2	List of relevant P phrases				
	P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.			
	P264W	Wash with water thoroughly after handling.			
	P273	Avoid release to the environment.			
	P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.			
	P330	Rinse mouth.			

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area.

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU 2017-08 Adaption of new ethanol denaturation 2016/1867/EU 2017-11 Adaption of ECHA Registration dossier



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com

US: +33 388 68 22 68 Tel.: +1 484 821 0984 +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com