

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 744970.5

NucleoMag NGS Clean-up and Size Select

Page: 1/6

Printing date: 12.05.2021

Date of issue: 04.04.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 744970.5  
Product name NucleoMag NGS Clean-up and Size Select

REACH Registration number(s): see SECTION 3.1/3.2 or  
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 5 mL NGS Bead Suspension

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11, 52355 Düren, GERMANY  
Tel.: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

### 1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

5 mL NGS Bead Suspension

Signal word Do not need labelling as hazardous  
-

No hazard class

### 2.2 Label elements

5 mL NGS Bead Suspension

Do not need labelling as hazardous  
Signal word: -

### 2.3 Other hazards

#### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. ---

#### Information pertaining to particular risks to human and possible symptoms

---

#### Information pertaining to particular risks to the environment

---

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 744970.5

NucleoMag NGS Clean-up and Size Select

Page: 2/6

Printing date: 12.05.2021

Date of issue: 04.04.2019

## Other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 5 mL NGS Bead Suspension

Chemical: *sodium chloride*

CAS No.: 7647-14-5

Classification: No criteria for classification or naming of chemical not required.

Formula: NaCl

Pseudonym: salt

TSCA Inventory: listed

REACH Reg. No.: exempt, Annex V

EC No.: 231-598-3

RTECS: VZ4725000

KE No.: KE-31387

Concentration: 10 - <30 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *magnetic particles, suspended in water*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: listed (CAS 1309-38-2)

Concentration: < 0.10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

#### 4.1.1 After SKIN Contact

Not necessary.

#### 4.1.2 After EYE Contact

Not necessary.

#### 4.1.3 After INHALATION of vapours

Not necessary. ---

#### 4.1.4 After ORAL Intake

Not necessary. ---

### 4.2 Most important symptoms and effects, both acute and delayed

---

### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

None.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 744970.5

NucleoMag NGS Clean-up and Size Select

Page: 3/6

Printing date: 12.05.2021

Date of issue: 04.04.2019

## 5.4 Additional information

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

### 6.2 Environmental precautions

not necessary

### 6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

### 6.4 Reference to other sections

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 12

Water hazard class (DE): 1

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 5 mL NGS Bead Suspension

Chemical: *sodium chloride*

CAS No.: 7647-14-5

Chemical: *magnetic particles, suspended in water*

CAS No.: -

### 8.2 Exposure controls

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

#### 8.2.1 Respiratory protection

Not necessary.

#### 8.2.2 Hand protection

Not necessary.

#### 8.2.3 Eye protection

Not necessary.

#### 8.2.4 Skin protection

Not necessary.

#### 8.2.5 Personal hygiene

Information not necessary.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 5 mL NGS Bead Suspension

Appearance: liquid

Colour: brown

Odor: odorless

pH:

7.5-8.5

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 744970.5

NucleoMag NGS Clean-up and Size Select

Page: 4/6

Printing date: 12.05.2021

Date of issue: 04.04.2019

## 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

None.

### 10.4 Conditions to avoid

Not known. ---

### 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 5 mL NGS Bead Suspension

Chemical: *sodium chloride*  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-31387  
 LD50<sub>orl rat</sub>: 3000 mg/kg  
 LD50<sub>drm rbt</sub>: 10 g/kg

CAS No.: 7647-14-5

Chemical: *magnetic particles, suspended in water*  
 TSCA Inventory: listed (CAS 1309-38-2)

CAS No.: -

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 5 mL NGS Bead Suspension

Chemical: *sodium chloride*  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13

CAS No.: 7647-14-5

Chemical: *magnetic particles, suspended in water*  
 Storage class (VCI): 12

CAS No.: -

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 744970.5

NucleoMag NGS Clean-up and Size Select

Page: 5/6

Printing date: 12.05.2021

Date of issue: 04.04.2019

not necessary

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Not necessary.

### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains.

## SECTION 14: Transport information

14.1 - 14.4 Not necessary

### 14.5 Environmental hazards

none

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013  
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC  
 MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)  
 Look for your country-specific regulations.

### 15.2 Chemical safety assessment

---

## SECTION 16: Other information

### 16.1 List of H and P phrases

#### 16.1.1 List of relevant H phrases

#### 16.1.2 List of relevant P phrases

### 16.2 Training advice

Regular safety training.

### 16.3 Recommended restriction on use

None

### 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS  
 Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
 Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
 Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress

[www.mn-net.com](http://www.mn-net.com)



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

Tel.: +49 24 21 969-0

Fax: +49 24 21 969-199

E-mail: [info@mn-net.com](mailto:info@mn-net.com)

CH:

Tel.: +41 62 388 55 00

Fax: +41 62 388 55 05

E-mail: [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)

FR:

Tel.: +33 388 68 22 68

Fax: +33 388 51 76 88

E-mail: [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)

US:

Tel.: +1 484 821 0984

Fax: +1 484 821 1272

E-mail: [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 744970.5

NucleoMag NGS Clean-up and Size Select

Page: 6/6

Printing date: 12.05.2021

Date of issue: 04.04.2019

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

## Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU