

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600	Protino Ni-IDA Resin (600 g)	Page: 1/7
Printing date: 12.05.2021	Date of issue: 26.06.2018	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 745210.600  
 Product name Protino Ni-IDA Resin (600 g)

REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 600 g Protino® Ni-IDA Resin

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11, 52355 Düren, GERMANY  
 Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

600 g Protino® Ni-IDA Resin



GHS07 GHS08 GHS09

Signal word DANGER

Hazard identification	Hazard classes/categories
H317	Skin Sens. 1
H334	Resp. Sens. 1
H341	Muta. 2
H350i	Carc. 1A
H410	Aquatic Chronic 1

### 2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600  
Printing date: 12.05.2021

Protino Ni-IDA Resin (600 g)  
Date of issue: 26.06.2018

Page: 2/7

## 600 g Protino® Ni-IDA Resin



GHS07 GHS08 GHS09

Signal word: DANGER

H317, H334, H341, H350i, H410

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer if inhaled. Very toxic to aquatic life with long lasting effects.

P201, P261sh, P273, P280sh, P342+311, P405

Obtain special instructions before use. Avoid breathing dust/vapours. Avoid release to the environment. Wear protective gloves/eye protection. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Store locked up.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

---

### Information pertaining to particular risks to human and possible symptoms

Cause after skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer. May cause cancer if inhaled. -

### Information pertaining to particular risks to the environment

Very toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

**PBT:** not applicable

**vPvB:** not applicable

### Other hazards

It is not possible to declare fine dust (< 12 µm) as dangerous or not. We recommend not to inhale product dust. Dust may cause damage of the inhalatory system if inhaled over a longer period.---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 600 g Protino® Ni-IDA Resin

Chemical:	<i>resin with Ni in nickel(II) complexes</i>	CAS No.:	28-Ni
Classification:	H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H332, Acute Tox. 4 inh., H334, Resp. Sens. 1, H341, Muta. 2, H350i, Carc. 1A, H360, Repr. 1B, H372, STOT RE 1, H410, Aquatic Chronic 1		
Formula:	Ni-complex-		
TSCA Inventory:	listed (NiSO <sub>4</sub> CAS 7786-81-4)		
REACH Reg. No.:	NiSO <sub>4</sub> : 01-2119439361-44-xxxx		
EC No.:	232-104-9 (NiSO <sub>4</sub> )	Indice No.:	028-009-00-5 (NiSO <sub>4</sub> )
RTECS:	QR9600000 (NiSO <sub>4</sub> )		
Concentration:	0.38 - <3.8 %		
acc. CLP (GHS):	H317, Skin Sens. 1, H334, Resp. Sens. 1, H341, Muta. 2, H350i, Carc. 1A, H410, Aquatic Chronic 1		
Chemical:	<i>silica</i>	CAS No.:	7631-86-9
Classification:	No criteria for classification or naming of chemical not required.		
Formula:	SiO <sub>2</sub>		
Pseudonym:	silicon dioxide, Diatomite, precipitated amorphous silica		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119379499-16-0166		
EC No.:	231-545-4		
RTECS:	VV7315000	MFCD:	00011232
KE No.:	KE-31032		
Concentration:	95 - <100 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600  
Printing date: 12.05.2021

Protino Ni-IDA Resin (600 g)  
Date of issue: 26.06.2018

Page: 3/7

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

### 4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

CMR Effects: Suspected of causing genetic defects. May cause cancer. May cause cancer if inhaled. ---

### 4.3 Indication of any immediate medical attention and special treatment needed

After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

### 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

not necessary, contains only small amounts of these substances

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4 ---

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600  
Printing date: 12.05.2021

Protino Ni-IDA Resin (600 g)  
Date of issue: 26.06.2018

Page: 4/7

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Products containing also toxic substances should be kept locked up.

Storage class (VCI): 6.1D  
Water hazard class (DE): 2

### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 600 g Protino® Ni-IDA Resin

Chemical: resin with Ni in nickel(II) complexes

CAS No.: 28-Ni

TRGS 900 (DE): - (0,05 E<sub>NiSO<sub>4</sub> alt</sub>) mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: ( 4 )

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,05 e (NiSO<sub>4</sub>) mg/m<sup>3</sup>

SUVA(CH) BAT value: U/c,b 45 µg/L

Chemical: silica

CAS No.: 7631-86-9

DNEL: [inh] 4 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC<sub>(fresh water)</sub>: -  
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 1,25 A / 4 E mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 4 e mg/m<sup>3</sup>

NIOSH: Occupational Carcinogen List yes; [TWA] 6 mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 20 mppcf / 80 mg/m<sup>3</sup>

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

#### 8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. Use for regularly working with dry powders a dust mask or a dust protection filter, class P3. No additional recommendations.

#### 8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

#### 8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

#### 8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

#### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600  
 Printing date: 12.05.2021

Protino Ni-IDA Resin (600 g)  
 Date of issue: 26.06.2018

Page: 5/7

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**600 g Protino® Ni-IDA Resin**

Appearance: powder (solid)      Colour: colourless      Odor: odorless

### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

**Relevant Properties of Substance Group**

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

No further data available.

### 10.4 Conditions to avoid

Not necessary. ---

### 10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 600 g Protino® Ni-IDA Resin

Chemical: *resin with Ni in nickel(II) complexes*      CAS No.: 28-Ni

TSCA Inventory: listed (NiSO<sub>4</sub> CAS 7786-81-4)

Japan CSCL/PRTR: PRTR: ≥0,1% specific class I, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%

LD50<sub>orl rat</sub>: 264 (NiSO<sub>4</sub>) mg/kg

Acute Effects: Cause after skin contact, impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenic Effects: Suspected of causing genetic defects. May cause cancer. May cause cancer if inhaled.

EU carcinogen: carc. 1A, mut. 2, repr. 1B

TRGS 905 (DE): K1

TRGS 907 (DE): Sah

Chemical: *silica*      CAS No.: 7631-86-9

TSCA Inventory: listed      California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact

Target Organs: Eyes, respiratory system

Symptoms: irritation eyes, pneumoconiosis

Australia NICNAS: not listed      Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-31032

LD50<sub>orl rat</sub>: 5000 mg/kg

LC50<sub>ihl rat</sub>: [4h] 140-58 800 mg/m<sup>3</sup>

LD50<sub>drm rbt</sub>: 2000-5000 mg/kg

TRGS 905 (DE): R<sub>F</sub> C

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600  
Printing date: 12.05.2021

Protino Ni-IDA Resin (600 g)  
Date of issue: 26.06.2018

Page: 6/7

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 600 g Protino® Ni-IDA Resin

Chemical: *resin with Ni in nickel(II) complexes* CAS No.: 28-Ni  
Very toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.  
Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).  
Water hazard class (DE): 2  
Storage class (VCI): 6.1 D

Chemical: *silica* CAS No.: 7631-86-9  
PNEC (fresh water): -  
PNEC = Predicted No Effect Concentration  
LC50<sub>fish/96h</sub>: [4d] 1033-1289 mg/L  
EC50<sub>daphnia/48h</sub>: 512; [4d] 2600 mg/L  
EC50<sub>chlorella vulgaris/5d</sub>: [4d] 218 mg/L  
Water hazard class (DE): nwg WGK No.: 0849  
Storage class (VCI): 13

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.  
Dispose of contents/container to regulated waste treatment.

## SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013  
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC  
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011  
MN Leaflet/User manual, also see [www.mn-net.com](http://www.mn-net.com)  
Look for your country-specific regulations.

[www.mn-net.com](http://www.mn-net.com)



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 745210.600	Protino Ni-IDA Resin (600 g)	Page: 7/7
Printing date: 12.05.2021	Date of issue: 26.06.2018	

**15.2 Chemical safety assessment**  
not necessary for these small amounts ---

**SECTION 16: Other information**

**16.1 List of H and P phrases**

**16.1.1 List of relevant H phrases**

- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350i May cause cancer if inhaled.
- H410 Very toxic to aquatic life with long lasting effects.

**16.1.2 List of relevant P phrases**

- P201 Obtain special instructions before use.
- P261sh Avoid breathing dust/vapours.
- P273 Avoid release to the environment.
- P280sh Wear protective gloves/eye protection.
- P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P308+313 IF exposed or concerned: Get medical advice/attention.
- P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P391 Collect spillage.
- P405 Store locked up.

**16.2 Training advice**

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

**16.3 Recommended restriction on use**

Only for professional user.  
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
An individual package of this product or test kit has a moderate hazardous potential.

**16.4 Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

**16.5 Sources of key data**

- Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
- Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress
- Regulation 669/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress
- Regulation 1480/2018/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress
- TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
- SUVA .CH, Limits in air at work 2009, revised on 01.2009
- Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
- TRGS 905, German engineering rules governing carcinogens and mutagens, updated 03/18
- TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011
- KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

**Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU  
2017-11 Adaptation of ECHA Registration dossier

