MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 1/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier		
	REF Product name	745510.5 Protino GST/4B Columns ²	1 mL (5)
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude		3.2 or annual tonnage does not require registration or
	5 x 1 mL Protino® GST/4	B Column	UFI: 2EPV-M305-D20H-RFD3
1.2	Relevant identified uses of th Relevant identified uses Product for analytical use. Exposure Scenario Classificatio The exposure scenario is integra Uses advised against not described	on according REACh, RIP 3.2	re and uses advised against Codes: SU 0-2, PC 21, PROC 15, AC 0
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Valencienner Str. 11, 52355 Düren Phone: +49 2421 969 0	. KG	E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	DE: Gemeinsames Giftinformations	regional Poisons Information S szentrum (GGIZ) 30 730, <https: b="" www.ggiz-e<=""></https:>	Service or call local Life Saving Service. rfurt.de> <http: sds="" www.mn-net.com=""></http:>

SECTION 2: Hazard identification

Classification of the complete product according to Regulation (EC) 1272/2008 2.0

	GHS02
Signal word	WARNING
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1 mL Protino® GST/4B Column

	GHS02
Signal word	WARNING
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 2/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

1 mL Protino® GST/4B Column



Signal word: WARNING

Label elements of the complete product



Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

1 mL Protino® GST/4B Column

	1111		
Substance name: CAS No.:	<i>agarose</i> 9012-36-6		
Substance rating: EC No.: Concentration:	No criteria for classification or naming of cher 232-731-8 1 - <10 %	mical not required.	
acc. CLP (GHS):	The criteria for classification are not fulfilled.		
Substance name: CAS No.: Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	ethanol 64-17-5 (denatured with 1% 2-butanone) H225, Flam. Liq. 2 $C_2 H_6 O; C_2 H_5 OH$ Äthylalkohol, vergällter Spiritus 01-2119457610-43-xxxx 200-578-6 5 - <20 % H226, Flam. Liq. 3	Indice No.:	603-002-00-5



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 3/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into drains.



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FB
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

MACHEREY-NAGEL

Safety Data Sheet

	45510.5 g date: 20.07.2023	Protino GST/4B Columns 1 mL (5) Date of issue: 22.08.2022	Page: 4/9 Version: 2.2.3.2
6.4	Reference to other section	าร	
SECI	FION 7: Handling and st	orage	
7.1	Precautions for safe hand Handling in accordance with the te	ling st instruction, that comes with the product.	
7.2	-	je, including any incompatibilities	
		original packaging . Storage class (German chemical industry): see 3 1	chapter 12.1
7.2.1	Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.		
7.3	Specific end use(s)		
	Product for analytical use.		
SECI	ION 8: Exposure contro	ols /personal protection	
8.1	Control parameters		
	1 mL Protino® GST/4B Colu Chemical: agarose		.: 9012-36-6
	Chemical: <i>ethanol</i> DNEL: DNEL = Derived No-Effect L	[derm] 343 mg/kg; [inh] 950 mg/m³	.: 64-17-5
	PNEC (fresh water) : PNEC = Predicted No Effect		
	TRGS 900 (DE):	200 ppm / 380 mg/m³ E/e respirable	
		ory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
	NIOSH:	500 ppm / 960 mg/m³ [TWA] 1000 ppm / 1900 mg/m³ ge to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-	-minute period
	OSHA:	1000 ppm / 1900 mg/m³	
8.2	Exposure controls		
	Good ventilation and extraction system level of cleanliness must be mainta	stem in the room, floor resistant to chemicals with floor drainage and ined at the workplace.	d washing facilities. The highest
8.2.1	Respiratory protection No additional recommendation	ns.	
8.2.2		ection ((permeation time >30 min - level 2), consist of PVC, natural latex, hemical resistant latex gloves with code EN 374-3 level 1.	Neopren, or Nitril (f.ex. from Ans
8.2.3	Eye / Face Protection Yes, safety glasses according	EN 166 with integrated side shields or wrap-around protection.	
8.2.4	Skin protection		

8.2.4 Skin protection Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 5/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

 1 mL Protino® GST/4B Column a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: l) Kinematic viscosity: m) Solubility in water: n) Dispersion coefficient (o/w): 	viscose slightly grey odorless no data available no data available
m) Solubility in water:	no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. Properties relevant to substance groups

SECTION 10: Stability and reactivity

- 10.1 Reactivity no further data available.
- 10.2 **Chemical stability** no known instability.
- 10.3 Possibility of hazardous reactions No further data available.

10.4 Conditions to avoid

- 10.5 Incompatible materials no additional data available
- 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1 mL Protino® GST/4B Column agarose Chemical: CAS No.: 9012-36-6 **TSCA** Inventory: listed Korea Exist.Chem.Inventory: KE-00278 Chemical⁻ ethanol CAS No.: 64-17-5 California Proposition 65 List: not listed TSCA Inventory: listed ACGIH: 1000 ppm inhalation, ingestion, skin and/or eye contact Exposure Routes:



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

```
US Tel.: +1 888 321 62 24 sales-us@mn-net.com
```





according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 6/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic Australia NICNAS: Canada CEPA 1999: DSL yes not listed Japan CSCL/PRTR: not listed, Japan PDSCL: not listed Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-13217 LD50 orl rat : 6200 mg/kg LC_LOW ihl gpg : LC_LOW orl hmn : 21,900 mg/L 1400 mg/kg 123,4 mg/L/4H LC50 ihl mus : 115,9-133,8 mg/L/4H LC50 ihl rat : LD50 orl mus : 3450 mg/kg TRGS 905 (DE): K5, M5, R F C

11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

1 mL Protino® GST/4B Column Chemical: agarose Water hazard class (DE): Storage class (VCI):	nwg 13	CAS No.: 9012-36-6
Chemical: <i>ethanol</i> PNEC (fresh water) : PNEC = Predicted No Effected Concentration	0.96 mg/L	CAS No.: 64-17-5
LC50 daphnia magna/48h : LC50 pimephales promelas/96h : LC50 leuciscus idus/96h : LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadricauda/72h : EC10 pseudomonas putita/16h : Water hazard class (DE): Dispersion coefficient _(o/w) : Storage class (VCI):	>100 g/L 13.4-15.1 g/L [48h] 8.14 g/L 13 g/L 9.3-14.2 g/L [7d] 5000 mg/L [EC5] 6500 mg/L 1 WGK No.: 0096 -0,31 3	

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-ur@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 7/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations (Ethanol: ADR SI144/ IATA A58)

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

- 14.6 Special precautions for user not necessary
- 14.7 Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

Changes compared to the last version 16.1

Between versions 2.2.3.2 and 2.2.2.2 following changes were applied: - 1 composition data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Flammable liquid and vapour. H226

16.2.2 List of relevant P phrases

16.3 **Recommended restriction on use**

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP) Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 745510.5	Protino GST/4B Columns 1 mL (5)	Page: 8/9
Printing date: 20.07.2023	Date of issue: 22.08.2022	Version: 2.2.3.2

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP) Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision:

n: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017–08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

Legenu / A	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen





 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

Protino GST/4B Columns 1 mL (5)	Page: 9/9
Date of issue: 22.08.2022	Version: 2.2.3.2

NIOSH: National Institute for Occupational Safety and Health (US) NRD: Non-rapidly degradable onchorhynchus mykiss: fish, rainbow trout orl: oral OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance pH: pH value pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) PRTR: PVC: polyvinyl chloride quail: bird, quail rat: rat rabbit rbt: RD: rapidly degradable RE: repeated REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals REF: item number, reference number Reg.No.: rRegistration number harmful to reproduction Repr: Resp: respiratory RIP: **REACH Implementations Projects** scu: sub cutan SDS: safety data sheet Sens: sensitisation STEL: short term exposure limit STOT: Specific Target Organ Toxicity SVHC: Substance of Very High Concern t/a: tons per year TCCA: Toxic Chemicals Control Act (S. Korea) Tox: TSCA: toxic The Toxic Substances Control Act (US) TWA: time weighted average TRGS: technical regulations (DE) vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com