



# Easi Plank

HYBRID FLOORING





Colour | **BLACKBUTT**



Colour | **RED STONE**



## Tough & Durable

Easi-Plank SPC Hybrid flooring is a tough and highly durable choice for modern interiors. Due to its unique stone polymer composite (SPC) construction, Easi-Plank is 100% waterproof, providing ultimate peace of mind for everyday residential living.



## Waterproof

Interior waterproof, can be installed in wet areas including bathrooms and laundry. SPC flooring provides a hard wearing surface with good dimensional stability. Excellent for renovations over existing ceramic tiles, minimal telegraphing. High impact surface resistance, 0.5mm décor vinyl wear layer. Wide plank formats & click profile for easy install.

Attached IXPE 1.5mm acoustic underlay to enhance walking comfort, warmth and minimise sound transmission.



Colour | PEWTER


## Colour Range

The visual décors feature realistic timber textures and colours in both classic Australian Timber and a contemporary colour palette. The planks also feature an attached acoustic IXPE foam layer that delivers excellent noise reduction capabilities. Easi-Plank is anti-static and will resist common household stains & spillage.


SPC CLICK  
**1520 x 180 x 6.5mm**



Blackbutt



Jarrah



Smoked Spotted Gum




Spotted Gum


SPC CLICK  
**1520 x 228 x 6.5mm**



Antique



Barnside



Brown Stone




Deep Brown




Doeskin




Grey Stone



Ironwood



Linen



Maize




Oak Natural



Pewter




Porcelain




Red Stone



Silver Grey



Washed Coral



Wheat

# Technical Specifications

## DESCRIPTION & PROFILE

Stone Polymer Composite (SPC) construction.  
Unilin click profile. Micro Bevel Edges, V4.

## SURFACE FEATURES

Realistic timber visuals, on-trend colours and textures.  
Water based Matte coating.

## SLIP RATING

AS 4586:2013 Appendix A,  
slider 96 Wet Pendulum P4.

## FIRE TEST

CHF Value, 10.9 kWm<sup>2</sup>.  
Smoke Value, 148% minutes.

## VOC EMISSIONS

< E1, FloorScore Certified  
SCS-EC10.3-2014 v4.0.

## SIZE

1520x 228 x 6.5mm, 2.080 m<sup>2</sup>/ Ctn, 6 planks  
1520 x 180 x 6.5mm, 2.189 m<sup>2</sup> / Ctn, 8 planks

## ACOUSTIC VALUE

L'nT,w 40 - AAAC<sup>5</sup> star rating, 6 Star,  
Complies with NCC/BCA

## WARRANTY

25 Year Limited Lifetime Structural Warranty  
20 Year Limited Lifetime Residential Wear Warranty  
5 Year Limited Lifetime Commercial Warranty

*Steam mopping should not be used under any circumstances.  
Regular sweeping and a damp mop for general cleaning.*





**Easi Plank**  
HYBRID FLOORING



Dark Cover, Dark Core, Hybrid

© 2015 Easi Plank