

Perfect floor made to last for modern interiors

Guardian Hybrid Range

Guardian Hybrid Flooring boards are robust and highly durable options for modern interiors. By extruding natural stone components with vinyl polymers, this technology creates a "Rigid Core Board" that is extremely durable, dimensionally stable, and impact-resistant.

It is 100% waterproof, making it suitable for installation in any living area, including bathrooms.

What is hybrid flooring made of?

Here's a breakdown of how each layer contributes:

UV Resistance & Colour Protection

Protecting the flooring from discoloration and damage caused by exposure to sunlight. It helps maintain the color and appearance of the floor.

Transparent & Wear-Resistance Layer (0.3 mm)

Protecting the flooring from daily wear and tear. It provides resistance to scratches, scuffs, and other types of surface damage.

Color Film (0.07 mm)

It features a high-resolution, realistic image that mimics the look of natural materials like wood or stone.

SPC Core (5mm)

SPC provides stability and structural strength to the flooring. It is highly resistant to moisture and can be used in areas where traditional hardwood or laminate flooring might not be suitable.

IXPE Base (1.5mm)

This underlayment provides added cushioning, sound insulation, and helps level the flooring during installation. It also contributes to the comfort of the flooring underfoot.

Colours

(5mm Rigid Core Board + 1.5mm Underlay)

Guardian Range Hybrid come by 5mm Rigid Core, 1.5mm Acoustic Underlay, and 14 colours in total which embrace contemporary design concepts.

Choose Your Colors:



D3001 Blackbutt



D3002 Spotted Gum



D3003 Fertile Oak



D3004 Chester Oak



D3005 Natural Oak



D3006 Natural Oak Grey



D3007 Grey Oak




D3008 Dexter Oak



D3009 Dark Oak



D3012 White Oak



D3013 Concrete Beige



D3015 Homestead Chestnut



D3016 Cottage Brown



D3017 Estate Grey Oak

*Despite every effort to provide accurate images of each product's color and design, actual colors and designs may vary slightly

Key Features



Waterproof

Guardian Hybrid Range is 100% waterproof, ensuring it withstands spills. Can be installed in wet areas such as laundry and bathrooms.



Durable & Stable

Made from stone materials, providing exceptional stability and impact resistance. The extraordinary hard-ware layer ensures it won't warp or crack.



Easy to Install

The simple installation process involves angling the short-side plank downward and clicking it into the long edges, making it a hassle-free experience.



Noise Reduction

With a pre-adhered 5-star ratings acoustic IXPE cross-linked underlay, our flooring creates a peaceful indoor environment by effectively minimizing noise, enhancing your living experience.



Stunning Visuals

Choose from a variety of colors and textures to match your interior decor. Our options are contemporary aesthetics and stylish.




Comfortability

Stepping onto our hybrid floors is incredibly comfortable, providing a relaxing and enjoyable experience after a long day at work.



Easy To Maintain

With its durable and stain-resistant surface, keeping it clean is effortless.



Specifications

Board Size 1500*228*(5mm core board + 1.5mm acoustic underlay)

Pack Size 2.052sqm/pack, 6 planks

Underlay Acoustic Soundproof IXPE cross-linked, 5-star certified

Wear Layer 0.3mm wear layer

Surface Matt Finish

Edge Mini-Micro Bevelled 4 sides edge

Profile Click System
Weight 21.5kg/box

Other Technical Details

Slip Rating
Fire Test
Acoustic Rating

AS 4586:2013 Appendix A, slider 96 Wet Pendulum P4 CHF Value, 8.1kw/m2, Smoke Value, 93%. min L'nT,w 44 - AAAC star rating, 5-Star





Embossed technology provides vivid visual effects as realistic timbers

Accessories



Stairnosing / Bullnose

Both terms describe the squared edge of a stair tread. The nosing enhances safety by providing a secure walking surface, reducing the risk of trips and falls.

Size: 24*115mm, 2.4 meters per length

Material: Hybrid (stone + plastic), same as boards

Color: To be matched with boards



L Shape / L Trim

L Shape trim protects board edges from damage, such as chipping or cracking. Also, it prevents water damage and mold growth in areas where the planks meets other surfaces.

Size: 5*25 mm, 2.7-3 meters long

Material: Aluminum

Color: Silver, black, blackbutt, spotted gum, cream, and other oak colours



Flat Cover

Flat Cover ensures smooth transitions between floors of the same level or slightly different heights.

Size: 44 mm, 2.7-3 meters long

Material: Sturdy aluminum

Color: Silver, black, blackbutt, spotted gum, cream, and other oak colours



C / U Channel

C and U channels secure transitions between different flooring types, protecting edges and enhancing your floor's appearance.

Size: 6.5mm or 8mm thick, 2.7-3 meters long

Material: Aluminium

Color: Silver, champagne, black, blackbutt, spotted gum, cream, dark grey,

and other oak colours







Regular Cleaning

- Sweep the flooring regularly with an electrostatic broom, a soft bristle broom, or a wooden floor mop.
- Use a vacuum head with soft bristles (non-abrasive, no metal contact points) to remove dust.



Protection Tips

- Place floor mats at exterior and interior doors to trap sand and small stones and to dry feet after pool activities.
- Use rugs or mats in high-traffic areas to reduce wear and scuffing.
- Attach soft pads to the base of furniture with direct contact to the flooring to prevent damage.
- Avoid sliding or pushing heavy furniture while it's in contact with the flooring.
 (e.g., sofas, refrigerators, TV cabinets, etc.).

Disclaimer: We have made reasonable efforts to ensure the accuracy and reliability of the information contained herein. To the extent permitted by law, we will not be liable for any inaccuracies, omissions, or errors in this information, nor for any actions taken in reliance on this information. Products must be installed in accordance with relevant installation recommendations and industry best practices.

Cleaning and Maintenance Tips



Pet and Spill Tips

- Keep pets' claws well-trimmed to avoid excessive scratches and gouges.
- Quickly remove spills with an absorbent cloth or similar material.
- Place roller wheels on protective mats to reduce grit and wear.



Moisture Control

- Put drip pans or protective mats under plant pots and pet feeding or bedding areas to avoid moisture ingress.
- Maintain room humidity between 35% to 50%.
 Use an air humidifier if needed. Ensure good airflow and ventilation to prevent excess moisture, overheating, and extreme cold.
- For site-specific issues, consult your local flooring installer or retailer for the best advice and results.



