



Ornato
Hybrid waterproof flooring

**Ornato Hybrid
Waterproof Floor**
Inspired by Nature

**HYBRID
COLLECTION
2022-2023**

Walnut Brown

Ornato Hybrid Waterproof Floor

Ornato hybrid waterproof flooring is specifically designed to have a great look and a genuine feel akin to a real timber floor. It takes the tone of a luxury vinyl that is well covered to give the planks a rustic appearance.

The uniqueness and appeal is due to the different knots and grains on the surface that are not only visual representation of real timber but a tactile one.

Ornato hybrid waterproof flooring which utilises an advanced modular plank technology, offers a stylish and practical flooring solution for any office or home. The Ornato Hybrid range is extensive in designs which encompass all the pros of a genuine timber article whilst requiring less maintenance. The Ornato Hybrid flooring product range has high stability, is hygienic, quiet, slip resistant and easy to repair and clean.



Coastal Blackbutt



If you are looking for a floor that is easy to install, then you should opt to use the Ornato hybrid waterproof floor.

With this new generation of hybrid flooring, the 5G click system keeps the floors in place, hence reducing the need for the adhesive in most spaces. The floor is 100% waterproof consisting of a multi-layer rigid core board construction, enabling a larger area to be laid without the essence for expansion trims. In addition to that, the floor has the added advantage of helping to hide imperfections which are usually found in sub-floors.

Ornato hybrid waterproof is an overlay flooring system since it can be installed in all types of surfaces such as timber floors, tiles, plywood and concrete as long as the floor is clean, level, smooth and dry and have no large cracks.

It is one of the few floors that only requires minimal care and maintenance, because it is made up of 0.55mm UV wear layers. If you follow the appropriate ways of maintenance, you will certainly increase the longevity of your floor.

Why Ornato Hybrid Waterproof Floor?

The following are all the benefits of Ornato Design Flooring.

- 100% waterproof - the floor is manufactured using a multi-layer rigid core board construction material
- Quick and easy to install
- Cutting - edge modular plank technology
- Water resistant – it is ideal for slippery areas of your home such as bathrooms and kitchens
- Durability – Unlike other flooring alternatives, Ornato Hybrid Waterproof floor gives the perfect look and feel of natural products, but with a durability of a luxury vinyl.
- Easy to clean and maintain
- Environmentfriendly - 100% recyclable



Ebony




Spotted Gum





- Scratch and scuff resistant – due to 0.55mm surface wear layer
- The fastest and easiest installation with the patent Valinge G5 locking profile
- Slip resistant
- 5/6.5mm + 1.5mm thick board for increased underfoot comfort

- Supreme durability – with a 25 year guarantee available
- LVT top and bottom layers for outstanding product stability
- Phthalate Free





AVAILABLE IN

-  6.5 MM
-  8 MM

Oak Sofia


Ornato Hybrid XXL Waterproofing Flooring: Technical Specifications

- **Type:** Hybrid Floating Floor
- **EIR:** Yes
- **Pattern:** Single Strip
- **Dimension:** 1511 x 229 x 8mm
- **Also Available:** 1830 x 229 x 6.5mm
- **Warranty:** 25 Years Domestic
- **Surface Finish:** 0.55mm wear layer
- **Edging:** Micro Bevelled Edge
- **Profile:** Valinge 5G lock
- **Installation Method:** Floating

- **Pack Size:** 1.73 m² | 2.095m²
- **Pack weight:** 23kg
- **Boards per pack:** 5
- **VOC Rating:** A+
- **Acoustics Rating:** 5 Star AAAC
- **Construction:** Wear layer; Rigid core; IXPE Underlay
- **Slip Resistance Classification:** P2 AS4586-2013
- **Australian Fire Reaction Floor:** AS/ISO 9239-1:2003 CRF 7.0KW/m²

Applications: For use in interior areas of private homes and commercial establishments

Warranty: 25 years for private use / 5 years for commercial use in accordance with the Ornato water proof flooring







Coastal Blackbutt



Cotton Oak



Ebony



Oak Atlanta



Oak Saffron



Oak Sofia



Oak Titanium



Pearl Grey



Royal Oak



Seashell White



Spotted Gum



Walnut Brown



FADE RESISTANT



STAIN RESISTANT



WOOD GRAIN TOUCH



MICRO BEVEL EDGE



HYBRID CORE



WATER PROOF



LONGBOARD



0.55mm SURFACE WEAR LAYER



WIDE PLANK



QUITE UNDERFOOT



MATCHING ACCESSORIES



CLICK LOCK PROFILE



AUSTRALIAN SPECIES PATTERNS




25 YEAR DOMESTIC WARRANTY



5 YEAR COMMERCIAL WARRANTY



Pearl grey



AVAILABLE IN

- 6.5 MM
- 8 MM

Oak saffron



Oak Sofia




Ornato Urban Hybrid Waterproofing Flooring: Technical Specifications

- Type: Rigid Hybrid Floating Flooring
- Thickness: 6.5mm (1.5mm IXPE underlay)
- Size: 1511 x 229 x 6.5mm | 1511 x 180 x 6.5mm
- Surface Finish: UV Coating- Anti bacterial
- Edging: Micro-Bevelled Edge
- Profile: Valinge 5G lock
- Installation Method: Floating
- Pack Size: 2.08m² | 1.632m²
- Pack weight: 21 kg

- Boards per pack: 6
- VOC Rating: A+
- Wear Layer: 0.55mm
- Construction: Rigid Core; LVT balance layer; Cushion pad
- Acoustics Rating: 5 Star AAAC
- Slip Resistance Classification: P2 AS4586-2013
- Australian Fire Reaction Floor: AS/ISO 9239-1:2003 C RF 7.0KW/m²

Applications: For use in interior areas of private homes and commercial establishments

Warranty: : 25 years for private use / 5 years for commercial use



URBAN HYBRID COLLECTION

2022-2023

European Oak
Size 1511 x 229 x 6.5mm



Alpine Oak



Black Forest Oak



Warm Spring Oak



Wethered Oak



Ice Sandy OAK



Moonlight Oak



Seashell White L



Cotton Oak L



FADE
RESISTANT



STAIN
RESISTANT



WOOD GRAIN
TOUCH



MICRO BEVEL
EDGE



HYBRID CORE



WATER PROOF



6.5mm
THICKNESS



0.55mm SURFACE
WEAR LAYER



WIDE PLANK



QUIET UNDERFOOT



MATCHING
ACCESSORIES



CLICK LOCK
PROFILE



AUSTRALIAN
SPECIES
PATTERNS



25 YEAR
DOMESTIC
WARRANTY




5 YEAR
COMMERCIAL
WARRANTY

URBAN HYBRID COLLECTION

2022-2023

Australian Timber
Size 1511 x 180 x 6.5mm



FADE
RESISTANT



STAIN
RESISTANT



WOOD GRAIN
TOUCH



MICRO BEVEL
EDGE



HYBRID CORE



WATER PROOF



6.5mm
THICKNESS



0.55mm SURFACE
WEAR LAYER



WIDE PLANK



QUITE UNDERFOOT



MATCHING
ACCESSORIES



CLICK LOCK
PROFILE



AUSTRALIAN
SPECIES
PATTERNS



25
YEAR
DOMESTIC
WARRANTY



5
YEAR
COMMERCIAL
WARRANTY




Black Forest Oak



Ice Sandy OAK




Classic Blackbutt-



Murray River Spotted Gum



Natural Blackbutt



Weathered Oak



Ornato Elite Hybrid Waterproofing Flooring: Technical Specifications

- Type: Rigid Hybrid Floating Flooring
- Thickness: 6.0mm (1.5mm IXPE underlay)
- Size: 1511 x 229 x 6.0mm
- Surface Finish: UV Coating- Anti bacterial
- Edging: Micro-Bevelled Edge
- Profile: Unilin
- Installation Method: Floating
- Pack Size: 2.08m²
- Pack weight: 20 kg
- Boards per pack: 6
- VOC Rating: A+
- Wear Layer: 0.55mm
- Construction: Rigid Core; LVT balance layer; Cushion pad
- Acoustics Rating: 5 Star AAAC
- Slip Resistance Classification: P2 AS4586-2013
- Australian Fire Reaction Floor: AS/ISO 9239-1:2003 CRF 7.0KW/m²

Applications: For use in interior areas of private homes and commercial establishments

Warranty: : 25 years for private use / 5 years for commercial use



ELITE HYBRID COLLECTION

2022-2023

European Oak Collection
 Size 1511 x 229 x 6.0mm



FADE RESISTANT



STAIN RESISTANT



WOOD GRAIN TOUCH



MICRO BEVEL EDGE



HYBRID CORE



WATER PROOF



6mm THICKNESS



0.55mm SURFACE WEAR LAYER



WIDE PLANK



QUIET UNDERFOOT



MATCHING ACCESSORIES



CLICK LOCK PROFILE



AUSTRALIAN SPECIES PATTERNS



25 YEAR DOMESTIC WARRANTY



5 YEAR COMMERCIAL WARRANTY

ELITE HYBRID COLLECTION

2022-2023

Timber Collection
Size 1511 x 229 x 6.0mm



FADE RESISTANT



STAIN RESISTANT



WOOD GRAIN TOUCH



MICRO BEVEL EDGE



HYBRID CORE



WATER PROOF



6mm THICKNESS



0.55mm SURFACE WEAR LAYER



WIDE PLANK



QUITE UNDERFOOT



MATCHING ACCESSORIES



CLICK LOCK PROFILE



AUSTRALIAN SPECIES PATTERNS




25 YEAR DOMESTIC WARRANTY



5 YEAR COMMERCIAL WARRANTY



Silver Lake



Miranda Beige



American Hickory



Coffee Berry



French Grey



Natural blackbutt


Ornato Herringbone Hybrid Flooring: Technical Specifications

- Type: Rigid Hybrid Floating Flooring
- Thickness: 7.0mm (1.5mm IXPE underlay)
- Size: 600 x 150 x 7.0mm
- Surface Finish: UV Coating- Antibacterial
- Edging: Micro-Bevelled Edge
- Profile: Unilin
- Installation Method: Floating
- Pack Size: 0.9m²
- Boards per pack: 10

- VOC Rating: A+
- Wear Layer: 0.55mm
- Construction: Rigid Core; LVT balance layer; Cushion pad
- Acoustics Rating: 5 Star AAAC
- Slip Resistance Classification: P2 AS4586-2013
- Australian Fire Reaction Floor: AS/ISO 9239-1:2003 CRF 7.0KW/m²

Applications: For use in interior areas of private homes and commercial establishments

Warranty: : 25 years for private use / 5 years for commercial use



HERRINGBONE HYBRID COLLECTION **2022-2023**

European Oak Collection
Size: 600 x 150 x 7.0mm



Clear Water Beach



Fresco Oak



Oak Saffron



Oak Sofia



Natural Blackbutt



Select Spotted Gum



FADE
RESISTANT



STAIN
RESISTANT



WOOD GRAIN
TOUCH



MICRO BEVEL
EDGE



HYBRID CORE



WATER PROOF



7mm
THICKNESS



0.55mm SURFACE
WEAR LAYER



QUIET UNDERFOOT



MATCHING
ACCESSORIES



CLICK LOCK
PROFILE



25 YEAR
DOMESTIC
WARRANTY



5 YEAR
COMMERCIAL
WARRANTY


HERRINGBONE HYBRID COLLECTION 2022-2023



Herringbone installation is no longer a puzzle

This innovative locking system resolves installation issues traditionally associated with a herringbone floor. There's no longer a need for two different sets of panels, ruling out mistakes and confusion along the way.

With Unizip the short side of the panel can be locked into the long side of the adjacent panel. Manufacturing equipment is available via multiple suppliers. Why choose UNIZIP's locking system for your herringbone installation?



QUICK AND INTUITIVE INSTALLATION




ONLY ONE TYPE OF PANEL




NO GLUE AND PLASTIC INSERTS
REQUIRED



AVAILABLE FOR TONGUE AND
GROOVE (T&G) FLOORING





Phone: 02 9858 4090
Fax: 02 8569 0535

Eco Flooring Australia Pty Ltd

© Copyright reserved by Eco Flooring Australia Pty Ltd.
All unauthorised copying of this catalogue is strictly prohibited.
Product images may differ from actual product.

 ECO FLOORING SYSTEMS