

Waterproof Floor Inspired by Nature

HYBRID COLLECTION 2022-2023

Ornato Hybrid Waterproof Floor

Ornato hybrid waterproof flooring is specifically designed to have a great look and a genuine feel akin to a real timber floor. It takes the tone of a luxury vinyl that is well covered to give the planks a rustic appearance.

The uniqueness and appeal is due to the different knots and grains on the surface that are not only visual representation of real timber but a tactile one.

Ornato hybrid waterproof flooring which utilises an advanced modular plank technology, offers a stylish and practical flooring solution for any office or home. The Ornato Hybrid range is extensive in designs which encompass all the pros of a genuine timber article whilst requiring less maintenance. The Ornato Hybrid flooring product range has high stability, is hygienic, quiet, slip resistant and easy to repair and clean.





If you are looking for a floor that is easy to install, then you should opt to use the Ornato hybrid waterproof floor.

With this new generation of hybrid flooring, the 5G click system keeps the floors in place, hence reducing the need for the adhesive in most spaces. The floor is 100% waterproof consisting of a multi - layer rigid core board construction, enabling a larger area to be laid without the essence for expansion trims. In addition to that, the floor has the added advantage of helping to hide imperfections which are usually found in sub - floors.

Ornato hybrid waterproof is an overlay flooring system since it can be installed in all types of surfaces such as timber floors, tiles, plywood and concrete as long as the floor is clean, level, smooth and dry and have no large cracks.

It is one of the few floors that only requires minimal care and maintenance, because it is made up of 0.55mm UV wear layers. If you follow the appropriate ways of maintenance, you will certainly increase the longevity of your floor.

Why Ornato Hybrid Waterproof Floor?

The following are all the benefits of Ornato Design Flooring.

- 100% waterproof the floor is manufactured using a multi layer rigid core board construction material
- Quick and easy to install
- Cutting edge modular plank technology
- Water resistant it is ideal for slippery areas of your home such as bathrooms and kitchens
- Durability Unlike other flooring alternatives, Ornato Hybrid Waterproof floor gives the perfect look and feel of natural products, but with a durability of a luxury vinyl.
- Easy to clean and maintain
- Environmentfriendly 100% recyclable








- Scratch and scuff resistant due to 0.55mm surface wear layer
- The fastest and easiest installation with the patent Valinge G5 locking profile
- Slip resistant
- 5/6.5mm + 1.5mm thick board for increased underfoot comfort

- Supreme durability with a 25 year guarantee available
- LVT top and bottom layers for outstanding product stability
- Phthalate Free





Ornato Hybrid XXL Waterproofing Flooring: Technical Specifications

• Type: Hybrid Floating Floor

• EIR: Yes

• Pattern: Single Strip

Dimension: 1511 x 229 x 8mm
Also Available: 1830 x 229 x 6.5mm

• Warranty: 25 Years Domestic

• Surface Finish: 0.55mm wear layer

• Edging: Micro Bevelled Edge

• **Profile:** Valinge 5G lock

• Installation Method: Floating

Applications: For use in interior areas of private homes and commercial establishments

Warranty: 25 years for private use / 5 years for commercial use in accordance with the Ornato water proof flooring

• Pack Size: 1.73 m² | 2.095m²

Pack weight: 23kg
Boards per pack: 5

VOC Rating: A+


• Acoustics Rating: 5 Star AAAC

• Construction: Wear layer; Rigid core; IXPE Underlay

• Slip Resistance Classification: P2 AS4586-2013

• Australian Fire Reaction Floor: AS/ISO

9239-1:2003 CRF 7.0KW/m2







































FADE RESISTANT

STAIN RESISTANT

WOOD GRAIN TOUCH

MICRO BEVEL HYBRID CORE WATER PROOF EDGE

LONGBOARD

0.55mm SURFACE WIDE PLANK QUITE UNDERFOOT WEAR LAYER


MATCHING ACCESSORIES

CLICK LOCK PROFILE

AUSTRALIAN SPECIES PATTERNS


25 YEAR DOMESTIC WARRANTY

5 YEAR COMMERCIAL WARRANTY





AVAILABLE IN





Ornato Urban Hybrid Waterproofing Flooring: Technical Specifications

• Type: Rigid Hybrid Floating Flooring

• Thickness: 6.5mm (1.5mm IXPE underlay)

• Size: 1511 x 229 x 6.5mm | 1511 x 180 x 6.5mm

• Surface Finish: UV Coating- Anti bacterial

• Edging: Micro-Bevelled Edge

• Profile: Valinge 5G lock

Installation Method: FloatingPack Size: 2.08m2 | 1.632m2

• Pack weight: 21 kg

Applications: For use in interior areas of private homes and commercial establishments

Warranty: : 25 years for private use / 5 years for commercial use

Boards per pack: 6VOC Rating: A+


• Wear Layer: 0.55mm

• Construction: Rigid Core; LVT balance layer; Cushion pad

• Acoustics Rating: 5 Star AAAC

• Slip Resistance Classification: P2 AS4586-2013

 Australian Fire Reaction Floor: AS/ISO 9239-1:2003 C RF 7.0KW/m2



URBAN HYBRID COLLECTION 2022-2023

European Oak Size 1511 x 229 x 6.5mm































WOOD GRAIN MICRO BEVEL HYBRID CORE WATER PROOF

6.5mm

0.55mm SURFACE WIDE PLANK QUITE UNDERFOOT MATCHING

SPECIES PATTERNS

DOMESTIC WARRANTY

5 YEAR COMMERCIAL WARRANTY

URBAN HYBRID COLLECTION 2022-2023

Australian Timber Size 1511 x 180 x 6.5mm



































STAIN RESISTANT

TOUCH

WOOD GRAIN MICRO BEVEL HYBRID CORE WATER PROOF

6.5mm THICKNESS

WEAR LAYER

0.55mm SURFACE WIDE PLANK QUITE UNDERFOOT MATCHING

ACCESSORIES

25 YEAR DOMESTIC WARRANTY SPECIES PATTERNS

5 YEAR COMMERCIAL

















Ornato Elite Hybrid Waterproofing Flooring: Technical Specifications

• Type: Rigid Hybrid Floating Flooring

• Thickness: 6.0mm (1.5mm IXPE underlay)

• Size: 1511 x 229 x 6.0mm

• Surface Finish: UV Coating- Anti bacterial

• Edging: Micro-Bevelled Edge

• Profile: Unilin

• Installation Method: Floating

Pack Size: 2.08m2Pack weight: 20 kg

Applications: For use in interior areas of private homes and commercial establishments

Warranty: : 25 years for private use / 5 years for commercial use

Boards per pack: 6VOC Rating: A+


• Wear Layer: 0.55mm

• Construction: Rigid Core; LVT balance layer; Cushion pad

• Acoustics Rating: 5 Star AAAC

• Slip Resistance Classification: P2 AS4586-2013

 Australian Fire Reaction Floor: AS/ISO 9239-1:2003 CRF 7.0KW/m2



ELITE HYBRID COLLECTION 2022-2023

European Oak Collection Size 1511 x 229 x 6.0mm































WOOD GRAIN MICRO BEVEL HYBRID CORE

THICKNESS

0.55mm SURFACE WIDE PLANK QUITE UNDERFOOT MATCHING

SPECIES PATTERNS

DOMESTIC WARRANTY

COMMERCIAL WARRANTY

ELITE HYBRID COLLECTION 2022-2023

Timber Collection Size 1511 x 229 x 6.0mm



































COMMERCIAL WARRANTY















Ornato Herringbone Hybrid Flooring: Technical Specifications

• Type: Rigid Hybrid Floating Flooring

• Thickness: 7.0mm (1.5mm IXPE underlay)

• Size: 600 x 150 x 7.0mm

• Surface Finish: UV Coating- Antibacterial

• Edging: Micro-Bevelled Edge

• Profile: Unilin

• Installation Method: Floating

Pack Size: 0.9m2Boards per pack: 10

Applications: For use in interior areas of private homes and commercial establishments

Warranty: : 25 years for private use / 5 years for commercial use

VOC Rating: A+


• Wear Layer: 0.55mm

• Construction: Rigid Core; LVT balance layer; Cushion pad

Acoustics Rating: 5 Star AAAC

• Slip Resistance Classification: P2 AS4586-2013

• Australian Fire Reaction Floor: AS/ISO 9239-1:2003 CRF 7.0KW/m2



HERRINGBONE HYBRID COLLECTION

2022-2023

European Oak Collection

Size: 600 x 150 x 7.0mm



























RESISTANT

TOUCH

THICKNESS

0.55mm SURFACE WEAR LAYER

ACCESSORIES

DOMESTIC WARRANTY

5 YEAR COMMERCIAL WARRANTY

HERRINGBONE HYBRID COLLECTION 2022-2023



Herringbone installation is no longer a puzzle

This innovative locking system resolves installation issues traditionally associated with a herringbone floor. There's no longer a need for two different sets of panels, ruling out mistakes and confusion along the way.

With Unizip the short side of the panel can be locked into the long side of the adjacent panel. Manufacturing equipment is available via multiple suppliers. Why choose UNIZIP's locking system for your herringbone installation?



QUICK AND INTUITIVE INSTALLATION



ONLY ONE TYPE OF PANEL



NO GLUE AND PLASTIC INSERTS
REQUIRED



AVAILABLE FOR TONGUE AND GROOVE (T&G) FLOORING

