

NATIONAL RUST REMOVER / CONVERTER DECORATIVE COATINGS

TECHNICAL DATA SHEET

NATIONAL RUST REMOVER / CONVERTER

PRODUCT	National Rust Remover/Converter is a highly effective, cleaner
DESCRIPTION	for deep and hard rusts on metal surfaces, without making any
	harm to the parent metal. It derusts the surface by chemical
	reaction with the rusts and converts into soft and soluble type.
	Since it contains acidic rust inhibitor, which provides a thin
	phosphate coating to the cleaned derusted surface, the substrate
	is suitable for further priming or painting.

RECOMMENDED	National Rust Remover/Converter is recommended for
USES	removing deep and hard rusts or rust stains from the iron/steel
	surfaces, before painting. It promotes the adhesion and
	durability of primer and further coats. If the rusts on the
	surface is not severe or hard, it can be applied with 1:1 dilution
	with water. It is recommend for iron/steel surfaces. Never keep
	the material in metal cans.

TECHNICAL DATA

COLOUR (LIQUID)	Colourless to slightly hazy
APPEARANCE	Liquid
ODOUR	Acidic / Mild
SPECIFIC GRAVITY	1.53 ± 0.05
SPECIAL PRECAUTION	Since it contains acid and other chemicals, use suitable hand gloves and eye protections. Always handle material with care and in case of skin contact wash with plenty of fresh water. Never keep the used material in the metallic tins. Keep away from children.
FLASH POINT	NA

ADVANTAGES

NATIONAL RUST REMOVER /	Highly	effective,	promotes	the	adhesion	of	primer	and
CONVERTER	durabili	ity of furthe	r coats, eas	y app	lication, w	ater	cleanabl	e.



NATIONAL RUST REMOVER / CONVERTER DECORATIVE COATINGS

TECHNICAL DATA SHEET

APPLICATION INSTRUCTION

SURFACE PREPARATION	Before application, the surface should be sound, clean and free
	from oil, grease, loose particles, dust, etc. Application can be
	done by the recommended application methods.

APPLICATION DATA

APPLICATION METHOD	Brush, dipping, pouring, cotton cloth	
CLEANING/THINNING	Water	
THINNER (VOLUME)	Ready for use	

METHOD OF USE

Apply National Rust Remover/Converter on the rusted area directly. Allow the material to penetrate into the rust for 15-20 minutes. All the rusts will soften and convert to a soluble type. Wipe it out and wash with water. Apply second coat similarly if any stains remain on the surface.

HEALTH & SAFETY

SAFETY	As a general rule, avoid skin and eye contact by wearing
PRECAUTIONS	overalls, gloves, goggles, and mask etc. Spillage on skin should
	immediately be removed by thorough washing with water and
	soap or suitable cleaner. Eye should be flushed with fresh
	water. Avoid inhalation of vapours and paint mist by wearing
	suitable mask. In the event of ingestion and eye contact, seek
	medical attention immediately. Painting must be carried out in
	well-ventilated area.
	This product contains corrosive materials and is hazardous. It
	should be used with adequate precautions. Smoking in the area
	should not be permitted. Local safety regulations should be
	followed.



NATIONAL RUST REMOVER / CONVERTER DECORATIVE COATINGS

TECHNICAL DATA SHEET

STORAGE & HANDLING

STORAGE	Store the rust remover/converter in proper storage conditions as per the local regulations. Keep the rust remover/converter container in sealed condition under shed, away from direct sunlight and extreme temperatures. Do not keep paint material near to any ignition sources. Do not put back the half or unused material back in original container, containing the supplied paint, to avoid contamination. This product contains corrosive
	materials and is hazardous. It should be handled with care. Keep away from the children.

NOTE: We warranty only the quality of our product and this data sheet is based on results obtained from experience and tests. We reserve the right to change data without prior notice. For surface preparation, safety details refer specifier and safety data

This data sheet supersedes all previous issued.

Issued: 0718