

Safety Data Sheet
SLICK FINISH

SECTION I - IDENTIFICATION



Car Chem
398 S. King Oak St.
Trenton, IL 62293
(618) 224-7445
INFOTRAC :..... (800) 535-5053

Product Number CC SF
Product Name SLICK FINISH
Chemical Family Mixture
CAS Number Multiple
Date Prepared 5/28/2015
Revision Number 8/24/2020
Recommended Use Spray Wax

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

| | |
|-----------------------------------|-------------|
| Flammable Liquids | Category 4 |
| Acute Toxicity, Oral | Category 4 |
| Aspiration Hazard | Category 1 |
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2A |
| Acute Toxicity, Inhalation | Category 4 |

DANGER!

GHS LABEL:



Hazard Statements

| | |
|------|--|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |

Safety Data Sheet

SLICK FINISH

Precautionary Statements

| | |
|--------------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261 | Avoid breathing dust, fumes, gas, mist, vapors or spray. |
| P264 | Wash hands thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves, clothing, eye and face protection. Goggles, gloves, face mask/shield and/or a separate approved breathing apparatus if required. |
| P301+310 | IF SWALLOWED: Immediately call a POISON CENTER or physician. |
| P301+312 | IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. |
| P302+352 | IF ON SKIN: Wash with plenty of running water and soap until all is removed. |
| p304+340 | IF INHALED: Remove victim to fresh air and keep comfortable for breathing. |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing. |
| P312 | Call a POISON CENTER or physician if you feel unwell. |
| P321 | Specific treatment: refer to section four, first aid or see a physician. |
| P330 | Rinse mouth if accidentally swallowed. |
| P331 | Do NOT induce vomiting. |
| P332+313 | If skin irritation occurs: get medical attention. |
| P337+313 | If eye irritation persists get medical attention. |
| P362+364 | Immediately remove all contaminated clothing and wash them before reuse. |
| P370+378 | In case of fire: Use alcohol resistant foam or CO2 to extinguish. |
| P403 | Store in a well ventilated area. |
| P405 | Store locked up. |
| P501 | Dispose of contents or container according to all state, local and federal laws. |

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

| Component Name | CAS # | Component% | OSHA PEL | ACGIH TLV |
|----------------------------------|------------|------------|--------------------|--------------------|
| Distillates, hydrotreated middle | 64742-46-7 | 10-20 | 5mg/m 8 hours mist | 5mg/m 8 hours mist |
| Soya/coca amidoamine Quat | 68604-75-1 | 5-10 | | |
| 2-Butoxyethanol | 111-76-2 | 1-5 | 50 ppm | 20 ppm |
| Isopropyl Alcohol | 67-63-0 | 1-5 | 400 ppm | 200ppm (TWA) |

Safety Data Sheet

SLICK FINISH

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush eyes with running water for ten minutes. Remove contact lenses and continue to flush. If irritation persists, seek medical attention.

Skin contact: If on skin rinse well with soap and water. Remove contaminated clothes and wash before reuse. Seek medical advice if irritation occurs.

Inhalation: Remove victim to fresh air. If breathing difficulty seek medical attention. Administer oxygen or artificial respiration if breathing is affected or stopped. Loosen any tight clothing.

Ingestion: If swallowed. Do not induce vomiting unless instructed to do so by a poison control center. Rinse mouth. Seek immediate medical attention by calling 911 and seeing a physician.
If vomiting occurs, keep head below hips to prevent aspiration of contents into lungs.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO₂, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area.

Unusual Fire Fighting Hazards: No unusual fire hazards known.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Keep all sources of ignition and hot metal surfaces away from spill or release.
Evacuate all unprotected personnel from the area.

Environmental Precautions: Prevent liquid from entering drains, sewers or waterways.
Contain spill if it can be done with minimal risk.
Notify proper authorities.

Methods for Cleaning Up: Use foam on spills to minimize vapors.
Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- Vent container carefully before opening.
- "Empty" containers may retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- Keep containers tightly closed when not in use.

Safety Data Sheet

SLICK FINISH

- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.
- NFPA Class III A storage.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

| Component Name | CAS # | OSHA PEL | ACGIH TLV |
|----------------------------------|------------|--------------------|--------------------|
| Distillates, hydrotreated middle | 64742-46-7 | 5mg/m 8 hours mist | 5mg/m 8 hours mist |
| Soya/coca amidoamine Quat | 68604-75-1 | | |
| 2-Butoxyethanol | 111-76-2 | 50 ppm | 20 ppm |
| Isopropyl Alcohol | 67-63-0 | 400 ppm | 200ppm (TWA) |

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV. Showers, eye wash stations.
Keep away from ignition sources.
Ensure adequate ventilation.

Monitoring: Follow accepted work practices for handling a flammable material.
Do not eat, drink or smoke in areas where this chemical is used or stored.
Wash hands prior to eating, drinking or using the restroom.
Have eye wash stations and safety showers readily available.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields.

Skin Protection: Impervious solvent resistant gloves.
Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Always use in a well ventilated area.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet

SLICK FINISH

| | |
|---------------------------|--------------|
| Appearance | Amber liquid |
| Odor | fruity |
| pH@25°C | ND |
| Melting/Freezing Point | ND |
| Flashpoint | ND |
| Specific Gravity | |
| Solubility | Miscible |
| Auto-Ignition Temperature | ND |
| Decomposition Temperature | ND |
| VOC Content | ND |
| Odor Threshold | ND |
| Boiling Range | >212°F |
| Evaporation Point | ND |
| Flammable Limits - Upper | ND |
| Flammable Limits - Lower | ND |
| Vapor Pressure | ND |
| Vapor Density (Air=1) | ND |
| Viscosity | ND |

SECTION X - STABILITY AND REACTIVITY

Stability: Stable, under normal conditions of storage and handling.

Conditions to Avoid: Extreme heat and ignition sources.

Hazardous Decomposition/Byproducts: CO, CO₂, and noxious smoke under extreme fire conditions

Hazardous Polymerization: Will not occur.

Polymerization Conditions to Avoid: None

Incompatibilities: Strong acids and bases, strong oxidizers

Safety Data Sheet

SLICK FINISH

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Contact and inhalation; ingestion possible.

Inhalation: Low to moderate degree of toxicity by inhalation.
Inhalation may cause irritation to the nose, throat and respiratory tract.

Eye Contact: Causes eye irritation including stinging, watering and redness which may result in corneal injury.

Skin Contact: Contact may cause mild stinging and irritation including redness, burning and drying/cracking of the skin.
Repeated or prolonged contact with large amounts of this material may result in absorption through the skin to produce toxic effects.

Ingestion: Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.
Low degree of toxicity by ingestion.

Acute Toxicity Value: See Health Hazards below.

Chronic (Long Term) Effects: See Health Hazards above.
Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA.

Toxicity:

| Component Name | LD50 | LC50 |
|----------------------------------|---|------------------------------------|
| Distillates, hydrotreated middle | Dermal >2000mg/kg Rabbit Oral >5000 mg/kg Rabbit | |
| Soya/coca amidoamine Quat | | |
| 2-Butoxyethanol | Oral - Rat - 470 mg/kg; Dermal - Rabbit - 220 mg/kg; | Inhalation - Rat - 4 h - 450 ppm |
| Isopropyl Alcohol | Oral - Rat - 5,045 mg/kg - Dermal - Rabbit - 12,800 mg/kg | Inhalation - Rat - 8 h - 16000 ppm |

Reproductive Effects Not Applicable

Teratogenicity Not Applicable

Mutagenicity Not Applicable

Embryotoxicity Not Applicable

Sensitization to Product Not Applicable

Synergistic Products Not Applicable

Carcinogenicity Not Listed as a Carcinogen

Safety Data Sheet
SLICK FINISH

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Not Regulated

Contains:

Hazard Class and Label:

Identification Number:

Packaging Group:

Other Shipping Info:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

| Acute | Chronic | Fire | Pressure | Reactive |
|-------|---------|------|----------|----------|
| | | | | |

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

Safety Data Sheet

SLICK FINISH

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

| Component Name | CAS # | % by wt. | RQ (lbs.) |
|-----------------|----------|----------|-----------|
| 2-Butoxyethanol | 111-76-2 | 1-5 | 5,000 |

CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION

HMIS Health: 1

HMIS Flammability: 0

HMIS Reactivity: 0

Additional: Other Information (XVI) - Revision 3

Specification Information

Department issuing data sheet:

Email address: sales@carchem.com

Training necessary: Always use personal protective equipment when using any type of chemicals for home or business use.

Disclaimer:

THIS SAFETY DATA SHEET CONTAINS CERTAIN INFORMATION OBTAINED FROM OUTSIDE RESOURCES BELIEVED TO BE RELIABLE BUT WE CANNOT BE ASSURED THAT SUCH INFORMATION IS ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS SAFETY DATA SHEET. CAR CHEM SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL CAR CHEM BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF CAR CHEM IS STRICTLY LIMITED TO A REFUND IN THE AMOUNT PAID FOR THE SPECIFIC PRODUCT INVOLVED. IT IS THE USER'S RESPONSIBILITY TO ENSURE SAFE CONDITIONS FOR HANDLING, STORAGE AND DISPOSAL OF THE PRODUCT, AND SUCH USER ASSUMES FULL RESPONSIBILITY AND LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSES DUE TO IMPROPER USE. CAR CHEM EXPRESSLY DISCLAIMS LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.