

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

**SECTION I - IDENTIFICATION**



Car Chem  
398 S. King Oak St.  
Trenton, IL 62293  
(618) 224-7445  
INFOTRAC :..... (800) 535-5053

<b>Product Number</b>	CC TFP/TFB
<b>Product Name</b>	TRI-FOAM CONDITIONER/POLISH
<b>Chemical Family</b>	Mixture
<b>CAS Number</b>	Multiple
<b>Date Prepared</b>	3/1/2019
<b>Revision Number</b>	7/6/2020
<b>Recommended Use</b>	Car Wash Soap Conditioner

**SECTION II - HAZARDOUS IDENTIFICATION**

**GHS CLASSIFICATION:**

**Classification**

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Reproductive Toxicity	Category 2

**WARNING!**

**GHS LABEL:**



**Hazard Statements**

H315	Causes skin irritation
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

**Precautionary Statements**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves, clothing, eye and face protection. Goggles, gloves, face mask/shield and/or a separate approved breathing apparatus if required.
P302+352	IF ON SKIN: Wash with plenty of running water and soap until all is removed.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
P308+313	IF exposed or concerned: seek medical attention.
P321	Specific treatment: refer to section four, first aid or see a physician.
P332+313	If skin irritation occurs: get medical attention.
P337+313	If eye irritation persists get medical attention.
P362+364	Immediately remove all contaminated clothing and wash them before reuse.
p405	Store locked up.
P501	Dispose of contents or container according to all state, local and federal laws.

**SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS**

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Sodium (C14-16) Olefin Sulfonate	68439-57-6	<5	N/A	N/A
Cocamide DEA	68603-42-9	<3	No data	No data
2-Butoxyethanol	111-76-2	<2	50 ppm	20 ppm
dimethyl siloxone	69430-37-1	<.05	No data	No data

**SECTION IV - FIRST AID MEASURES**

**Contact with eyes:** Flush eyes with running water for ten minutes. Remove contact lenses and continue to flush. If irritation persists, seek medical attention.

**Skin contact:** If on skin rinse well with soap and water. Remove contaminated clothes and wash before reuse. Seek medical advice if irritation occurs.

**Inhalation:** If symptoms of overexposure or difficulty breathing are experienced remove to fresh air and seek medical attention.

**Ingestion:** Call poison control and seek immediate medical attention.  
 Give large amounts of water.

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

**SECTION V - FIREFIGHTING MEASURES**

**Suitable Extinguishing Media:** Not considered a fire hazard.

**Special Fire Fighting Procedures** None known.

**Unusual Fire Fighting Hazards:** None Known.

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Always wear personal protective equipment to include shielding your eyes, exposed skin and breathing.

**Environmental Precautions:** Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Notify proper authorities.

**Methods for Cleaning Up:** Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

**SECTION VII - HANDLING AND STORAGE**

- Handling and Storage:**
- Keep containers tightly closed when not in use.
  - Store out of direct sunlight and in a cool, well-ventilated area.
  - Avoid prolonged skin contact with product concentrate and solutions.
  - Do not eat, drink or smoke while workin. Always wash hands before doing those activities.
  - Always use in a well ventilated area.

**SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION**

**EXPOSURE LIMITS:**

Component Name	CAS #	OSHA PEL	ACGIH TLV
Sodium (C14-16) Olefin Sulfonate	68439-57-6	N/A	N/A
Cocamide DEA	68603-42-9	No data	No data
2-Butoxyethanol	111-76-2	50 ppm	20 ppm
dimethyl siloxone	69430-37-1	No data	No data

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV. Showers, eye wash stations.

**Monitoring:** Wash hands prior to eating, drinking or using the restroom.  
Have eye wash stations and safety showers readily available.  
Any clothing or shoes which became contaminated with the product should be removed immediately and thoroughly laundered before wearing again.

**Personal Protective Equipment (PPE)**

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

**Eye Protection:** Goggles or approved OSHA device with side shields.

**Skin Protection:** Wear protective gloves selected with regard to both permeation as well as durability.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.  
Always use in a well ventilated area.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	Blue or pink liquid
<b>Odor</b>	Light Tropical
<b>pH@25°C</b>	NDA
<b>Melting/Freezing Point</b>	NDA
<b>Flashpoint</b>	NDA
<b>Specific Gravity</b>	
<b>Solubility</b>	Infinetly Soluble
<b>Auto-Ignition Temperature</b>	NDA
<b>Decomposition Temperature</b>	NDA
<b>VOC Content</b>	NDA
<b>Odor Threshold</b>	NDA
<b>Boiling Range</b>	NDA
<b>Evaporation Point</b>	NDA
<b>Flammable Limits - Upper</b>	NDA
<b>Flammable Limits - Lower</b>	NDA
<b>Vapor Pressure</b>	NDA
<b>Vapor Density (Air=1)</b>	NDA
<b>Viscosity</b>	NDA

**SECTION X - STABILITY AND REACTIVITY**

**Stability:** Stable, under normal conditions of storage and handling.

**Conditions to Avoid:** None

**Hazardous Decomposition/Byproducts:** Sulfur oxides, Carbon Monoxide, Carbon Dioxide

**Hazardous Polymerization:** Under normal conditions of storage and use, hazardous reactions should not occur.

**Polymerization Conditions to Avoid:** None known.

**Incompatibilities:** Strong oxidizers

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

**SECTION XI - TOXICOLOGICAL INFORMATION**

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** Inhalation may cause irritation to the nose, throat and respiratory tract.

**Eye Contact:** Causes eye irritation.

**Skin Contact:** May cause skin irritation.

**Ingestion:** Not known.

**Acute Toxicity Value:** See Health Hazards below.

**Chronic (Long Term) Effects:** See Health Hazards above.  
 Suspected of damaging fertility.

**Toxicity:**

Component Name	LD50	LC50
Sodium (C14-16) Olefin Sulfonate		
Cocamide DEA	dermal, rabbit>2g/kg, rat, oral, >5000mg/kg	No data
2-Butoxyethanol	Oral - Rat - 470 mg/kg; Dermal - Rabbit - 220 mg/kg;	Inhalation - Rat - 4 h - 450 ppm
dimethyl siloxone	rat-oral->24,134mg/kg	inhalation-rat--4 hour-dust/mist- 8.67mg/l

**Reproductive Effects** ND

**Teratogenicity** ND

**Mutagenicity** ND

**Embryotoxicity** ND

**Sensitization to Product** ND

**Synergistic Products** ND

**Carcinogenicity** Not a carcinogen

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

**SECTION XII - ECOLOGICAL INFORMATION**

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

**Degradability:** Information not available.

**BioAccumulation:** Information not available.

**SECTION XIII - WASTE DISPOSAL CONSIDERATIONS**

Follow all federal, state and local guidelines.

**SECTION XIV - TRANSPORT INFORMATION**

**DOT SHIPPING INFORMATION**

**Proper Shipping Name:** Not Regulated

**Contains:**

**Hazard Class and Label:**

**Identification Number:**

**Packaging Group:**

**Other Shipping Info:**

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

**SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

**SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:**

Acute	Chronic	Fire	Pressure	Reactive

**SARA TITLE III SECTION 313 SUPPLIER INFORMATION:**

**Safety Data Sheet**  
**TRI-FOAM CONDITIONER/POLISH**

No chemicals in this material are subject to the reporting requirements.

**CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

Component Name	CAS #	% by wt.	RQ (lbs.)
2-Butoxyethanol	111-76-2	<2	5,000

**CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

**SECTION XVI - OTHER INFORMATION**

**HMIS Health:** ..... 2

**HMIS Flammability:** ..... 1

**HMIS Reactivity:** .....

**Additional:** Other Information (XVI) Revision 2

**Specification Information**

**Department issuing data sheet:**

**Email address:** sales@carchem.com

**Training necessary:** Always use personal protective equipment when using any type of chemicals for home or business use.

**Disclaimer:**

THIS SAFETY DATA SHEET CONTAINS CERTAIN INFORMATION OBTAINED FROM OUTSIDE RESOURCES BELIEVED TO BE RELIABLE BUT WE CANNOT BE ASSURED THAT SUCH INFORMATION IS ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS SAFETY DATA SHEET. CAR CHEM SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL CAR CHEM BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF CAR CHEM IS STRICTLY LIMITED TO A REFUND IN THE AMOUNT PAID FOR THE SPECIFIC PRODUCT INVOLVED. IT IS THE USER'S RESPONSIBILITY TO ENSURE SAFE CONDITIONS FOR HANDLING, STORAGE AND DISPOSAL OF THE PRODUCT, AND SUCH USER ASSUMES FULL RESPONSIBILITY AND LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSES DUE TO IMPROPER USE. CAR CHEM EXPRESSLY DISCLAIMS LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.