

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

**SECTION I - IDENTIFICATION**



Car Chem  
398 S. King Oak St.  
Trenton, IL 62293  
(618) 224-7445  
INFOTRAC :..... (800) 535-5053

**Product Number** CC US  
**Product Name** ULTRA SUPER SHEEN  
**Chemical Family** Mixture  
**CAS Number** Multiple  
**Date Prepared** 5/28/2015  
**Revision Number** 8/24/2020  
**Recommended Use** Heavy Duty Car & Truck Soap

**SECTION II - HAZARDOUS IDENTIFICATION**

**GHS CLASSIFICATION:**

**Classification**

Acute Toxicity, Oral	Category 4
Skin Corrosion/Irritation	Category 1A, B, C
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity, single exposure, R	Category 3

**DANGER!**

**GHS LABEL:**



**Hazard Statements**

H302	Harmful if swallowed
H314	Causes severe burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

**Precautionary Statements**

- P260 Do not breathe dust, fumes, gas, mist, vapors or spray.
- P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves, clothing, eye and face protection. Goggles, gloves, face mask/shield and/or a separate approved breathing apparatus if required.
- P301+312 IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
- P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+361+353 IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin or hair with water or shower.
- P304+340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
- P310 Immediately call a POISON CENTER or physician.
- P312 Call a POISON CENTER or physician if you feel unwell.
- P321 Specific treatment: refer to section four, first aid or see a physician.
- P330 Rinse mouth if accidentally swallowed.
- P363 Wash contaminated clothing before reuse.
- P403+233 Store in a well ventilated area with container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents or container according to all state, local and federal laws.

**SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS**

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Sodium Hydroxide	1310-73-2	<2	2 mg/m <sup>3</sup> , Ceiling	2 mg/m <sup>3</sup> , Ceiling
Cocamide DEA	68603-42-9	<5	No data	No data
Benzenesulfonic Acid	68584-22-5	<10	No data	No data
Sodium laurel sulfate	68585-34-2	<3	No data	No data

**SECTION IV - FIRST AID MEASURES**

**Contact with eyes:** Flush eyes with running water for ten minutes. Remove contact lenses and continue to flush. If irritation persists, seek medical attention.

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

- Skin contact:** If on skin rinse well with clean water and soap. If on clothing remove the contaminated clothing immediately. Wash clothing before reuse. Seek medical attention/advice if needed.
- Inhalation:** Remove victim to fresh air. If breathing difficulty seek medical attention. Administer oxygen or artificial respiration if breathing is affected or stopped. Loosen any tight clothing.
- Ingestion:** If swallowed. Do not induce vomiting unless instructed to do so by a poison control center. Rinse mouth. Seek immediate medical attention by calling 911 and seeing a physician.  
Give sips of water. Never give anything by mouth to an unconscious person.  
If vomiting occurs, keep head below hips to prevent aspiration of contents into lungs.

**SECTION V - FIREFIGHTING MEASURES**

**Suitable Extinguishing Media:** Not considered a fire hazard.

**Special Fire Fighting Procedures** None known.

**Unusual Fire Fighting Hazards:** Hazardous gases may form during fire.

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

- Personal Precautions:** Always wear personal protective equipment to include shielding your eyes, exposed skin and breathing.
- Environmental Precautions:** Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Notify proper authorities.
- Methods for Cleaning Up:** Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

**SECTION VII - HANDLING AND STORAGE**

- Handling and Storage:**
- Keep containers tightly closed when not in use.
  - Avoid prolonged skin contact with product concentrate and solutions.
  - Always use in a well ventilated area.

**SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION**

**EXPOSURE LIMITS:**

Component Name	CAS #	OSHA PEL	ACGIH TLV
Sodium Hydroxide	1310-73-2	2 mg/m <sup>3</sup> , Ceiling	2 mg/m <sup>3</sup> , Ceiling
Cocamide DEA	68603-42-9	No data	No data
Benzenesulfonic Acid	68584-22-5	No data	No data
Sodium laurel sulfate	68585-34-2	No data	No data

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV. Showers, eye wash stations.

**Monitoring:** Do not eat, drink or smoke in areas where this chemical is used or stored. Wash hands prior to eating, drinking or using the restroom.

**Personal Protective Equipment (PPE)**

**Eye Protection:** Use eye protection.

**Skin Protection:** Impervious apron and work boots recommend where splashing may occur. Wear protective gloves selected with regard to both permeation as well as durability.

**Respiratory Protection:** Always use in a well ventilated area.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	Pale Yellow Liquid
<b>Odor</b>	None
<b>pH@25°C</b>	ND
<b>Melting/Freezing Point</b>	ND
<b>Flashpoint</b>	N/A
<b>Specific Gravity</b>	
<b>Solubility</b>	Miscible
<b>Auto-Ignition Temperature</b>	ND
<b>Decomposition Temperature</b>	ND
<b>VOC Content</b>	ND
<b>Odor Threshold</b>	ND
<b>Boiling Range</b>	ND
<b>Evaporation Point</b>	N/A
<b>Flammable Limits - Upper</b>	N/A
<b>Flammable Limits - Lower</b>	N/A
<b>Vapor Pressure</b>	ND
<b>Vapor Density (Air=1)</b>	N/A
<b>Viscosity</b>	ND

**SECTION X - STABILITY AND REACTIVITY**

**Stability:** Stable, under normal conditions of storage and handling.

**Conditions to Avoid:** Keep from freezing.

**Hazardous Decomposition/Byproducts:** Hydrogen gas, CO, extreme heat

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

**Hazardous Polymerization:** Under normal conditions of storage and use, hazardous reactions should not occur.

**Polymerization Conditions to Avoid:** None known.

**Incompatibilities:** Strong acids and oxidizers

**SECTION XI - TOXICOLOGICAL INFORMATION**

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** Inhalation may cause irritation to the nose, throat and respiratory tract.

**Eye Contact:** This material can cause significant eye irritation.

**Skin Contact:** Contact may cause mild stinging and irritation including redness, burning and drying/cracking of the skin.

**Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.  
May cause gastrointestinal irritaion with nausea, vomiting and diarrhea.

**Acute Toxicity Value:** See Health Hazards below.

**Chronic (Long Term) Effects:** See Health Hazards above.

**Toxicity:**

Component Name	LD50	LC50
Sodium Hydroxide	Not Established	Not Established
Cocamide DEA	dermal, rabbit>2g/kg, rat, oral, >5000mg/kg	No data
Benzenesulfonic Acid	Oral 1470mg/kg Rat	Dermal >2000mg/kg Rabbit
Sodium laurel sulfate	Oral >2000mg/kg Rat Dermal 2000-5000mg/kg	

**Reproductive Effects** Not Applicable

**Teratogenicity** Not Applicable

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

**Mutagenicity**                    Not Applicable  
**Embryotoxicity**                Not Applicable  
**Sensitization to Product**    Not Applicable  
**Synergistic Products**        Not Applicable  
**Carcinogenicity**                Possibly carcinogenic 2B

**SECTION XII - ECOLOGICAL INFORMATION**

**Ecotoxicity:**                    Information not available.

**Mobility:**                      Information not available.

**Degradability:**                Information not available.

**BioAccumulation:**            Information not available.

**SECTION XIII - WASTE DISPOSAL CONSIDERATIONS**

Follow Federal, state, and local regulations.

**SECTION XIV - TRANSPORT INFORMATION**

**DOT SHIPPING INFORMATION**

**Proper Shipping Name:**    Not regulated or considered a dangerous good

**Contains:**

**Hazard Class and Label:**

**Identification Number:**

**Packaging Group:**

**Other Shipping Info:**

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

**SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:**

**Safety Data Sheet**  
**ULTRA SUPER SHEEN**

No chemicals in this material are subject to the reporting requirements.

**SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:**

Acute	Chronic	Fire	Pressure	Reactive
X				

**SARA TITLE III SECTION 313 SUPPLIER INFORMATION:**

No chemicals in this material are subject to the reporting requirements.

**CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

Component Name	CAS #	% by wt.	RQ (lbs.)
Sodium Hydroxide	1310-73-2	<2	1,000

**CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

**SECTION XVI - OTHER INFORMATION**

**HMIS Health:** ..... 2

**HMIS Flammability:** ..... 0

**HMIS Reactivity:** ..... 0

**Additional:** Other Information (XVI) - Revision 3

**Specification Information**

**Department issuing data sheet:**

**Email address:** sales@carchem.com

**Training necessary:** Always use personal protective equipment when using any type of chemicals for home or business use.

**Disclaimer:**

THIS SAFETY DATA SHEET CONTAINS CERTAIN INFORMATION OBTAINED FROM OUTSIDE RESOURCES BELIEVED TO BE RELIABLE BUT WE CANNOT BE ASSURED THAT SUCH INFORMATION IS ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS SAFETY DATA SHEET. CAR CHEM SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL CAR CHEM BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF CAR CHEM IS STRICTLY LIMITED TO A REFUND IN THE AMOUNT PAID FOR THE SPECIFIC PRODUCT INVOLVED. IT IS THE USER'S RESPONSIBILITY TO ENSURE SAFE CONDITIONS FOR HANDLING, STORAGE AND DISPOSAL OF THE PRODUCT, AND SUCH USER ASSUMES FULL RESPONSIBILITY AND LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSES DUE TO IMPROPER USE. CAR CHEM EXPRESSLY DISCLAIMS LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

**Safety Data Sheet**  
ULTRA SUPER SHEEN

---