

**Safety Data Sheet**  
**WHITEWALL CLEANER**

**SECTION I - IDENTIFICATION**



Car Chem  
398 S. King Oak St.  
Trenton, IL 62293  
(618) 224-7445  
INFOTRAC :..... (800) 535-5053

|                        |                                   |
|------------------------|-----------------------------------|
| <b>Product Number</b>  | CC WW                             |
| <b>Product Name</b>    | WHITEWALL CLEANER                 |
| <b>Chemical Family</b> | Mixture                           |
| <b>CAS Number</b>      | Multiple                          |
| <b>Date Prepared</b>   | 5/28/2015                         |
| <b>Revision Number</b> | 8/24/2020                         |
| <b>Recommended Use</b> | Multipurpose Cleaner & Degreasser |

**SECTION II - HAZARDOUS IDENTIFICATION**

**GHS CLASSIFICATION:**

**Classification**

|  |            |
|--|------------|
| Acute Toxicity, Oral                               | Category 4 |
| Skin Corrosion/Irritation                          | Category 2 |
| Serious Eye Damage/Eye Irritation                  | Category 1 |
| Specific target organ toxicity, single exposure, R | Category 3 |

**DANGER!**

**GHS LABEL:**



**Hazard Statements**

|      |                                  |
|------|----------------------------------|
| H302 | Harmful if swallowed             |
| H315 | Causes skin irritation           |
| H318 | Causes serious eye damage        |
| H335 | May cause respiratory irritation |

# Safety Data Sheet

## WHITEWALL CLEANER

### Precautionary Statements

|              |  |
|--------------|--|
| P261         | Avoid breathing dust, fumes, gas, mist, vapors or spray.   |
| P264         | Wash hands thoroughly after handling.  |
| P270         | Do not eat, drink or smoke when using this product.  |
| P271         | Use only outdoors or in a well-ventilated area.  |
| P280         | Wear protective gloves, clothing, eye and face protection. Goggles, gloves, face mask/shield and/or a separate approved breathing apparatus if required. |
| P301+312     | IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.  |
| P302+352     | IF ON SKIN: Wash with plenty of running water and soap until all is removed.   |
| P304+340     | IF INHALED: Remove victim to fresh air and keep comfortable for breathing.   |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.                      |
| P310         | Immediately call a POISON CENTER or physician.   |
| P312         | Call a POISON CENTER or physician if you feel unwell.  |
| P321         | Specific treatment: refer to section four, first aid or see a physician.   |
| P330         | Rinse mouth if accidentally swallowed.   |
| P332+313     | If skin irritation occurs: get medical attention.  |
| P362+364     | Immediately remove all contaminated clothing and wash them before reuse.   |
| P403+233     | Store in a well ventilated area with container tightly closed.   |
| P405         | Store locked up.   |
| P501         | Dispose of contents or container according to all state, local and federal laws.   |

### **SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS**

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

| Component Name   | CAS #     | Component% | OSHA PEL                      | ACGIH TLV                     |
|------------------|-----------|------------|-------------------------------|-------------------------------|
| Sodium Hydroxide | 1310-73-2 | <2         | 2 mg/m <sup>3</sup> , Ceiling | 2 mg/m <sup>3</sup> , Ceiling |
| 2-Butoxyethanol  | 111-76-2  | <5         | 50 ppm                        | 20 ppm                        |
| Silicate Salts   | 6834-92-0 | <2         | Not Established               | Not Established               |

### **SECTION IV - FIRST AID MEASURES**

**Contact with eyes:** Flush eyes with running water for ten minutes. Remove contact lenses and continue to flush. If irritation persists, seek medical attention.

**Skin contact:** If on skin rinse well with clean water and soap. If on clothing remove the contaminated clothing immediately. Wash clothing before reuse. Seek medical attention/advice if needed.

**Safety Data Sheet**  
**WHITEWALL CLEANER**

**Inhalation:** Remove victim to fresh air. If breathing difficulty seek medical attention. Administer oxygen or artificial respiration if breathing is affected or stopped. Loosen any tight clothing.

**Ingestion:** Give sips of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head below hips to prevent aspiration of contents into lungs.

**SECTION V - FIREFIGHTING MEASURES**

**Suitable Extinguishing Media:** Not considered a fire hazard.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area.

**Unusual Fire Fighting Hazards:** Hazardous gases may form during fire.  
No unusual fire hazards known.

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Evacuate all unprotected personnel from the area.

**Environmental Precautions:** Contain spill if it can be done with minimal risk.

**Methods for Cleaning Up:** Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

**SECTION VII - HANDLING AND STORAGE**

**Handling and Storage:**

- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.
- NFPA Class III B storage.
- Wash thoroughly after handling.

**SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION**

**EXPOSURE LIMITS:**

| Component Name   | CAS #     | OSHA PEL                      | ACGIH TLV                     |
|------------------|-----------|-------------------------------|-------------------------------|
| Sodium Hydroxide | 1310-73-2 | 2 mg/m <sup>3</sup> , Ceiling | 2 mg/m <sup>3</sup> , Ceiling |
| 2-Butoxyethanol  | 111-76-2  | 50 ppm                        | 20 ppm                        |
| Silicate Salts   | 6834-92-0 | Not Established               | Not Established               |

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV. Showers, eye wash stations.

**Safety Data Sheet**  
**WHITEWALL CLEANER**

**Monitoring:** Follow accepted work practices for handling a flammable material.  
Do not eat, drink or smoke in areas where this chemical is used or stored.  
Have eye wash stations and safety showers readily available.

**Personal Protective Equipment (PPE)**

**Eye Protection:** Goggles or approved OSHA device with side shields.

**Skin Protection:** Impervious solvent resistant gloves.  
Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

|                                  |              |
|----------------------------------|--------------|
| <b>Appearance</b>                | Clear Liquid |
| <b>Odor</b>                      | None         |
| <b>pH@25°C</b>                   | ND           |
| <b>Melting/Freezing Point</b>    | ND           |
| <b>Flashpoint</b>                | N/A          |
| <b>Specific Gravity</b>          | 1.01         |
| <b>Solubility</b>                | Complete     |
| <b>Auto-Ignition Temperature</b> | ND           |
| <b>Decomposition Temperature</b> | ND           |
| <b>VOC Content</b>               | ND           |
| <b>Odor Threshold</b>            | ND           |
| <b>Boiling Range</b>             | ND           |
| <b>Evaporation Point</b>         | N/A          |
| <b>Flammable Limits - Upper</b>  | N/A          |
| <b>Flammable Limits - Lower</b>  | N/A          |
| <b>Vapor Pressure</b>            | ND           |
| <b>Vapor Density (Air=1)</b>     | N/A          |
| <b>Viscosity</b>                 | ND           |

**SECTION X - STABILITY AND REACTIVITY**

**Stability:** Stable, under normal conditions of storage and handling.

**Conditions to Avoid:** Prolonged exposure to humid atmosphere

**Hazardous Decomposition/Byproducts:** Hydrogen gas, CO, extreme heat

**Hazardous Polymerization:** Will not occur.

**Safety Data Sheet**  
**WHITEWALL CLEANER**

**Polymerization Conditions to Avoid:** None

**Incompatibilities:** Amphoteric metals, halogenated hydrocarbons, organic and inorganic acids

**SECTION XI - TOXICOLOGICAL INFORMATION**

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** May cause irritation to the upper respiratory tract and CNS depression. May cause respiratory tract irritation. Inhalation of vapors may cause drowsiness and dizziness. Chronic overexposure may result in irritation or tissue damage and an increased susceptibility to respiratory illness, and permanent lung damage.

**Eye Contact:** High vapor concentrations are irritating to the eyes. Will cause severe burns on contact and will damage the eyes.

**Skin Contact:** Can be painful if skin is confined in gloves, clothing, etc. Causes irritation to the skin. Drying, cracking redness.

**Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

**Acute Toxicity Value:** See Health Hazards below.

**Chronic (Long Term) Effects:** See Health Hazards above.

**Toxicity:**

| Component Name   | LD50   | LC50                             |
|------------------|--|----------------------------------|
| Sodium Hydroxide | Not Established                                      | Not Established                  |
| 2-Butoxyethanol  | Oral - Rat - 470 mg/kg; Dermal - Rabbit - 220 mg/kg; | Inhalation - Rat - 4 h - 450 ppm |
| Silicate Salts   | Oral - mouse - 770 mg/kg; Oral - rat - 1153 mg/kg    | Not Established                  |

**Reproductive Effects** Not Applicable

**Teratogenicity** Not Applicable

**Mutagenicity** Not Applicable

**Safety Data Sheet**  
**WHITEWALL CLEANER**

**Embryotoxicity**                    Not Applicable  
**Sensitization to Product**    Not Applicable  
**Synergistic Products**         Not Applicable  
**Carcinogenicity**                Not Listed as a Carcinogen

**SECTION XII - ECOLOGICAL INFORMATION**

**Ecotoxicity:**                    Information not available.

**Mobility:**                        Information not available.

**Degradability:**                Information not available.

**BioAccumulation:**            Information not available.

**SECTION XIII - WASTE DISPOSAL CONSIDERATIONS**

Follow Federal, state, and local regulations.

**SECTION XIV - TRANSPORT INFORMATION**

**DOT SHIPPING INFORMATION**

**Proper Shipping Name:**    Not regulated

**Contains:**

**Hazard Class and Label:**

**Identification Number:**

**Packaging Group:**

**Other Shipping Info:**

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

**SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

**Safety Data Sheet**  
**WHITEWALL CLEANER**

**SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:**

|       |         |      |          |          |
|-------|---------|------|----------|----------|
| Acute | Chronic | Fire | Pressure | Reactive |
| N/A   | N/A     | N/A  |          |          |

**SARA TITLE III SECTION 313 SUPPLIER INFORMATION:**

No chemicals in this material are subject to the reporting requirements.

**CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

| Component Name   | CAS #     | % by wt. | RQ (lbs.) |
|------------------|-----------|----------|-----------|
| Sodium Hydroxide | 1310-73-2 | <2       | 1,000     |
| 2-Butoxyethanol  | 111-76-2  | <5       | 5,000     |

**CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

**SECTION XVI - OTHER INFORMATION**

**HMIS Health:** ..... 1

**HMIS Flammability:** .....

**HMIS Reactivity:** .....

**Additional:** Other Information (XVI) - Revision 3

**Specification Information**

**Department issuing data sheet:**

**Email address:** sales@carchem.com

**Training necessary:** Always use personal protective equipment when using any type of chemicals for home or business use.

**Disclaimer:**

THIS SAFETY DATA SHEET CONTAINS CERTAIN INFORMATION OBTAINED FROM OUTSIDE RESOURCES BELIEVED TO BE RELIABLE BUT WE CANNOT BE ASSURED THAT SUCH INFORMATION IS ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS SAFETY DATA SHEET. CAR CHEM SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL CAR CHEM BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF CAR CHEM IS STRICTLY LIMITED TO A REFUND IN THE AMOUNT PAID FOR THE SPECIFIC PRODUCT INVOLVED. IT IS THE USER'S RESPONSIBILITY TO ENSURE SAFE CONDITIONS FOR HANDLING, STORAGE AND DISPOSAL OF THE PRODUCT, AND SUCH USER ASSUMES FULL RESPONSIBILITY AND LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSES DUE TO IMPROPER USE. CAR CHEM EXPRESSLY DISCLAIMS LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.