

Advanced Acoustics IsoMat – Equipment Isolation Platform Data Sheet

Individual Isolation	20" x 15" x 3 ½" (508mm x 381mm x 89mm)
Platform Size	
Quantity Of Isolation	1
Platforms Per Box	
Acoustic Foam Colour	Black
Acoustic Foam Density	80 kg/m ³
Acoustic Foam	High Load Bearing Open Cell Polyurethane Acoustic Foam
Composition	
Fire Classification	Crib 5 and Schedule 1, Part 1 of the Furnishings and
	Furniture (fire)(safety) Regulations 1988 (amended 1989)
Product Description	Equipment Isolation Platform

Description

By sitting your gig or PA equipment or subwoofer on the IsoMat you will reduce the amount of vibration passing through the floor. This will reduce sound transmission as the equipment is de-coupled form the room. It will also result giving improved performance from your equipment reducing muddy bass and giving a tigher low end.

The acoustic foam we use conforms to the more stringent fire tests of Crib 5 and Schedule 1, Part 1 of the Furnishings and Furniture Regulations so you will have peace of mind that the product you are using is safe also. And you also have our guarantee that the foam will stand the test of time. The colour we use has been carefully selected to ensure that it doesn't quickly discolour or fade over time. You won't have the problem of the foam crumbling and turning to dust either. We know that treating your studio is a big investment and we want to make sure that your investment stands the test of time. The only way to ensure that is by sticking with Advanced Acoustics. We have many years of experience in acoustic treatment and soundproofing. Acoustic Treatment and Soundproofing are the only products we deal with. You won't see us selling any other forms of foam or bedding. Acoustic foam is all we do and we are very good at it as our outstanding feedback and previous customers will testify. Our products have been used by a full host of companies including the BBC, Williams F1 Team, McLaren, Cisco, Cadburys and ITN just to mention a few.

This item is kept permanently in stock. The foam we use is an open cell polyurethane acoustic foam and is available in black only.




www.advancedacoustics-uk.com | info@advancedacoustics-uk.com | 01623 643609



Full performance details are on the next page



SRL



P:\C22000s - Tech Services\C22750\22766 - Advanced Acoustics\SRL Corr Out\22766 - T01.docx

@SRL Technical Services Limited 11 April 2014 C/22766/T01