

Advanced Acoustics Kubrick Acoustic Panel Data Sheet

Individual Acoustic Panel	27 ³ / ₁₆ " x 47 ¹ / ₄ " (69cm x 120cm)
Size (overall)	
Quantity Of Acoustic	1
Panels Per Box	
Total Area Covered Per	8.91ft ² (0.828m ²)
Panel (overall)	
Acoustic Panel Thickness	1 ¼" (32mm)
Noise Reduction	0.75
Coefficient (NRC)	
Acoustic Panel Colour	Choice of 60 colours
Acoustic Foam Density	90 kg/m ³
Acoustic Foam	Open Cell Polyurethane Acoustic Foam
Composition	
Fire Classification	Surface Spread of Flame - Class '1' (BS 476 pt 7)
	Building Regs. 1991 (Fire Safety) - Class '0' (BS 467 pt 6 &
	pt 7)
Panel Description	Shaped acoustic foam panel wrapped in a open weave
	polyester cloth.
Fabric Composition	100% recycled Flame retardant Polyester. Non metallic
	dyestuffs
Abrasion Resistance	10 year guarantee / 100,000 Martindale cycles
Light Fastness	6 (ISO 105 – B02:2013)
Fastness To Rubbing	Wet: 4, Dry: 4 (ISO 105 – X12:2002)
Cleaning	Washable to 60°C. Wipe clean with a damp cloth or
	shampoo using proprietary upholstery shampoo
Mounting Options	Mirror Plate – For wall or ceiling installation

Description


Kubrick is inspired by director Stanley Kubrick, famous for films such as "2001; A Space Odyssey". By using different tones of the same colour the Kubrick Acoustic Panel creates the image of a 3D surface that becomes deeper and deeper the more you look at it. The Kubrick Acoustic Panel creates a truly inspiring effect to enthuse your staff or students. The Kubrick panels are available in a wide range of standard colours.

Even though the overall thickness of the Kubrick Acoustic Panels is only 32mm thick when they are clustered together on a wall they give the impression that the room is much larger than it actually is. So not only have you improved the acoustics of your office, meeting room or classroom but you have also made the room feel larger and more inviting.




The Kubrick Acoustic Panels are suitable for use in the commercial sector for acoustically treating offices, meeting rooms, teleconference rooms, videoconference rooms and boardrooms. They are also suitable for use in the education sector for treating classrooms, dining halls, assembly halls and lecture theatres. These acoustic panels will reduce reverberation and echo and thus improve speech intelligibility. Once the acoustic panels are installed you will have a space that is more comfortable to work or learn in resulting in greater productivity from your staff or students.

Our Kubrick Acoustic Panels are manufactured in the UK and are all made to order. We use hardwearing materials that will stand the test of time and also meet with stringent fire regulations so you can be sure that our products are safe for use. The cloth we have selected is a 100% recycled polyester which has a high abrasion resistance so even if the acoustic panels are to be placed in high traffic areas or in areas that will be subject to a lot of rubbing or being bumped into the cloth will not bobble or fade.





SRL



P:\C22000s - Tech Services\C22750\22766 - Advanced Acoustics\SRL Corr Out\22766 - T01.docx

@SRL Technical Services Limited 11 April 2014 C/22766/T01



www.advancedacoustics-uk.com | info@advancedacoustics-uk.com | 01623 643609

