

## Advanced Acoustics Tegular 3" Acoustic Tile

## Data Sheet

Individual Acoustic Tile	15" x 15" (381mm x 381mm)
Sizes Available	
Quantity Of Acoustic Tiles	24
Per Box	
Total Area Covered Per	37.5ft <sup>2</sup> (3.48m <sup>2</sup> )
Box	
Acoustic Tile Thickness	1" (25mm) at the base, 3" (75mm) at the peak
Noise Reduction	0.95
Coefficient (NRC)	
Acoustic Foam Colour	Charcoal
Acoustic Foam Density	30 kg/m <sup>3</sup>
Acoustic Foam	Open Cell Polyurethane Acoustic Foam
Composition	
Fire Classification	Crib 5 and Schedule 1, Part 1 of the Furnishings and
	Furniture (fire)(safety) Regulations 1988 (amended 1989)
Profile Description	Plain faced acoustic foam tile with a 45 <sup>°</sup> taper on all 4 sides

## **Description**

The Tegular Acoustic Foam Tile is the smaller sibling of the S.E.A.M Acoustic Tile. The Tegular Tiles are 15" square as opposed to 30" but they come in the same thickness options of 2", 3" and 4" thick. There is also a kit version of the Tegular Tile which contains a mix of all three thicknesses. The Tegular Acoustic Tiles may be small but they certainly aren't lacking in performance. They still give you the unrivalled performance you come to expect from Advanced Acoustics. The clean cut lines of the Tegular Acoustic Tiles results in acoustic treatment that will look the part in any studio, rehearsal room or practice room.

With these acoustic tiles you can create small or large clusters. You can mix the different thickness of tiles to create a random pattern. You can mix them with the S.E.A.M. Acoustic Tiles and you can layer then too. The Tegular Acoustic Tiles don't boast the large surface area of some of the more complicated acoustic foam profiles we have to offer, however what they lack in surface area they certainly make up for in pure absorption.

The acoustic foam we use conforms to the more stringent fire tests of Crib 5 and Schedule 1, Part 1 of the Furnishings and Furniture Regulations so you will have peace of mind that the product you are using is safe also. And you also have our guarantee that the foam will stand the test of time. The colour we use has been carefully selected to ensure that it doesn't quickly discolour or fade over time. You won't have the problem of the foam crumbling and turning to dust either. We know that treating your studio is a big investment and we



www.advancedacoustics-uk.com/info@advancedacoustics-uk.com/01623 643609

want to make sure that your investment stands the test of time. The only way to ensure that is by sticking with Advanced Acoustics. We have many years of experience in acoustic treatment and soundproofing. Acoustic Treatment and Soundproofing are the only products we deal with. You won't see us selling any other forms of foam or bedding. Acoustic foam is all we do and we are very good at it as our outstanding feedback and previous customers will testify. Our products have been used by a full host of companies including the BBC, Williams F1 Team, McLaren, Cisco, Cadburys and ITN just to mention a few.

This item is kept permanently in stock. The foam we use is an open cell polyurethane acoustic foam and is available in charcoal only.




Full performance details are on the next page



www.advancedacoustics-uk.com/info@advancedacoustics-uk.com/01623 643609

## SRL



 P:\C22000s - Tech Services\C22750\22766 - Advanced Acoustics\SRL Corr Out\22766 - T01.docx

 ©SRL Technical Services Limited
 11 April 2014
 C/22766/T01

Advanced Acoustics is a registered company No. 07049694 - VAT # 980071035 Unit B Maunside, Greenlines Industrial Estate, Mansfield, Nottinghamshire, NG18 5GU