



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/0509/15

Company Name : Pearlie White Pte Ltd

Date Received : 23/01/2015 Date Reported: 26/01/2015

Sample Description : One sample of mouthrinse

Date Tested: 23/01/2015-26/01/2015

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 37, the following result was obtained:

Pearlie White Fluorinze Anti-Bacterial Fluoride Mouthrinse 750ml	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: MF072 Expiration Date: Sep 2017	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than


Cheong Teck Geok
Testing Officer


Phang Ken Aun
Acting Manager
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
5004 Ang Mo Kio Ave 5
#05-06 TechPlace II
Singapore 569872.

/jaz