



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing

8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg

CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/3243/14  
Company Name : Pearlie White Pte Ltd  
Date Received : 21/05/2014 Date Reported: 24/05/2014  
Sample Description : One sample of mouthrinse  
Date Tested: 21/05/2014-24/05/2014


The sample consisted of a 100ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 36, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 100ml	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: MF065 Date Sampled: 21/05/14	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
2) SCDA - Soybean-Casein Digest Agar  
3) < - Less than

  
Cheong Teck Geok  
Testing Officer

  
Phang Ken Aun  
Deputy Manager  
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd  
5004 Ang Mo Kio Ave 5  
#05-06 TechPlace II  
Singapore 569872.

/jaz

# TEST REPORT: 7191089335-CHM14-11-LYP

Date: 10 JUN 2014

Tel: +65 68851346 Fax: +65 67732912

Client's Ref:

Email: Yin-Pheng.LEONG@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

Choose certainty.  
Add value.

## SUBJECT

Microbiological Analysis of Mouth Rinse

## CLIENT

Pearlie White Private Limited  
5004 Ang Mo Kio Avenue 5  
#05-06, Tech Place II  
Singapore 569872

Attn : Mr. David Ong

## SAMPLE COLLECTION DATE / TEST DATE

04 Jun 2014 / 04 Jun 2014

## DESCRIPTION OF SAMPLE

1 sample of Mouth Rinse was submitted and labelled as below:

No.	Source	Date Sampled	Sampled by
1	Product Name: Pearlie White Fluorinze Anti-Bacterial Fluoride Mouth Rinse 100ml Batch no.: MF065 Exp Date: May 2017 Required Analysis: TAMC	Date Produced: 19/05/14 Date Sampled: 21/05/14	DLM

## METHOD OF TEST

The United States Pharmacopeia, USP 35 (2012).

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
3 Science Park Drive, #04-01/05  
The Franklin, Singapore 118223  
TUV®

**TEST REPORT: 7191089335-CHM14-11-LYP**  
10 JUN 2014



**RESULTS**

Test	Specifications CFU/g	Total Aerobic Microbial Count, CFU/g
Product Name: Pearlie White Fluorinze Anti-Bacterial Fluoride Mouth Rinse 100ml Batch no.: MF065 Exp Date: May 2017	<100	Not detected*

**Notes :**

CFU : Colony Forming Unit

TSA : Tryptone Soya Agar

\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MR RANDY CHIN KOK FEI**  
MICROBIOLOGIST

**MRS KAM-LEONG-YIN PHENG**  
PRODUCT MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS

**TEST REPORT: 7191089335-CHM14-11-LYP**  
10 JUN 2014



Please note that this Report is issued under the following terms :

1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
2. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
3. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
4. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
5. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No. 1 Science Park Drive Singapore 118221.

July 2011

