



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/3100/15  
Company Name : Pearlie White Pte Ltd  
Date Received : 13/05/2015 Date Reported: 16/05/2015  
Sample Description : One sample of mouthrinse  
Date Tested: 13/05/2015-16/05/2015

The sample consisted of a 100ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 37, the following result was obtained:

<b>Pearlie White Fluorinze Anti-Bacterial Fluoride Mouthrinse 100ml</b>	<b>Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)</b>
B/N: MF073 Expiration Date: May 2018	Not detected (<10 CFU/ml)

- Notes: 1) CFU - Colony Forming Units  
2) SCDA - Soybean-Casein Digest Agar  
3) < - Less than

Cheong Teck Geok  
Testing Officer

Phang Ken Aun  
Acting Manager  
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd  
5004 Ang Mo Kio Ave 5  
#05-06 TechPlace II  
Singapore 569872.

/jaz