



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/3354/17

Company Name : Pearlie White Pte Ltd

Date Received : 15/05/2017 Date Reported: 18/05/2017

Sample Description : One sample of Mouth Rinse


Date Tested: 15/05/2017-18/05/2017


The sample consisted of a 100ml plastic bottle of mouth rinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 39, the following result was obtained:

Pearlie White Fluorinze Anti-Bacterial Fluoride Mouth Rinse 100ml	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: MF089 Expiry: May 2020	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than


Cheong Teck Geok
Assistant Chemist


Phang Ken Aun
Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
5004 Ang Mo Kio Ave 5
#05-06 TechPlace II
Singapore 569872.

/jaz