



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/7836/14  
Company Name : Biocomm Private Limited  
Date Received : 03/12/2014 Date Reported: 06/12/2014  
Sample Description : One sample of mouthrinse  
Date Tested: 03/12/2014-06/12/2014


The sample consisted of a 500ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 36, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0025	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
2) SCDA - Soybean-Casein Digest Agar  
3) < - Less than

  
Cheong Teck Geok  
Testing Officer

  
Phang Ken Aun  
Acting Manager  
ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
Biocomm Pte Ltd  
53 Ubi Ave 1  
#05-55 Paya Ubi Industrial Park  
Singapore 408934.  
www.biocomm.sg

/jaz

"The report shall not be reproduced except in full, unless the management representative of the accredited laboratory has given approval in writing"  
"The results reported herein have been performed in accordance with the terms of accreditation under the Singapore Accreditation Council"