

# **ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD**

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5





**REPORT** 

Lab No

: AC/MC/4233B/13

**Company Name** 

: Pearlie White Pte Ltd

**Date Received** 

: 24/06/2013

Date Reported: 27/06/2013

**Sample Description** 

: One sample of mouthrinse

Date Tested: 24/06/2013-27/06/2013

The sample consisted of a 500ml plastic bottle of mouth rinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 34, the following result was obtained:

B/N: MF018, 14/06/2013	Not detected (<10 CFU/ml)
Pearlie White	Total Aerobic Microbial Count
Fluorinze Anti-bacterial Fluoride	(Membrane Filtration Method),
Mouthrinse 500ml	(SGDA, 35°C/3 days)

Notes: 1) CFU - Colony Forming Units

2) SCDA - Soybean-Casein Digest Agar

3) < - Less than

Cheong Teck Geok Testing Officer

Phang Ken Aun
Deputy Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd 5004 Ang Mo Kio Ave 5 #05-06 TechPlace II Singapore 569872.

/jaz

27 Jun 17

# TEST REPORT: 7191062822-CHM13-01-LYP

Date:

20 JUN 2013

Tel: +65 68851346 Fax: +65 67732912

Client's Ref: PO00000258

Email: Yin-Pheng.LEONG@tuv-sud-psb.sg

**PSB Singapore** 

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

#### **SUBJECT**

Choose certainty. Add value.

Microbiological Analysis of Mouth Rinse

# **CLIENT**

Pearlie White Private Limited 5004 Ang Mo Kio Avenue 5 #05-06, Tech Place II Singapore 569872

<u>Attn</u>

: Mr. David Ong

# SAMPLE COLLECTION DATE / TEST DATE

14 Jun 2013 / 14 Jun 2013

# **DESCRIPTION OF SAMPLE**

1 sample of Mouth Rinse was submitted and labelled as below:

No.	Source	Date Sampled	Sampled by
1	Product Name: Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch no.: MF018 Expiration Date: Jun-16 Study: TAMC Monitoring	Date Produced: 12 Jun 2013 Date Filled/Sampled: 14 Jun 2013	DLM

#### **METHOD OF TEST**

The United States Pharmacopeia, USP 35 (2012)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



Laboratory: TÜV SÜD PSB Pte. Ltd. No.1 Science Park Drive Singapore 118221

Phone: +65-6885 1333 Fax: +65-6776 8670 E-mail: testing@tuv-sud-psb.sg www.tuv-sud-psb.sg Co. Reg: 199002667R

Regional Head Office: TÜV SÜD Asia Pacific Pte. Ltd. 3 Science Park Drive, #04-01/05 The Franklin, Singapore 118223 TÜV<sup>®</sup>

# TEST REPORT: 7191062822-CHM13-01-LYP

20 JUN 2013



# **RESULTS**

Test	Specifications CFU/ml	Total Aerobic Microbial Count, CFU/ml
Product Name: Pearlie White Fluorinze Anti- bacterial Fluoride Mouthrinse 500ml Batch no.: MF018 Expiration Date: Jun-16 Study: TAMC Monitoring	<100	Not detected*

# Notes:

CFU : Colony Forming Unit TSA: Tryptone Soya Agar

: Lowest detection limit is 10 CFU/ml

# Remarks:

The above test results relate to the sample as received.

MR RANDY CHIN KOK FEI **MICROBIOLOGIST** 

**MICROBIOLOGY** 

**CHEMICAL & MATERIALS** 

PRODUCT MANAGER

MRS KAM-LEONG YIN PHENG

# TEST REPORT: 7191062822-CHM13-01-LYP

20 JUN 2013



Please note that this Report is issued under the following terms:

- 1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
- The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no
  responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information
  supplied.
- Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
- 4. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
- 5. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

July 2011