



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing

8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/7720C/14  
 Company Name : Biocomm Private Limited  
 Date Received : 28/11/2014 Date Reported: 01/12/2014  
 Sample Description : One sample of mouthrinse  
 Date Tested: 28/11/2014-01/12/2014

The sample consisted of a 500ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopela 36, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0024	Not detected (<10 CFU/ml)

- Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Acting Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.



Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz

"The report shall not be reproduced except in full, unless the management representative of the accredited laboratory has given approval in writing"  
 "The results reported herein have been performed in accordance with the terms of accreditation under the Singapore Accreditation Council"