

## TEST REPORT: 7191134245-CHM16-06-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn :Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0152 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-06-RC**  
22 MAR 2016



PSB Singapore

**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0152 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit  
TSA : Tryptone Soya Agar  
\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MS AW HWEE YING**  
HIGHER TECHNICAL  
EXECUTIVE

**MR RANDY CHIN KOK FEI**  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS

## TEST REPORT: 7191134245-CHM16-05-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn : Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0151 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-05-RC**  
22 MAR 2016



PSB Singapore

**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0151 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit  
TSA : Tryptone Soya Agar  
\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MS AW HWEE YING**  
HIGHER TECHNICAL  
EXECUTIVE

**MR RANDY CHIN KOK FEI**  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS

## TEST REPORT: 7191134245-CHM16-04-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn :Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0150 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-04-RC**  
22 MAR 2016



PSB Singapore

**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0150 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit

TSA : Tryptone Soya Agar

\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

MS AW HWEE YING  
HIGHER TECHNICAL  
EXECUTIVE

MR RANDY CHIN KOK FEI  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS

## TEST REPORT: 7191134245-CHM16-03-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn : Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0149 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-03-RC**  
22 MAR 2016



PSB Singapore

**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0149 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit  
TSA : Tryptone Soya Agar  
\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MS AW HWEE YING**  
HIGHER TECHNICAL  
EXECUTIVE

**MR RANDY CHIN KOK FEI**  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS



## TEST REPORT: 7191134245-CHM16-02-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn : Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0148 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-02-RC**  
22 MAR 2016



PSB Singapore

**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0148 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit

TSA : Tryptone Soya Agar

\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MS AW HWEE YING**  
HIGHER TECHNICAL  
EXECUTIVE

**MR RANDY CHIN KOK FEI**  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS

## TEST REPORT: 7191134245-CHM16-01-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn :Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0147 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co.Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-01-RC**  
22 MAR 2016



**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0147 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit  
TSA : Tryptone Soya Agar  
\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MS AW HWEE YING**  
HIGHER TECHNICAL  
EXECUTIVE

**MR RANDY CHIN KOK FEI**  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS

## TEST REPORT: 7191134245-CHM16-07-RC

Date: 22 MAR 2016

Tel: +65 68851345 Fax: +65 67732912

Client's Ref: 4500001986

Email: Randy.CHIN@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

### SUBJECT

Microbiological Analysis

Choose certainty.  
Add value.

### CLIENT

Corlison Private Limited  
7030 Ang Mo Kio Avenue 5  
#06-36/39  
Northstar@Amk  
Singapore 569880

Attn :Mr. Joe Koh

### SAMPLE COLLECTION DATE / TEST DATE

16 Mar 2016 / 16 Mar 2016

### DESCRIPTION OF SAMPLE

1 sample of Mouthrinse was submitted and labelled as below:

No.	Source
1	Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0153 Exp: Feb 2019

### METHOD OF TEST

The United States Pharmacopeia, USP 38 (2015)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®

**TEST REPORT: 7191134245-CHM16-07-RC**  
22 MAR 2016



PSB Singapore

**RESULTS**

Test	Total Aerobic Microbial Count, CFU/g
Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse 500ml Batch Number: PFN 0153 Exp: Feb 2019	Not Detected*

**Notes :**

CFU : Colony Forming Unit  
TSA : Tryptone Soya Agar  
\* : Lowest detection limit is 10 CFU/g

**Remarks :**

The above test results relate to the sample as received.

**MS AW HWEE YING**  
HIGHER TECHNICAL  
EXECUTIVE

**MR RANDY CHIN KOK FEI**  
ASSISTANT PRODUCT  
MANAGER  
MICROBIOLOGY  
CHEMICAL & MATERIALS