



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kall Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5230/16
 Company Name : Biocomm Private Limited
 Date Received : 27/07/2016 Date Reported: 01/08/2016
 Sample Description : One sample of Mouthrinse
 Date Tested: 27/07/2016-30/07/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0190	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
 Biocomm Pte Ltd
 53 Ubi Ave 1
 #05-55 Paya Ubi Industrial Park
 Singapore 408934.
 www.biocomm.sg

/jaz

The reports shall not be reproduced except in full unless the management representative of the accredited organisation has given approval in writing. They shall also be governed by ANALABS Terms and Conditions of Services, which can be found in www.analabs.com.sg. Additionally, the results reported herein have been performed in accordance with the terms of accreditation under the Singapore Accreditation Council.



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5230A/16
 Company Name : Biocomm Private Limited
 Date Received : 27/07/2016 Date Reported: 01/08/2016
 Sample Description : One sample of Mouthrinse
 Date Tested: 27/07/2016-30/07/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0191	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
 Biocomm Pte Ltd
 53 Ubi Ave 1
 #05-55 Paya Ubi Industrial Park
 Singapore 408934.
 www.biocomm.sg

/jaz



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5230B/16
 Company Name : Biocomm Private Limited
 Date Received : 27/07/2016 Date Reported: 01/08/2016
 Sample Description : One sample of Mouthrinse
 Date Tested: 27/07/2016-30/07/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0192	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
 Biocomm Pte Ltd
 53 Ubi Ave 1
 #05-55 Paya Ubi Industrial Park
 Singapore 408934.
 www.biocomm.sg

/jaz

The reports shall not be reproduced except in full unless the management representative of the accredited organisation has given approval in writing. They shall also be governed by ANALABS Terms and Conditions of Services, which can be found in www.analabs.com.sg. Additionally, the results reported herein have been performed in accordance with the terms of accreditation under the Singapore Accreditation Council.



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT


Lab No : AC/MC/5230C/16
 Company Name : Biocomm Private Limited
 Date Received : 27/07/2016 Date Reported: 01/08/2016
 Sample Description : One sample of Mouthrinse
 Date Tested: 27/07/2016-30/07/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0193	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
 Biocomm Pte Ltd
 53 Ubi Ave 1
 #05-55 Paya Ubi Industrial Park
 Singapore 408934.
 www.biocomm.sg

/jaz



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT


Lab No : AC/MC/5306/16
 Company Name : Biocomm Private Limited
 Date Received : 29/07/2016 Date Reported: 01/08/2016
 Sample Description : One sample of Mouthrinse
 Date Tested: 29/07/2016-01/08/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0194	Not detected (<10 CFU/ml)

- Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
 Biocomm Pte Ltd
 53 Ubi Ave 1
 #05-55 Paya Ubi Industrial Park
 Singapore 408934
 www.biocomm.sg

/jaz



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67480886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5306A/16
 Company Name : Biocomm Private Limited
 Date Received : 29/07/2016 Date Reported: 01/08/2016
 Sample Description : One sample of Mouthrinse
 Date Tested: 29/07/2016-01/08/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microblal Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0195	Not detected (<10 CFU/ml)

- Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
 Biocomm Pte Ltd
 53 Ubi Ave 1
 #05-55 Paya Ubi Industrial Park
 Singapore 408934.
 www.biocomm.sg

/jaz



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463930 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5306B/16
Company Name : Biocomm Private Limited
Date Received : 29/07/2016 Date Reported: 01/08/2016
Sample Description : One sample of Mouthrinse
Date Tested: 29/07/2016-01/08/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopœia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0196	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than

Cheong Teck Geok
Testing Officer

Phang Ken Aun
Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
Biocomm Pte Ltd
53 Ubi Ave 1
#05-55 Paya Ubi Industrial Park
Singapore 408934.
www.biocomm.sg

/jaz



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kald Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5306C/16
Company Name : Biocomm Private Limited
Date Received : 29/07/2016 Date Reported: 01/08/2016
Sample Description : One sample of Mouthrinse
Date Tested: 29/07/2016-01/08/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0197	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than

Cheong Teck Geok
Testing Officer

Phang Ken Aun
Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
Biocomm Pte Ltd
53 Ubi Ave 1
#05-55 Paya Ubi Industrial Park
Singapore 408934.
www.biocomm.sg

/jaz



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/5306D/16
Company Name : Biocomm Private Limited
Date Received : 29/07/2016 Date Reported: 01/08/2016
Sample Description : One sample of Mouthrinse
Date Tested: 29/07/2016-01/08/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0198	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than


Cheong Teck Geok
Testing Officer


Phang Ken Aun
Manager
ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by
Biocomm Pte Ltd
53 Ubi Ave 1
#05-55 Paya Ubi Industrial Park
Singapore 408934.
www.biocomm.sg

/jaz

The reports shall not be reproduced except in full unless the management representative of the accredited organisation has given approval in writing. They shall also be governed by ANALABS Terms and Conditions of Services, which can be found in www.analabs.com.sg. Additionally, the results reported herein have been performed in accordance with the terms of accreditation under the Singapore Accreditation Council.