



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/7316/16  
 Company Name : Biocomm Private Limited  
 Date Received : 19/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0199	Not detected (<10 CFU/ml)

- Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/7316A/16  
 Company Name : Biocomm Private Limited  
 Date Received : 19/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0200	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT


Lab No : AC/MC/7316B/16  
 Company Name : Biocomm Private Limited  
 Date Received : 19/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0201	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing

8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/7316C/16  
 Company Name : Biocomm Private Limited  
 Date Received : 19/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0202	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

Cheong Teck Geok  
 Testing Officer

Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kald Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT


Lab No : AC/MC/7397/16  
 Company Name : Biocomm Private Limited  
 Date Received : 21/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016

The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0203	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/7397A/16  
Company Name : Biocomm Private Limited  
Date Received : 21/10/2016 Date Reported: 24/10/2016  
Sample Description : One sample of Mouthrinse  
Date Tested: 19/10/2016-22/10/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopela 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0204	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
2) SCDA - Soybean-Casein Digest Agar  
3) < - Less than

  
Cheong Teck Geok  
Testing Officer

  
Phang Ken Aun  
Manager  
ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
Biocomm Pte Ltd  
53 Ubi Ave 1  
#05-55 Paya Ubi Industrial Park  
Singapore 408934.  
www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT


Lab No : AC/MC/7397B/16  
 Company Name : Biocomm Private Limited  
 Date Received : 21/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0205	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT


Lab No : AC/MC/7397C/16  
 Company Name : Biocomm Private Limited  
 Date Received : 21/10/2016 Date Reported: 24/10/2016  
 Sample Description : One sample of Mouthrinse  
 Date Tested: 19/10/2016-22/10/2016


The sample consisted of a 750ml plastic bottle of mouthrinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Fluorinze Anti-bacterial Fluoride Mouthrinse (750ml)	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: PFN 0206	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units  
 2) SCDA - Soybean-Casein Digest Agar  
 3) < - Less than

  
 Cheong Teck Geok  
 Testing Officer

  
 Phang Ken Aun  
 Manager  
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by  
 Biocomm Pte Ltd  
 53 Ubi Ave 1  
 #05-55 Paya Ubi Industrial Park  
 Singapore 408934.  
 www.biocomm.sg

/jaz