

The Star Trac 8 Series line was built to give you the quality and performance you expect from high-end machines with user-focused features like dual personal fans, a hot bar with heart rate monitoring and Soft Trac[®] technology. For a premium experience pair any 8 Series machine with the OpenHub console which provides entertainment, fitness tracking and asset management solutions that will offer a complete fitness experience to facility owners and their members.



8TR TREADMILL

SPEED RANGE 0.5-12.5mph (0.5-20kmh) HEART RATE MEASUREMENT SYSTEM Telemetry and contact HR, Bluetooth w/ 20" display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20" OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and table holder MAX USER WEIGHT 5001b (22 kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 1101/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers FRAME Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LIEGTRI Sin (20cm) WIDTH 32in (80cm) WIDTH Sin (160cm)	BASE FEATURES				
SIZE OF RUNNING SURFACE 60in x 22h (152cm x 55cm) ABSORPTION SYSTEM Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot STEP UP HEIGHT 10in (25cm) INCLINE RANGE 0-15% max incline SPEED RANGE 0.5-12.5mph (0.5-20kmh) HEART RATE MEASUREMENT SYSTEM Telemetry and contact HP, Bluetoch w/ 20° display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20° OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and tablet holder DINE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 110//20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 32/in (81cm) HEIGHT 53/in (80cm) WIDTH 32/in (81cm) Blin (206cm) Siln (206cm) SHIPPING UMENSIONS (BASE + DISPLAY) 84/in x 36/in x 40/in (214cm x 90cm x 101cm) SHIPPING DIMENSIONS (BASE + DISPLAY) 84/in x 36/in x 40/in (214cm x 90cm x 101cm)	DECK SYSTEM	Reversible MDF deck with phe	enolic coating		
ABSORPTION SYSTEM Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot STEP UP HEIGHT 10in (25cm) INCLINE RANGE 0-15% max incline SPEED RANGE 0.5-12.Smph (0.5-20kmh) HEART RATE MEASUREMENT SYSTEM Telemetry and contact HR, Bluetooth w/ 20" display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20" OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and table tolder MAX USER WEIGHT 500b (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 1100//20 Amg decloated circuit with NEMA 5-20 outlet; or 2200/15 Amg decloated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425b (133kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm	RUNNING BELT SYSTEM	22in (55cm) wide belt			
STEP UP HEIGHT 10in (25cm) INCLINE RANGE 0-15% max incline SPEED RANGE 0.5-12.5mph (0.5-20kmh) HEART RATE MEASUREMENT SYSTEM Telemetry and contact HR, Bluetooth w/ 20" display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20" OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and table holder MAX USER WEIGHT 500ib (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers FRAME MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 31in (06cm) WIDTH 32in (16cm) HEIGHT 63in (160cm) NET WEIGHT 518lbs (235kg)	SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)			
INCLINE RANGE 0-15% max incline SPEED RANGE 0.5-12.5mph (0.5-20kmh) HEART RATE MEASUREMENT SYSTEM Telemetry and contact HR, Bluetooth w/ 20° display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20° OpenHub display options USER DETECT SYSTEM Yes, programmable on/off Accessories Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and tablet holder MAX USER WEIGHT Solito (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 100/902 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers FRAME Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame GUSTOMIZABLE Yes, paint color approval required LIEGHT 32in (81cm) WIGHT 32in (81cm) HEIGHT 32in (180cm) NET WEIGHT 425b (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) <	ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot			
SPEED RANGE 0.5-12.5mph (0.5-20kmh) HEART RATE MEASUREMENT SYSTEM Telemetry and contact HR, Bluetooth w/ 20° display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20° OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Waltiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and tablet holder MAX USER WEIGHT 5001b (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 100/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 100/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet MATERIAL Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) USTOMIZABLE Yes, paint color approval required LEGTRIC 82in (81cm) WIDTH 32in (81cm) NET WEIGHT 42ib (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) <th>STEP UP HEIGHT</th> <th colspan="3">10in (25cm)</th>	STEP UP HEIGHT	10in (25cm)			
HEART RATE MEASUREMENT SYSTEM Telemetry and contact HR, Bluetooth w/ 20" display option CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20" OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and tablet holder MAX USER WEIGHT 5001b (227kg) DRIVE SYSTEM S HP AC motor ELECTRICAL REQUIREMENTS 1100//20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5 in rollers MATERIAL Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 32in (61cm) HEIGHT 63in (160cm) NET WEIGHT 32in (81 cm) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (21 cm x 90cm x 101 cm) ShilpPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (21 cm x 90cm x 101 cm) ShilpPING WEIGHT (BOXED) 518ibs (235kg) </th <th>INCLINE RANGE</th> <th>0-15% max incline</th> <th></th>	INCLINE RANGE	0-15% max incline			
CENTER CONTROLS BAR Warm bar with contact HR and Emergency Stop DISPLAY Choose from LCD or 20° OpenHub display options USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and table holder MAX USER WEIGHT 500b (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 1100/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FFATURES 3.5in rollers FRAME MATERIAL Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81 in (206cm) width 32 in (81 cm) HEIGHT 63 in (160 cm) NET WEIGHT 42 bin (198kg) ShilpPING DIMENSIONS (BASE + DISPLAY) 84 in x 36 in x 40 in (214 cm x 90 cm x 101 cm) ShilpPING WEIGHT (BOXED) 51 Blbs (235kg)	SPEED RANGE	0.5-12.5mph (0.5-20kmh)			
DispLaY Choose from LCD or 20° OpenHub display options USER DETECT SYSTEM Yes, programmable on/off Accessoriles Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and table holder MAX USER WEIGHT 500lb (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 32in (81cm) HEIGHT 30in (160cm) NET WEIGHT 425ib (193kg) SHIPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (21cm x 90cm x 101cm) ShipPing weight (BOXED) 518lbs (235kg)	HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR, Blu	uetooth w/ 20" display option		
USER DETECT SYSTEM Yes, programmable on/off ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and tablet holder MAX USER WEIGHT 5001b (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers FRAME MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	CENTER CONTROLS BAR	Warm bar with contact HR and	d Emergency Stop		
ACCESSORIES Multiple bottle and accessory holders, LCD display pre-wired for PVS entertainment, 800/900MHz receivers, and tablet holder MAX USER WEIGHT 500b (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 1100/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers FRAME Powder Coated Steel Frame Matterial Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	DISPLAY	Choose from LCD or 20" Open	Choose from LCD or 20" OpenHub display options		
ACCESSORIES tablet holder MAX USER WEIGHT 500lb (227kg) DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers MATERIAL Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425ib (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	USER DETECT SYSTEM	Yes, programmable on/off			
DRIVE SYSTEM 5 HP AC motor ELECTRICAL REQUIREMENTS 110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5 in rollers MATERIAL Powder Coated Steel Frame MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425ib (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	ACCESSORIES				
ELECTRICAL REQUIREMENTS 110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet ADDITIONAL FEATURES 3.5in rollers FRAME MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	MAX USER WEIGHT	500lb (227kg)			
ADDITIONAL FEATURES 3.5in rollers FRAME MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	DRIVE SYSTEM	5 HP AC motor			
FRAME MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet			
MATERIAL Powder Coated Steel Frame STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	ADDITIONAL FEATURES	3.5in rollers			
STANDARD COLOR OPTIONS Matte Black (-60 black) CUSTOMIZABLE Yes, paint color approval required LENGTH 81 in (206cm) WIDTH 32 in (81 cm) HEIGHT 63 in (160 cm) NET WEIGHT 425 lb (193 kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84 in x 36 in x 40 in (214 cm x 90 cm x 101 cm) SHIPPING WEIGHT (BOXED) 518 lbs (235 kg)	FRAME				
CUSTOMIZABLE Yes, paint color approval required LENGTH 81 in (206 cm) WIDTH 32 in (81 cm) HEIGHT 63 in (160 cm) NET WEIGHT 425 lb (193 kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84 in x 36 in x 40 in (214 cm x 90 cm x 101 cm) SHIPPING WEIGHT (BOXED) 518 lbs (235 kg)	MATERIAL	Powder Coated Steel Frame			
LENGTH 81in (206cm) WIDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	STANDARD COLOR OPTIONS	Matte Black (-60 black)			
wiDTH 32in (81cm) HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	CUSTOMIZABLE	Yes, paint color approval required			
HEIGHT 63in (160cm) NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	LENGTH	81in (206cm)			
NET WEIGHT 425lb (193kg) SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	WIDTH	32in (81cm)			
SHIPPING DIMENSIONS (BASE + DISPLAY) 84in x 36in x 40in (214cm x 90cm x 101cm) SHIPPING WEIGHT (BOXED) 518lbs (235kg)	HEIGHT	63in (160cm)			
SHIPPING WEIGHT (BOXED) 518lbs (235kg) ADDITIONAL SKUS	NET WEIGHT	425lb (193kg)			
ADDITIONAL SKUS	SHIPPING DIMENSIONS (BASE + DISPLAY)	84in x 36in x 40in (214cm x 90cm x 101cm)			
	SHIPPING WEIGHT (BOXED)	518lbs (235kg)			
8-TR 110V with LCD Display 9-9281-8TR-110-LCD-60BLK		ADDITION	IAL SKUS		
	8-TR 110V with LCD Display		9-9281-8TR-110-LCD-60BLK		
8-TR 110V with 20" Display 9-9281-8TR-A20-60B	8-TR 110V with 20" Display		9-9281-8TR-A20-60B		
8-TR 220V with LCD Display 9-9284-8TR-220-LCD-60BLK	8-TR 220V with LCD Display		9-9284-8TR-220-LCD-60BLK		
8-TR 220V with 20" Display 9-9284-8TR-A20-60B	8-TR 220V with 20" Display		9-9284-8TR-A20-60B		





CONSOLES

DISPLAY	LCD	20" Touchscreen Display			
OPERATING SYSTEM	n/a	Android			
PRODUCT COMPATIBILITY	8 & 10 Series Treadmills	8 & 10 Series Treadmills			
MULTI-LANGUAGE OPTIONS	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Katakana, Russian, Finnish	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Finnish, Danish, Chinese, Japanese, Turkish, Polish, Russian, Hebrew, Czech, Slovak			
PRE-PROGRAMMABLE WORK OUTS	Yes, 14+	Yes, 20+			
QUICK START OPTIONS	Yes, single button start options	Yes, single button start options			
PERSONAL FAN	Yes, programmable auto start	Yes, programmable auto start			
	CONNECTIVITY & ON-BOARD ENTER	FAINMENT			
ETHERNET AND WIFI ENABLED	No	Yes			
BLUETOOTH DATA TRACKING/APP CONNECTIVITY	Yes	Yes			
BLUETOOTH HEADPHONES & HEART RATE	No	Yes			
APPLE GYMKIT/SAMSUNG GALAXY WATCH CON- NECTIVITY	Yes	Yes			
RUNTV INTEGRATED WORKOUT VIDEOS	No	Yes			
INTEGRATED APPS	No	Yes			
CUSTOMIZABLE HOME SCREEN	No	Yes			
HDMI PERSONAL DEVICE CASTING	Yes, HDMI streaming available with PVS option; cables not included	Yes; cables not included			
OTA (OVER THE AIR) CAPABILITIES	No	Yes, OTA software updates			
USB PORT	USB port for software updates and device charging; cables not included	Integrated port for manual software updates and device charging; cables not included			
IPTV	Yes, with PVS addition	Yes, onboard app			
EGYM COMPATIBLE	No	Yes, 5 Star Integrated* *Future Feature			
ANT+ FOR GROUP DISPLAY	Yes	Yes			
ADD-ON ACCESSORIES					
ASSET MANAGEMENT	Ecofit Optional	Ecofit Optional			
TV TUNER ENABLED	No	Yes, with add-on Tuner kit (Global Tuner Options) 700-0544 - Tuner Kit ATSC 700-0545 - Tuner Kit PAL			
PRO:IDIOM	Yes, with PVS addition	Yes, with add on kit			
SET TOP BOX COMPATIBLE	Yes, with PVS addition	Yes, add-on accessories required			
PVS	Optional add-on	No			
800/900 MHZ RECEIVER	Optional add-on	No			
RFID	No	Supports RFID tap to log in			
TABLET HOLDER	Integrated front Option for additional add-on accessory	No			





PVS FEATURES

DISPLAY TYPE 15.6" HD LED RESOLUTION 1366 x 768 TUNER OPTIONS 1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C 3) Pro:Idiom DIGITAL AND ANALOG SUPPORT Yes SIGNAL INPUTS Coax, HDMI
TUNER OPTIONS 1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C 3) Pro:Idiom DIGITAL AND ANALOG SUPPORT SIGNAL INPUTS Coax, HDMI
TUNER OPTIONS 2) PAL/DVB-T/DVB-C 3) Pro:Idiom DIGITAL AND ANALOG SUPPORT Yes SIGNAL INPUTS Coax, HDMI
ANALOG SUPPORT Yes SIGNAL INPUTS Coax, HDMI
INPUT RF SIGNAL -70 dBm(Min) ~ RANGE -10 dBm(Max)
CLOSE CAPTION Yes
HEADPHONE JACK 3.5mm on Display

DESCRIPTION
BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/QS 10TR MOUNT
BLACK MYE PVS SCREEN, 2016, PAL TUNER w/ QS 10TR MOUNT
MYE PRO:IDIOM PVS w/QS 10TR MOUNT
BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/60BLK TR MOUNT
BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/60BLK BCG MOUNT
BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/60BLK FC MOUNT
BLACK MYE PVS SCREEN, 2016, PAL TUNER w/60BLK TR MOUNT
BLACK MYE PVS SCREEN, 2016, PAL TUNER w/60BLK BCG MOUNT
BLACK MYE PVS SCREEN, 2016, PAL TUNER w/60BLK FC MOUNT
MYE PRO:IDIOM PVS w/60BLK 8TR-TRX MOUNT
MYE PRO:IDIOM PVS w/60BLK BCG MOUNT
MYE PRO:IDIOM PVS w/60BLK FC MOUNT

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.



©2024 Core Health & Fitness LLC. All rights reserved. Star Trac, the Star Trac logo and StairMaster are registered trademarks of Core Health & Fitness, LLC. Schwinn and Nautilus are registered trademarks of Nautilus Inc. used under license to Core Health & Fitness LLC. Throwdown is a registered trademark of Throwdown Industries, LLC.