

COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

+ (resistant)
coating remains intact

o (limited resistance)
coating could change after a time

- (no resistance)
coating will be destroyed

INFLUENTIAL MEDIA	TYPE COATING - PVC
Acetic Acid	-
Acetone	-
Acetylene	+
Albuminoidal Solutions	+
Alcohol (Ethanol)	+
Almond Oil	+/o
Aluminum Silicate	+
Aluminum Sulphate	+
Ammonia, Gaseous, Aqueous	+
Ammonium Chloride (Aqueous)	+
Ammonium Nitrate (Aqueous)	+
Animal Fats and Vegetables	+/o
Antimony Chloride	+
Apple Juice	+
Artificial Resins	+
Barley Suspension	+
Beef Fat / Tallow	+/o
Beer	+
Benzene	-
Benzoic Acid	+
Benzyl Alcohol	-
Bitumen	-
Boric Acid (Aqueous)	+
Bread	+
Butane	o
Butter	o
Butyric Acid	-



COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

INFLUENTIAL MEDIA	TYPE COATING - PVC
Calcium Chloride (Aqueous)	+
Carbon Tetrachloride	-
Caustic Potash	+
Caustic Soda	+
Cereals	+
Cheese	+/o
Chemical Fertilizers	+
Chlorine	-
Chlorine Hydrocarbons	-
Chloroethene	-
Chromic Acid	o
Cinnamon	+
Citric Acid (Aqueous)	+
Cocoa (Powder)	+
Cocoa Butter	o
Coconut Fat	o
Coconut Oil	-
Coffee Powder	+
Coffee	+
Colza Oil	+/o
Colza oil or Canola oil	+/o
Combustible Oil	o
Copper Chloride (Aqueous)	+
Corn Oil	+/o
Cornstarch Suspension	+
Cream	+
Cresols	-
Curd	o
Detergent (Synthetic)	+
Diesel Fuel	o

COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

INFLUENTIAL MEDIA	TYPE COATING - PVC
Diocetyl phthalate	-
Edible Oil	+/o
Egg	+
Ether	-
Ethereal Oils	-
Ethyl Acetate	-
Fertilizer Salts (Aqueous)	+
Fish	+/o
Flour	+
Formaldehyde	o
Formic Acid	-
Fruit Acids	+
Gasoline	-
Gelatin	+
Glacial Acetic Acid	-
Glucose	+
Glycerine	+
Grapes	+
Hop	+
Hydrogen Peroxide	+
Kerosene	-
Ketchup	+
Ketones	-
Lactil Acid (Aqueous)	-
Lard	+/o



COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

INFLUENTIAL MEDIA	TYPE COATING - PVC
Lemon Juice	+
Lemonade	+
Lime (Dry / Calcined)	+
Linseed Oil	+/o
Liquid Paraffin	+
Margarine	+
Marzipan	+/o
Meat	+/o
Methanol	o
Methyl Chloride	-
Milk / Dairy Products	+
Mineral Oils	o
Mixture Acids	-
Molasses	+
Money	+
Mustard	+
Nitric Acid	+/o
Nitro Diluent	-
Oil	o
Olive Oil	+/o
Orange Juice	+
Ores (dry)	+
Oxalic Acid (Aqueous)	o
Palm Butter / Oil	o
Paprika	+
Peach Stone Oil	o
Peanut Oil	+/o
Pepper	+



COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

INFLUENTIAL MEDIA	TYPE COATING - PVC
Phenol	-
Phosphoric Acid	+
Pineapple Juice	+
Pitch	+
Potassium Bromide (Aqueous)	+
Potassium Chromate (Aqueous)	+
Potato Starch Suspension	+
Pudding Powder Suspension	+
Raw Sugar, Refined Sugar	+
Seawater	+
Soda Soap	+
Sodium Bisulfite (Aqueous)	+
Sodium Carbonate (Aqueous)	+
Sodium Chloride (Salt)	+
Sour Milk	+/o
Soybean Oil	+/o
Stannic Chloride (Aqueous)	+
Starch (Aqueous)	+
Sulfur Dioxide (Wet)	-
Sulfuric Acid	+/o
Sunflower Oil	+/o
Sweet / Caramelo	+
Tobacco	+
Tallow	+/o
Tannin (Tannin acid)	+
Tanning Materials	+
Tar	o
Tartaric Acid (Aqueous)	+
Tea	+



COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

INFLUENTIAL MEDIA	TYPE COATING - PVC
Toluene	-
Tomato Juice	+
Trichloroethylene	-
Turpentine Oils	-
Ureas	+
Urine, Excrements	+
Vanillin	+
Vegetable Oils	+/o
Vegetables	+
Vinegar	+
Water	+
Whale Oil	o
Wine	+
Wool Fat (Lanolin)	o
Xylol	-
Yeast	+
Zinc Chloride (Aqueous)	+



COMPATIBILITY TABLE

PVC COATING WITH PHTHALATE PLASTICIZERS

INTERPRETATION:

+ Resistant Coating remains intact

O Limited Resistance Coating could change after a time

- No Resistance
Coating will be destroyed

PVC: PVC coating with phtalate plasticizers.

The permanent stability can change considerably, according to the degree of the mechanical efforts, temperature or the contamination of the chemical products. Therefore, we cannot guarantee the resistance for all the applications. The reason why we are including these samples of the materials is to be able to examine the values of the behaviour under the mentioned conditions.

The compatibilities table doesn't fulfill the actual legislation on the polymeric materials for food contact.



4 Maxwell Square
Brucefield Industry Park,
Livingston
Scotland
EH54 9BL



info@emtez.co.uk



www.emtez.co.uk



+44 (0)1506 409 973

