



CABINETS
BUND FLOORING
SPILL TRAYS
TRAYS AND CARTS
DRUM & IBC SPILL PALLETS
STORAGE CONTAINERS



ROMOLD LTD®

specialist manufacturers of polyethylene products



ISSUE 5





A UK manufacturer of high quality polyethylene products

At ROMOLD we have been designing and manufacturing rotational moulded products since 1998. We are the UK's leading manufacturer of polyethylene spill containment products and we ship Worldwide.

Our ongoing product development programme has enabled us to expand our product range and reach new markets, providing innovative and practical solutions.



Trade Only

Being a Trade Only supplier means that ROMOLD can concentrate on manufacturing, product development and supporting distributors. Working closely with our distributors we have enhanced existing products and introduced new ranges. We encourage distributor interaction and use the shared creativity and knowledge to meet customer needs and market demands.

ROMOLD Distributors benefit from:

- Excellent product availability through our large on-site stock
- Fast delivery direct to distributor or their client
- Flexible service that supports "bulk" and "no minimum" orders
- Large range of quality products
- Support and advice on technical, product and regulatory matters
- Friendly UK manufacturing partner
- Product images and data sheets



Quality and Environmental Standards

Our Quality Management System for product design and manufacture is ISO 9001: 2015 accredited. Our commitment to the environment is evident through our environmentally conscious product design, our use of recyclable materials and our ISO 14001:2015 accredited Environmental Management System.



DIBt



Tested and approved by DIBt, Germany: Suitable for the storage of liquids that are dangerous for

the environment. Products are tested with four times load capacity.

The following products are DIBt approved: ST20, ST30, ST40, ST60, ST66, ST70, ST100, BF2, BF4, BFS, BP1, BP2, BP4, BP4L, BP8, BP2FW, BP4FW, BP8FW, BB1, BB2, BB3, BB4, BB1FW, BB2FW.

We are committed to manufacturing high quality products and providing our customers with a fast, flexible and friendly service.

Extensive Manufacturing and Storage Facilities




5,200m² production, development, warehousing and office space.

Rotationally Moulded Products



A fabricated steel mould is filled with coloured polyethylene powder



The mould is rotated in a specialised oven



The plastic is then removed from the mould and allowed to cool in a controlled environment.

The design and construction of the mould, the quantity, type and mix of powder, the temperature and exposure times are all crucial factors in creating a successful product. The finished product is durable, chemical resistant and fully recyclable. Please note that some products may vary slightly in appearance due to continuous product improvements.

Storage Regulations

There are a growing number of strict environmental regulations and Codes of Practice covering the storage of industrial fluids such as oils, solvents and chemicals. Mandatory legislation comes with heavy penalties for any company found to be non-compliant.

Our products are designed with UK, EC and worldwide bunding regulations in mind so we can advise on the most suitable products for a fully compliant solution.

For more information contact us on +44 (0) 1506 409973, email us at enquiries@romold.co.uk or visit www.romold.co.uk

CONTENTS

Spill Trays	5-17
Drum Funnels, Lids & Trays	18
Bund Flooring	19-20
Drum Spill Pallets	21-25
Covered Drum Spill Pallets	26-27
Hard Covered Drum Spill Pallets	28-30
Pallet Converters	31
Horizontal Drum Trolley, Bund & Dispensers	32-33
Drum Dollies & Trolleys	34
Rack Bunds	35
IBC Spill Pallets	36-40
IBC Funnel With Lid	40
Covered IBC Spill Pallets	41
Poly Cart & Poly Work Cart	42
Poly Dispensing & Work Stands	43-44
Drum Overpack	45-46
Cabinets	47-48
Poly Maintenance Carts	49-50
Roll Forward Skip	50
General Purpose Storage Containers	51-52
Poly Storage Bins	53-54
Universal Beam Protectors	55-56
Multi-pack Shipping Information	57-60
Chemical Compatibility Guide	61
Additional Information	62

RECYCLING - SUSTAINABLE MANUFACTURING




Here at Romold, we've got a strong focus on reducing our environmental impact; and the installation of a recycling plant in our factory has allowed for the creation of a more sustainable product offering. With this we are now able to reuse what was previously waste material. The installation of pulveriser and granulation equipment in our Livingston factory sees "scrap and offcut" material being reused, reducing reliance on virgin material and showing considerable efficiency gains.




**SEE OUR NEW
RECYCLED SPILL
PALLET RANGE
ON PAGE 25**

SPILL PALLET - FORKILFT ACCESS POCKETS DIMENSIONS


As an international supplier of spill pallets, Romold appreciates that forklift access pocket dimensions across the globe differ. Below we have detailed the fork pocket access dimensions to allow customers to check compatibility.




MODEL	DESCRIPTION
BP2	2 x 205ltr Drum Bund
BP4	4 x 205ltr Drum Bund
DB4	2 x 205ltr Drum Bund Base Unit
BB1	1 x BC Bund
BB2	2 x IBC Bund




BP2




BP4




DB4



BB1



BB2



FW

SPILL TRAYS

Our Spill Tray range is the most comprehensive available. They are the ideal solution for catching spills in the work area and the storage and handling of smaller drums and containers.



Spill Trays are compact and lightweight and can fit into small areas. Strong, easy to clean and compatible with most liquids.

With sump capacities up to 145ltr, available in a range of sizes our Spill Tray range provide a practical, simple and safe solution for small liquid storage, handling and spillage needs.

The ST range can be used and purchased with or without grids.

APPLICATIONS

- Container spill tray
- Liquid dispensing work area
- Laboratory tray
- Vehicle and equipment leak spill tray
- Machine part cleaning
- Solvent and ink storage
- Battery storage
- Chemical dosing point tray




Ideal for small liquid storage, handling and spillage needs

SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

ST20			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 595mm	WIDTH $\swarrow \searrow$ 395mm	HEIGHT \updownarrow 170mm
WEIGHT	UDL 55kg	SUMP 22ltr	BASE COLOUR

Deutsches Institut für Bautechnik
DIBt



ST20GRID			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 575mm	WIDTH $\swarrow \searrow$ 375mm	HEIGHT \updownarrow 25mm
WEIGHT	UDL 55kg	SUMP N/A	GRID COLOUR

ST20BASE			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 595mm	WIDTH $\swarrow \searrow$ 395mm	HEIGHT \updownarrow 170mm
WEIGHT	UDL 55kg	SUMP 22ltr	BASE COLOUR



SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

Deutsches Institut für Bautechnik **DIBt**

ST30			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 805mm	WIDTH $\swarrow \searrow$ 405mm	HEIGHT \updownarrow 170mm
WEIGHT	UDL 55kg	SUMP 31tr	BASE COLOUR



ST30GRID			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 785mm	WIDTH $\swarrow \searrow$ 375mm	HEIGHT \updownarrow 25mm
WEIGHT	UDL 55kg	SUMP N/A	GRID COLOUR

ST30BASE			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 805mm	WIDTH $\swarrow \searrow$ 405mm	HEIGHT \updownarrow 170mm
WEIGHT	UDL 55kg	SUMP 31tr	BASE COLOUR



SPILL TRAYS


IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

Deutsches Institut für Bautechnik **DIBt**



ST40			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 800mm	WIDTH $\swarrow \searrow$ 605mm	HEIGHT \updownarrow 170mm
WEIGHT	UDL 105kg	SUMP 43ltr	BASE COLOUR
7.5kg			

ST40GRID			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 790mm	WIDTH $\swarrow \searrow$ 585mm	HEIGHT \updownarrow 25mm
WEIGHT	UDL 105kg	SUMP N/A	GRID COLOUR
3kg			



ST40BASE			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 800mm	WIDTH $\swarrow \searrow$ 605mm	HEIGHT \updownarrow 170mm
WEIGHT	UDL 105kg	SUMP 43ltr	BASE COLOUR
3.5kg			

SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

Deutsches Institut für Bautechnik **DIBt**

ST60

IDEAL FOR SPILL CONTROL

DIMENSIONS 	LENGTH \longleftrightarrow 1000mm	WIDTH $\swarrow \searrow$ 605mm	HEIGHT \updownarrow 200mm
WEIGHT 	UDL  205kg	SUMP  63tr	BASE COLOUR 



ST60GRID

IDEAL FOR SPILL CONTROL

DIMENSIONS 	LENGTH \longleftrightarrow 985mm	WIDTH $\swarrow \searrow$ 585mm	HEIGHT \updownarrow 35mm
WEIGHT 	UDL  205kg	SUMP  N/A	GRID COLOUR 

ST60BASE

IDEAL FOR SPILL CONTROL

DIMENSIONS 	LENGTH \longleftrightarrow 1000mm	WIDTH $\swarrow \searrow$ 605mm	HEIGHT \updownarrow 200mm
WEIGHT 	UDL  205kg	SUMP  63tr	BASE COLOUR 



SPILL TRAYS


IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL



ST100			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH \longleftrightarrow 1195mm	WIDTH $\swarrow \searrow$ 795mm	HEIGHT \updownarrow 185mm
WEIGHT 	UDL 205kg	SUMP 104ltr	GRID COLOUR

Deutsches Institut für Bautechnik **DIBt**









ST100GRID			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH \longleftrightarrow 790mm	WIDTH $\swarrow \searrow$ 585mm	HEIGHT \updownarrow 25mm
WEIGHT 3.5 x 2kg	UDL 205kg	SUMP N/A	GRID COLOUR



ST100BASE			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH \longleftrightarrow 1195mm	WIDTH $\swarrow \searrow$ 795mm	HEIGHT \updownarrow 185mm
WEIGHT 7kg	UDL 205kg	SUMP 104tr	BASE COLOUR









SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

ST70BASE			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH  804mm	WIDTH  608mm	HEIGHT  315mm
WEIGHT 	UDL  150kg	SUMP  70ltr	BASE COLOUR 



Deutsches Institut für Bautechnik **DIBt**

ST70GRID			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH  804mm	WIDTH  608mm	HEIGHT  315mm
WEIGHT 	UDL  150kg	SUMP  70ltr	GRID COLOUR 

SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL



ST66WH			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH	HEIGHT
	933mm	608mm	938mm
WEIGHT	UDL	SUMP	BASE COLOUR
13.5kg	120kg	66ltr	

ST66BASE			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH	HEIGHT
	804mm	608mm	220mm
WEIGHT	UDL	SUMP	BASE COLOUR
8.5kg	150kg	66ltr	








ST66			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH	HEIGHT
	804mm	608mm	220mm
WEIGHT	UDL	SUMP	BASE COLOUR
8.5kg	150kg	66ltr	

Deutsches Institut für Bautechnik **DIBt**






SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

BB100			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
 920mm	920mm	720mm	175mm
WEIGHT  15kg	UDL  200kg	SUMP  100ltr	BASE COLOUR 

designed for 4 x 25ltr containers



GPT1			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
 730mm	730mm	730mm	295mm
WEIGHT  6kg	UDL  250kg	SUMP  110ltr	BASE COLOUR 

GPT2			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
 1290mm	1290mm	730mm	295mm
WEIGHT  10kg	UDL  600kg	SUMP  230ltr	BASE COLOUR 



SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL



BT50			
IDEAL FOR SPILL PREVENTION			
DIMENSIONS 	DIAMETER 870mm	HEIGHT 190mm	
WEIGHT 	5kg	SUMP 	50ltr

TTL			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH 1450mm	WIDTH 840mm	HEIGHT 70mm
WEIGHT 	8kg	SUMP 	60ltr






TTS			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH 630mm	WIDTH 590mm	HEIGHT 170mm
WEIGHT 	3kg	SUMP 	45ltr

TTHD			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH 1460mm	WIDTH 960mm	HEIGHT 120mm
WEIGHT 	UDL 650kg	SUMP 	145ltr
		BASE COLOUR 	






SPILL TRAYS




IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL

TTXS			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	598mm	395mm	50mm
WEIGHT 	2.5kg		SUMP  8ltr



TTXM			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	574mm	390mm	53mm
WEIGHT 	0.9kg		SUMP  10ltr



TTXL			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1200mm	550mm	50mm
WEIGHT 	2.6kg		SUMP  30ltr



TT9			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	790mm	400mm	50mm
WEIGHT 	1.2kg		SUMP  9ltr

SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL



TT16			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	530mm	400mm	100mm
WEIGHT	0.75kg		SUMP 16ltr



TT28			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	645mm	490mm	120mm
WEIGHT	1.3kg		SUMP 28ltr




TT64			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	800mm	800mm	120mm
WEIGHT	2.6kg		SUMP 64ltr

TT65			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1000mm	550mm	150mm
WEIGHT	2kg		SUMP 65ltr









SPILL TRAYS

IDEAL FOR GENERAL "HOUSEKEEPING" AND SPILL CONTROL



TT65G			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH  1000mm	WIDTH  550mm	HEIGHT  150mm
WEIGHT 	3.5kg	SUMP 	64.5ltr

TT100			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH  1000mm	WIDTH  1000mm	HEIGHT  120mm
WEIGHT 	4kg	SUMP 	100ltr



TT100G			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH  1000mm	WIDTH  1000mm	HEIGHT  120mm
WEIGHT 	7kg	SUMP 	99ltr

DRUM ACCESSORIES

ROMOLD'S DRUM AND LID FUNNELS

Our Drum Lids and Funnels provide simple ways to collect liquids, keep drum tops dry and help prevent spills.

They are manufactured from easy to clean polyethylene and are compatible for use with most liquids - see page 43 for further details.

DL1	Drum Lid		
IDEAL FOR	SPILL PREVENTION		
DIMENSIONS	LENGTH \longleftrightarrow	WEIGHT	HEIGHT
	650mm	4kg	70mm



DFI	Drum Funnel with Lid		
IDEAL FOR	SPILL PREVENTION		
DIMENSIONS	LENGTH \longleftrightarrow	WEIGHT	HEIGHT
	610mm	4kg	230mm



DL2	Drum Lid		
IDEAL FOR	SPILL PREVENTION		
DIMENSIONS	LENGTH \longleftrightarrow	WEIGHT	HEIGHT
	610mm	2kg	160mm



Made from the same flexible material as our Palcons ensuring a tight fit around the top of the drum

BT75	Drum Wash Station		
IDEAL FOR	SPILL PREVENTION		
DIMENSIONS	DIAMETER \longleftrightarrow	HEIGHT	
	870mm	240mm	
SUMP	WEIGHT	HOLE SIZE	
50ltr	5kg	33mm	



BT75PLUG



optional

BUND FLOORING

ROMOLD'S COMPLETE SPILL FLOORING

Our Bund Floor range is the flexible decking solution for creating liquid handling workstations and storage areas to fit your working environment.

Available in 3 sizes each unit can be used as a standalone workstation or combined to create multiple workfloor configurations.

Each individual unit is compliant with current oil storage regulatory requirements -

- BF2 for up to 4 x 100ltr drums
- BF4 and BF4S for up to 4 x 205ltr drums each.

The low height and a choice of two ramps enables easy access for loading and unloading. Optional joint strip covers can be added for a superior finish and optional bund connectors added to link sumps.

APPLICATIONS

- Modular workfloor area
- Liquid dispensing workstation
- "Quarantine area" for leaking containers
- Drum storage & handling area
- Machine part cleaning area
- Ink storage bund
- Oil storage bund
- Lubricant treatment area



BFR

length 650mm
width 800mm
height 160mm
weight 8kg
UDL 1000kg



BFR2

length 1740mm
width 1000mm
height 160mm
weight 28kg
UDL 1000kg



BUND FLOORING

Deutsches Institut für Bautechnik **DIBt**

BF2			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1260mm	860mm	150mm
WEIGHT	UDL	SUMP	BASE COLOUR
20kg	1000kg	130ltr	Yellow



4xBF4s with joining strips and sump connectors can be used to store multiple IBCs.



Deutsches Institut für Bautechnik **DIBt**

BF4			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1660mm	1260mm	150mm
WEIGHT	UDL	SUMP	BASE COLOUR
38kg	2000kg	300ltr	Yellow

Deutsches Institut für Bautechnik **DIBt**

BF4S			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	2610mm	895mm	150mm
WEIGHT	UDL	SUMP	BASE COLOUR
42kg	2000kg	300ltr	Yellow



ACCESSORIES

BFC

length 79mm
diameter 40mm
weight 0.6kg



Spill Floor Connector

BFS2

length 1260mm
width 60mm
width (wings) 135mm
height 35mm
weight 1.5kg



Joining Strip

BFS4

length 1660mm
width 60mm
width (wings) 135mm
height 35mm
weight 2kg



Joining Strip

DRUM BUNDS

ROMOLD'S BUNDED DRUM STORAGE

Our quality drum Bund Pallet range is designed for the safe and regulatory compliant storage of 205ltr drums.

Available in 1, 2, 3, 4 and 8 drum versions. These robust units are made from 100% polyethylene which has broadband chemical compatibility.

FEATURES

- Corrosion resistant
- Bund regulation compliant
- Easily cleaned
- Covered range for outdoors
- Removable plastic grids
- Compatible with most liquids

Deutsches Institut für Bautechnik **DIBt**

BP1			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 900mm	WIDTH $\swarrow \nearrow$ 700mm	HEIGHT \updownarrow 525mm
WEIGHT \updownarrow 22kg	UDL $\swarrow \nearrow$ 300kg	SUMP \updownarrow 225ltr	BASE COLOUR $\swarrow \nearrow$

designed for 1 x 205ltr drum



Deutsches Institut für Bautechnik **DIBt**

BP2			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 1220mm	WIDTH $\swarrow \nearrow$ 820mm	HEIGHT \updownarrow 330mm
WEIGHT \updownarrow 23kg	UDL $\swarrow \nearrow$ 650kg	SUMP \updownarrow 240ltr	BASE COLOUR $\swarrow \nearrow$

designed for 2 x 205ltr drums



DRUM BUNDS

ROMOLD'S BUNDED DRUM STORAGE

Deutsches Institut für Bautechnik **DIBt**

BP2FW

IDEAL FOR SPILL CONTROL

DIMENSIONS	LENGTH \longleftrightarrow 1220mm	WIDTH \longleftrightarrow 820mm	HEIGHT \updownarrow 445mm
WEIGHT	UDL 1200kg	SUMP 230ltr	BASE COLOUR



Deutsches Institut für Bautechnik **DIBt**

BP3

IDEAL FOR SPILL CONTROL

DIMENSIONS	LENGTH \longleftrightarrow 1785mm	WIDTH \longleftrightarrow 780mm	HEIGHT \updownarrow 240mm
WEIGHT	UDL 900kg	SUMP 228ltr	BASE COLOUR

designed for 3 x 205ltr drums



Deutsches Institut für Bautechnik **DIBt**

BP4

IDEAL FOR SPILL CONTROL

DIMENSIONS	LENGTH \longleftrightarrow 1310mm	WIDTH \longleftrightarrow 1310mm	HEIGHT \updownarrow 370mm
WEIGHT	UDL 1250kg	SUMP 410ltr	BASE COLOUR

ramp available, model BFR5
see page 23 for details



designed for 4 x 205ltr drums, has additional sump capacity

DRUM BUNDS

ROMOLD'S BUNDED DRUM STORAGE

Deutsches Institut für Bautechnik **DIBt**



Low profile

designed for 4 x 205ltr drums

BP4L			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 🏠	LENGTH \longleftrightarrow 1280mm	WIDTH ↙↘ 1280mm	HEIGHT ↑↓ 275mm
WEIGHT 🏋️	UDL ↔ 1250kg	SUMP 🌊 230ltr	BASE COLOUR 🟡

Deutsches Institut für Bautechnik **DIBt**

BFR3			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 🏠	LENGTH \longleftrightarrow 1740mm	WIDTH ↙↘ 1000mm	HEIGHT ↑↓ 275mm
WEIGHT 🏋️	33kg	UDL ↔	1000kg

BFR3 for use with BP4L




BFR4			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 🏠	LENGTH \longleftrightarrow 1740mm	WIDTH ↙↘ 1000mm	HEIGHT ↑↓ 390mm
WEIGHT 🏋️	36kg	UDL ↔	1000kg

BFR4 for use with BP4FW

Deutsches Institut für Bautechnik **DIBt**

BFR5			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 🏠	LENGTH \longleftrightarrow 1740mm	WIDTH ↙↘ 1000mm	HEIGHT ↑↓ 370mm
WEIGHT 🏋️	38kg	UDL ↔	1000kg



DRUM BUNDS

ROMOLD'S BUNDED DRUM STORAGE

Deutsches Institut für Bautechnik **DIBt**

BP4FW			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 1220mm	WIDTH \longleftrightarrow 1220mm	HEIGHT \updownarrow 390mm
WEIGHT	UDL 1500kg	SUMP 250ltr	BASE COLOUR



designed for 8 x 205ltr drums or 2 x 1000ltr IBCs



Deutsches Institut für Bautechnik **DIBt**

BP8			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 2560mm	WIDTH \longleftrightarrow 1350mm	HEIGHT \updownarrow 510mm
WEIGHT	UDL 3000kg	SUMP 1140ltr	BASE COLOUR

Deutsches Institut für Bautechnik **DIBt**

BP8FW			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow 2340mm	WIDTH \longleftrightarrow 1225mm	HEIGHT \updownarrow 610mm
WEIGHT	UDL 2500kg	SUMP 1150ltr	BASE COLOUR

NEW



NEW - RECYCLED DRUM BUNDS

ROMOLD'S BUNDED DRUM STORAGE



Romold is committed to sustainability and reducing its impact on the environment; and to that end has made substantial investment in recycling equipment that allows them to reuse what would previously been waste material.

As a result we are now able to offer a range of recycled products.

NEW



BP2R

IDEAL FOR SPILL CONTROL

DIMENSIONS	LENGTH \longleftrightarrow 1220mm	WIDTH $\swarrow \searrow$ 820mm	HEIGHT \updownarrow 330mm
WEIGHT	UDL	SUMP	BASE COLOUR
23kg	650kg	240ltr	

Deutsches Institut für Bautechnik **DIBt**



NEW



BP4LR

IDEAL FOR SPILL CONTROL

DIMENSIONS	LENGTH \longleftrightarrow 1280mm	WIDTH $\swarrow \searrow$ 1280mm	HEIGHT \updownarrow 275mm
WEIGHT	UDL	SUMP	BASE COLOUR
29kg	1250kg	230ltr	



* Due to these units being produced from recycled materials, there may be slight variance in the colour

COVERED DRUM BUNDS

ROMOLD'S COVERED DRUM STORAGE



Cover protects bund and drums from rainwater

BP4C			
IDEAL FOR SPILL CONTROL			
DIMENSIONS 	LENGTH \longleftrightarrow 1415mm	WIDTH $\swarrow \searrow$ 1310mm	HEIGHT \updownarrow 1870mm
WEIGHT 	UDL 	SUMP 	BASE COLOUR
54kg	1250kg	410ltr	

Designed for up to 4 x 205ltr drums



shown without cover



ready to despatch

COVERED DRUM BUNDS

ROMOLD'S COVERED DRUM STORAGE

BP8C			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH 2560mm	WIDTH 1350mm	HEIGHT 2080mm
WEIGHT	UDL 3000kg	SUMP 1140ltr	BASE COLOUR



Designed for up to 8 x 205ltr drums or 2 x 1000ltr IBC's



shown without cover



ready to despatch

HARD COVERED DRUM BUND PALLETS

ROMOLD'S COVERED DRUM STORAGE

FEATURES & APPLICATIONS

- 100% recyclable polyethylene
- Hard covered bunded store
- For 2 and 4 x 205ltr drums or smaller containers
- Lockable shutter door
- Integral base fork pockets
- Delivered fully assembled

BP2HC			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH 1490mm	WIDTH 990mm	HEIGHT 1690mm
WEIGHT 85kg	UDL 650kg	SUMP 230ltr	BASE COLOUR



BFR5 for use with BP2HC, see page 23 for details

The BP2HC range can be fitted with a padlock, not provided



BP2HCS			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH 900mm	WIDTH 400mm	
HEIGHT 970mm	UDL 50kg		

weight 90kg supplied with three tier plastic shelving unit

HARD COVERED DRUM BUND PALLETS

ROMOLD'S COVERED DRUM STORAGE



BP2HC			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH	WIDTH	
	1210mm	810mm	
HEIGHT	470mm	UDL	300kg

weight 95kg supplied with steel horizontal drum cradle



BFR5 for use with BP4, BP2HC and BP4HC



BP4HC			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH	WIDTH	HEIGHT
	1470mm	1420mm	2070mm
WEIGHT	UDL	SUMP	BASE COLOUR
121kg	1250kg	410ltr	

The BP4HC is fitted with a lock, two keys provided

NEW - HARD COVERED SPILL PALLETS

Manufactured from medium density polyethylene these spill pallets have a 0.6mm galvanised steel (powder coated paint finish) cover fitted with hinged doors and retaining catches to hold them open during loading and unloading. The metal cover is secured to the spill pallet by means of M8 dome head allen bolts & nyloc nuts. Secure shipped as flat pack for export, then erected for the UK.

BP4HCS			
IDEAL FOR DRUM STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1480mm	1385mm	1865mm
WEIGHT	UDL	SUMP	BASE COLOUR
221kg	1250kg	410ltr	

NEW



Secure locking



NEW

BB1HCS			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1425mm	1840mm	2405mm
WEIGHT	UDL	SUMP	BASE COLOUR
223kg	2000kg	1100ltr	

BB2HCS			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	2625mm	1430mm	2110mm
WEIGHT	UDL	SUMP	BASE COLOUR
285kg	3000kg	1140ltr	

NEW



PALLET CONVERTERS

TURN A STANDARD PALLET INTO A BUNDED PALLET

Place the Falcon over an existing pallet and it is ready to use. The unique compressible front allows drums on a second pallet to be lowered into the Falcon by a forklift truck.

When the forks are withdrawn the front returns to its normal height creating the bund.

FEATURES & APPLICATIONS

- Made from flexible plastomer
- 2 drum and 4 drum versions
- Compliant with UK Oil Storage Regulations
- Lightweight and easy to handle
- Broadband chemical compatibility
- Unique compressible front

PALCON2			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	1500mm	1100mm	440mm
WEIGHT	17kg	SUMP	250ltr



Falcon2 must be used with 1200mm x 800mm wooden or plastic pallets



Falcon4 must be used with 1200mm x 1000mm wooden or plastic pallets

PALCON4			
IDEAL FOR SPILL CONTROL			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	1500mm	1300mm	440mm
WEIGHT	19kg	SUMP	310ltr

Easy three stage operation



DRUM DISPENSING & TRANSPORTATION

Ensure your drums are fully banded even when being transported.

Simple to use, one person operation. Dispense without the worry of spills

Not for use with plastic drums.

BT230			
IDEAL FOR LIQUID TRANSPORTATION			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH \longleftrightarrow	HEIGHT \updownarrow
	1600mm	740mm	640mm
WEIGHT	UDL	SUMP	BASE COLOUR
42kg	300kg	230ltr	

Deutsches
Institut
für
Bautechnik

DIBt



The ribs of a 205ltr steel drum help keep the drum secure



HORIZONTAL DRUM BUNDING & STORAGE

This versatile system maximises floor space by stacking up to 4 steel drums horizontally above a 400ltr sump.

Dispense from any of the drums in the safe knowledge that any leaks or spills will be contained.



DBC DBC is the cradle			
IDEAL FOR SPILL CONTAINMENT			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1240mm	795mm	370mm
WEIGHT	13kg	UDL	600kg

DB4 DB4 is the base unit			
IDEAL FOR SPILL CONTAINMENT			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1390mm	1250mm	490mm
WEIGHT	50kg	UDL	1250kg

SBS			
IDEAL FOR DECANTMENT			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	875mm	765mm	730mm
WEIGHT	10kg	COLOUR	



SAFETY CHAIN



VERSATILE BUNDED DOLLIES & TROLLEYS

Poly Drum Dollies are a safe and robust solution for moving 205ltr drums. The PDDH includes a steel handle making it ideal for moving smaller containers, boxes and batteries.

The Bunded Trolley is designed to safely transport up to four 25ltr drums, but it has numerous other uses throughout the workplace.

FEATURES & APPLICATIONS

- Made from sturdy 100% polyethylene
- Ideal for drums and smaller containers
- Lightweight and easy to handle
- Broadband chemical compatibility
- 4 castors for added stability - 2 lockable
- Sump base to contain spills

BT100			
IDEAL FOR LIQUID TRANSPORTATION			
DIMENSIONS	LENGTH \longleftrightarrow 1000mm	WIDTH $\swarrow \searrow$ 700mm	HEIGHT \updownarrow 1000mm
WEIGHT	UDL 100kg	SUMP 100ltr	BASE COLOUR



PDD			
IDEAL FOR LIQUID TRANSPORTATION			
DIMENSIONS	LENGTH \longleftrightarrow 725mm	WIDTH $\swarrow \searrow$ 725mm	HEIGHT \updownarrow 255mm
WEIGHT	UDL 300kg	SUMP 30ltr	BASE COLOUR



PDDH			
IDEAL FOR LIQUID TRANSPORTATION			
DIMENSIONS	LENGTH \longleftrightarrow 725mm	WIDTH $\swarrow \searrow$ 725mm	HEIGHT \updownarrow 990mm
WEIGHT	UDL 300kg	SUMP 30ltr	BASE COLOUR



RACK BUNDS

Turn standard pallet racking into banded racking by using Rack Bunds from Romold.


Made from 100% polyethylene, the rack bund sits across the beams and the pallet of containers sits inside the rack bund.

Simple to use and easy to install.

FEATURES & APPLICATIONS

- ⊗ Stop leaks damaging other products
- ⊗ Use with existing racking
- ⊗ Sits on cross beams
- ⊗ Compliant with most bunding regulations
- ⊗ Broadband chemical compatibility
- ⊗ Segregate liquids

RB1			
IDEAL FOR STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	1310mm	1310mm	245mm
WEIGHT	UDL	SUMP	BASE COLOUR
17kg	1250kg	220ltr	



* rack not included



simply sits across the beams, the pallet sits inside the bund

RBGRID			
IDEAL FOR STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	1200mm	1200mm	60mm
WEIGHT	UDL	SUMP	BASE COLOUR
15kg	100kg	100ltr	

with optional Grid Mesh

* rack not included

UDL is dependent on rack rating

IBC BUNDS

Our extensive IBC Spill Containment range is specifically designed to meet the growing IBC user market. Made from 100% corrosion free polyethylene, these sturdy units are UK, EC and Worldwide bunding regulation compliant. We produce single and double IBC units, dispensing and filling accessories.

FEATURES & APPLICATIONS

- Corrosion resistant
- Suitable for most IBC footprints
- Integral base fork pockets
- Removable decking to assist cleaning
- Robust 100% polyethylene construction

Single IBC Bund Pallets models BB1, BB1D and BB3 Decanting/Overflowing Tray model BB1T



BB1

IDEAL FOR IBC STORAGE

DIMENSIONS	LENGTH 1760mm	WIDTH 1350mm	HEIGHT 710mm
WEIGHT 91kg	UDL 2000kg	SUMP 1100ltr	BASE COLOUR

suitable for 1 x 1000ltr IBC

Deutsches Institut für Bautechnik **DIBt**

BB1T

IDEAL FOR SPILL CONTROL

DIMENSIONS	LENGTH 525mm	WIDTH 545mm	HEIGHT 835mm
WEIGHT 8.5kg	CAPACITY 86ltr		



overflow tray for use with BB1 & BB1C, liquid overflows into main sump

IBC BUNDS



BB1FW			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1230mm	1230mm	1090mm
WEIGHT	UDL	SUMP	BASE COLOUR
71kg	1500kg	1150ltr	

suitable for 1 x 1000ltr IBC



Single IBC bund pallet with four way base entry and removable grid mesh

BB1D			
IDEAL FOR IBC CONTAINMENT			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	2065mm	1445mm	705mm
WEIGHT	UDL	SUMP	BASE COLOUR
79kg	1500kg	1100ltr	



Single IBC secondary containment solution with integral dispensing area

Please note: BB1D, BB3 and BB4 are not suitable for steel framed IBCs



BB3			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1590mm	1455mm	715mm
WEIGHT	UDL	SUMP	BASE COLOUR
77kg	1500kg	1125ltr	



DOUBLE IBC BUNDS & OPTIONAL OVERFLOW TRAYS

FEATURES & APPLICATIONS

- For 2 x 1000ltr IBCs or 2 x 1200mm x 1100mm pallets
- Made from polyethylene
- BB2 is fitted with grids BB4 has integral upstand supports
- Base fork pockets


BB2			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH 2560mm	WIDTH 1350mm	HEIGHT 510mm
WEIGHT 116kg	UDL 3000kg	SUMP 1140ltr	BASE COLOUR



Double IBC Bund Pallets models BB2 and BB4 Decanting/ Overflow Trays models BB2T and BB4T



Double IBC secondary containment solution - can also take up to 8 x 205ltr drums



BB2T			
IDEAL FOR OVERFLOW/DRIPS			
DIMENSIONS	LENGTH 530mm	WIDTH 520mm	HEIGHT 530mm
WEIGHT 4kg	CAPACITY 86ltr		

BB2FW			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH 2340mm	WIDTH 1225mm	HEIGHT 610mm
WEIGHT 91kg	UDL 2500kg	SUMP 1150ltr	BASE COLOUR



DOUBLE IBC BUNDS & OPTIONAL OVERFLOW TRAYS



BB4			
IDEAL FOR IBC STORAGE			
DIMENSIONS 	LENGTH $\leftarrow\rightarrow$ 2340mm	WIDTH $\swarrow\searrow$ 1360mm	HEIGHT 520mm
WEIGHT 	UDL 2200kg	SUMP 1150ltr	BASE COLOUR

Deutscher Institut für Bautechnik **DIBt**

Please note: BB1D, BB3 and BB4 are not suitable for steel framed IBCs



BB4 without optional BB4Ts

BB4T			
IDEAL FOR OVERFLOW/DRIPS			
DIMENSIONS 	LENGTH $\leftarrow\rightarrow$ 530mm	WIDTH $\swarrow\searrow$ 520mm	HEIGHT 530mm
WEIGHT 	4kg	CAPACITY 	86ltr











shown with 2 x optional BB4T overflow trays

COVERED IBC BUNDS & OPTIONAL OVERFLOW TRAY

Covered models are supplied flat pack for customer assembly





single IBC covered bunds complete with frame, roof and cover with heavy duty roll up (BB1C)

BB1C			
IDEAL FOR IBC STORAGE			
DIMENSIONS 	LENGTH  1760mm	WIDTH  1360mm	HEIGHT  2410mm
WEIGHT  119kg	UDL  1500kg	SUMP  1100ltr	BASE COLOUR 



shown with optional BB1T overflow tray, see page 36 for details



DF200			
IDEAL FOR DECANTING			
DIMENSIONS 	LENGTH  640mm	WIDTH  150mm	WEIGHT  4kg

IBC funnel with lid and integral debris strainer

COVERED IBC BUNDS & OPTIONAL OVERFLOW TRAY



Cover protects bund and IBC's from rainwater

BB2C			
IDEAL FOR IBC STORAGE			
DIMENSIONS	LENGTH 2560mm	WIDTH 1350mm	HEIGHT 2140mm
WEIGHT 181kg	UDL 3000kg	SUMP 1140ltr	BASE COLOUR



double IBC secondary containment system complete with frame, roof panels and cover

Covered models are supplied flat pack for customer assembly



BB2C shown once assembled on site



BB2C shown packed prior to despatch

Shown with optional BB2T overflow tray, see page 38 for details

POLY CART AND POLY WORK CART

The Poly Cart provides a simple, fast and effective solution for cleaning up spills in the workplace or treating snow and ice on pavements and car parks.

The Poly Work Cart is a robust mobile workstation suitable for general maintenance and repair applications across all sectors.

FEATURES & APPLICATIONS

- Made from 100% polyethylene
- For indoor and outdoor use
- Lightweight and easy to manoeuvre

- Versatile carts with numerous uses
- Broadband chemical compatibility

PC			
IDEAL FOR SPILL RESPONSE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	1360mm	710mm	965mm
WEIGHT	38kg	CAPACITY	60ltr



- Front hopper for sorbent granules, salt or grit - fitted with a lid
- Rear waste bag holder with lid
- A must-have housekeeping cart
- Broom and shovel not provided



PWC4			
IDEAL FOR SPILL RESPONSE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	640mm	725mm	1075mm
WEIGHT	27kg	CAPACITY	45ltr

- Top external tray with central divide
- Fitted with a removable tray and a lockable door
- A must have maintenance cart
- Contents shown not provided

POLY DISPENSING & WORK STANDS

Dispensing Stands models PDS (open fronted) & PDSD (with lockable door). Work Stands models PWS (open fronted) & PWSD (with lockable door).

FEATURES & APPLICATIONS

- PDS & PDSD designed for absorbent dispensing
- Galvanised steel tube roll holder
- Made from 100% polyethylene
- PWS & PWSD designed for workstation applications
- Removable internal tray
- Tough, rigid construction

PDS			
IDEAL FOR SPILL RESPONSE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	640mm	580mm	1180mm
WEIGHT	20kg	SUMP	48ltr



PDS - open fronted



PDSD - inside view



PDSD			
IDEAL FOR SPILL RESPONSE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \nearrow$	HEIGHT \updownarrow
	640mm	580mm	1180mm
WEIGHT	24kg	SUMP	48ltr

PDSD - has a lockable door

POLY DISPENSING & WORK STANDS



PWS - open fronted

PWS			
IDEAL FOR SPILL RESPONSE			
DIMENSIONS 	LENGTH \longleftrightarrow 640mm	WIDTH 580mm	HEIGHT 980mm
WEIGHT 	20kg	SUMP 	48ltr

PWSD			
IDEAL FOR SPILL RESPONSE			
DIMENSIONS 	LENGTH \longleftrightarrow 640mm	WIDTH 580mm	HEIGHT 980mm
WEIGHT 	23kg	SUMP 	48ltr



PWSD - with removable tray in place



PWSD - has a lockable door

DRUM OVERPACK

FEATURES & APPLICATIONS

- Use to store & transport damaged drums
- Resistant to a whole range of chemicals
- Also use to store spill kits etc
- Lid fitted with neoprene seal
- Available in yellow and orange

OP1		
IDEAL FOR DRUM STORAGE		
DIMENSIONS	DIAMETER	WIDTH
	830mm	1020mm
WEIGHT	CAPACITY	
22kg	340ltr	

Screw on lid



NEW



R1650		
IDEAL FOR DRUM STORAGE		
DIMENSIONS	DIAMETER	WIDTH
	top 52ø bot 41ø	527mm
WEIGHT	MAX CAPACITY	
6kg	77ltr	

Screw on lid



R1652		
IDEAL FOR DRUM STORAGE		
DIMENSIONS	DIAMETER	WIDTH
	top 51ø bot 43ø	520mm
WEIGHT	MAX CAPACITY	
6kg	77ltr	



Lever lock lid



NEW






DRUM OVERPACK

NEW



R1600SL

IDEAL FOR DRUM STORAGE




DIMENSIONS	DIAMETER	WIDTH
 top 56ø bot 42ø	 720mm	
WEIGHT	MAX CAPACITY	
 6.5kg	114ltr	

Screw on lid



R1601

IDEAL FOR DRUM STORAGE

DIMENSIONS	DIAMETER	WIDTH
 top 56ø bot 42ø	 720mm	
WEIGHT	MAX CAPACITY	
 6.5kg	114ltr	

Lever lock lid



NEW






NEW



R1690

IDEAL FOR DRUM STORAGE

DIMENSIONS	DIAMETER	WIDTH
 top 79ø bot 66ø	 1050mm	
WEIGHT	MAX CAPACITY	
 22.5kg	361ltr	

Screw on lid



United Nations Packaging Approved

CABINETS

A wide range of polyethylene cabinets all with lockable doors and built-in sumps.

Suitable for a wide variety of storage applications.

Cabinets available in different solid colours.

PSC1, PSC2, PSC4 and PSC5 are fitted with removable shelves.



PSC1			
IDEAL FOR LIQUID STORAGE			
DIMENSIONS 	LENGTH \longleftrightarrow 534mm	WIDTH $\swarrow \nearrow$ 420mm	HEIGHT \updownarrow 990mm
WEIGHT 	SHELF UDL 12kg	SUMP 30ltr	REMOVABLE SHELF YES



PSC2			
IDEAL FOR LIQUID STORAGE			
DIMENSIONS 	LENGTH \longleftrightarrow 640mm	WIDTH $\swarrow \nearrow$ 570mm	HEIGHT \updownarrow 1650mm
WEIGHT 	SHELF UDL 52kg	SUMP 70ltr	REMOVABLE SHELF YES

CABINETS



PSC3			
IDEAL FOR LIQUID STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow 740mm	WIDTH $\swarrow \nearrow$ 920mm	HEIGHT \updownarrow 1835mm
WEIGHT	BASE PAL UDL	SUMP	REMOVABLE SHELF NO
50kg	300kg	225ltr	

Secure storage with integral sump



PSC4			
IDEAL FOR LIQUID STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow 740mm	WIDTH $\swarrow \nearrow$ 920mm	HEIGHT \updownarrow 1835mm
WEIGHT	BASE PAL UDL	SUMP	SHELF UDL
60kg	300kg	225ltr	52kg

Secure storage with integral sump



PSC5			
IDEAL FOR LIQUID STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow 740mm	WIDTH $\swarrow \nearrow$ 920mm	HEIGHT \updownarrow 1520mm
WEIGHT	BASE PAL UDL	SUMP	SHELF UDL
55kg	300kg	100ltr	52kg

POLY MAINTENANCE CABINETS

The Poly Maintenance Cart is a flexible and robust maintenance unit suitable for general maintenance and spill management applications across all sectors.

The body of the unit has secure internal storage for drums and containers whilst on top is a roll holder and hinged lid. The roll holder is suitable for absorbent rolls, general paper rolls or wipes.

FEATURES & APPLICATIONS

- Made from polyethylene
- Upper storage level suitable for 5ltr cans or absorbent pads
- Easy loading top roll holder
- Lightweight and manoeuvrable
- Lower storage level suitable for 20 to 25ltr plastic drums or absorbent socks
- Lockable door

PMCS4			
IDEAL FOR GENERAL MAINTENANCE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	640mm	725mm	1520mm
WEIGHT	MAX ROLL		SUMP
36kg	430mm \varnothing x 500mm		45ltr



PMCX4			
IDEAL FOR GENERAL MAINTENANCE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	650mm	725mm	1550mm
WEIGHT	MAX ROLL		SUMP
37kg	550mm \varnothing x 520mm		45ltr

POLY ROLL HOLDERS

Worktop dispensing units

The Poly Drum Holders are a flexible and robust range of roll dispensers that accept standard absorbent and paper rolls.

Ideal for environments where spills are likely and a fast clean-up is essential. Suitable for janitorial, engineering and general maintenance applications across all sectors.

The Poly Roll Holder can be placed on a worktop or on top of the Poly Work Cart to create a mobile spill station and maintenance cart.

FEATURES & APPLICATIONS

- Standalone unit or fits on our Poly Work Cart
- Accepts all standard roll sizes
- Lightweight and easy to clean
- Maintain a clean work environment



PRHXL			
IDEAL FOR SPILL CLEANUP			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	640mm	635mm	615mm
WEIGHT	MAX ROLL		SUMP
11kg	550mm \varnothing x 520mm		45ltr

ROLL FORWARD SKIP

Fitted with a rotationally moulded polyethylene bucket, which can be replaced as and when required this roll forward skip is totally automatic; no wires and no climbing, just lower the bucket onto the edge of a skip to release then lower to lock after tipping the load. The bucket is fitted onto a painted mild steel base frame on fixed legs and it is also supplied with safety securing chains as standard.



NEW



RFSP11L			
IDEAL FOR LIQUID STORAGE			
DIMENSIONS	LENGTH \longleftrightarrow	WIDTH $\swarrow \searrow$	HEIGHT \updownarrow
	1795mm	1740mm	1192mm
WEIGHT	MAX LOAD	NOMINAL VOL.	
200kg	1000kg	1.1m ³	

GENERAL PURPOSE STORAGE CONTAINERS

FEATURES & APPLICATIONS

- Made from 100% recyclable polyethylene
- Tough, rigid construction
- For quantity orders lid hinges, locks and wheels require fitting on delivery. Fixings are provided, holes are pre-drilled
- Wide range of storage applications including spill kits, batteries etc
- Stackable for quantity shipping;
- lids are placed in top unit, components are placed within the stack

GPSC1			
IDEAL FOR GENERAL STORAGE			
DIMENSIONS	LENGTH 1150mm	WIDTH 1130mm	HEIGHT 850mm
WEIGHT 32kg	UDL 1000kg	SUMP 600ltr	



GPSC1W (with wheels)			
IDEAL FOR MOBILE STORAGE			
DIMENSIONS	LENGTH 920mm	WEIGHT 43kg	UDL 300kg

GPSC1W not watertight

For lightweight storage applications only

GPSC1LH

The GPSC1 & GPSC1W come with a loose lid as standard. If a lockable hinged lid, as shown above, is required please also order a GPSC1LH. This kit contains a lock and a pair of hinges, all holes will be drilled and fixings provided.

GENERAL PURPOSE STORAGE CONTAINERS

Ideal for grit storage



GPSC2			
IDEAL FOR GENERAL MAINTENANCE			
DIMENSIONS	LENGTH 875mm	WIDTH 875mm	HEIGHT 880mm
WEIGHT 22kg	UDL 300kg	SUMP 250ltr	



GPSC2 on forks



Internal views of GPSC2

GPSC2W (with wheels)			
IDEAL FOR MOBILE STORAGE			
DIMENSIONS	LENGTH 1010mm	WEIGHT 25kg	UDL 150kg

For lightweight storage applications only



GPSC2W not watertight



Contents not included

GPSC2L

The GPSC1 & GPSC1W come with a loose lid as standard. If a lockable hinged lid, as shown above, is required please also order a GPSC1LH. This kit contains a lock and a pair of hinges, all holes will be drilled and fixings provided.

POLY STORAGE BINS

Multi use storage bins

Large capacity poly storage bins for both indoor and outdoor use. Robust polyethylene construction with integral base fork pockets make them easy to move and clean. These bins are ideal for lightweight storage applications and come with a loose lid as standard.

PSBs shown with optional lock, lifting knob & hinge kit, see page 40 for details.



PSB3

PSB2

PSB1

PSB1			
IDEAL FOR GENERAL STORAGE			
DIMENSIONS	LENGTH 1265mm	WIDTH 855mm	HEIGHT 910mm
WEIGHT 26kg	UDL 300kg	SUMP 350ltr	



PSB1W		
IDEAL FOR GENERAL STORAGE		
DIMENSIONS	WEIGHT 40kg	HEIGHT 950mm

POLY STORAGE BINS



PSB2

IDEAL FOR GENERAL STORAGE

DIMENSIONS	LENGTH 1460mm	WIDTH 1010mm	HEIGHT 975mm
WEIGHT 35kg	UDL 300kg	CAPACITY 1000ltr	



PSB3

IDEAL FOR GENERAL STORAGE

DIMENSIONS	LENGTH 1630mm	WIDTH 1170mm	HEIGHT 1125mm
WEIGHT 47kg	UDL 300kg	CAPACITY 1400ltr	



PSB2W water tight

IDEAL FOR MOBILE STORAGE

DIMENSIONS	WEIGHT 40kg	HEIGHT 1015mm
------------	-------------	---------------

PSB3W water tight

water tight

IDEAL FOR MOBILE STORAGE

DIMENSIONS	WEIGHT 52kg	HEIGHT 1165mm
------------	-------------	---------------



water tight

PSB1LH, PSB2LH & PSB3LH

The PSB1, PSB1W, PSB2, PSB2W, PSB3 & PSB3W come with a loose lid as standard. If a lockable, hinged lid is required please also order either a PSB1LH, PSB2LH or PSB3LH. These kits contain a lock, a lifting knob (PSB1 and PSB2) and a pair of hinges. All holes will be drilled and fixings provided.

UNIVERSAL BEAM PROTECTORS

Protect your building columns

Romold's Universal Beam Protectors are manufactured from robust 100% polyethylene.

Designed for quick and simple fitting.

Protect your building columns and your forklift trucks.

FEATURES


- Hi-vis yellow
- Bolts together in minutes
- Maintenance free
- Fits most universal beams

UBP2

UBP3


UBP4

UBP5




UBP1

length 640mm
width 500mm
height 1000mm
weight 34kg



UBP2


length 695mm
width 640mm
height 1000mm
weight 39kg



UBP3


length 360mm
width 350mm
height 945mm
weight 12kg

UNIVERSAL BEAM PROTECTORS



UBP4

length	515mm
width	490mm
height	945mm
weight	18kg



UBP5

length	360mm
width	350mm
height	945mm
weight	12kg



All Universal Beam Protectors comes in two pieces and can be easily secured in place using the nuts and bolts provided for securing them in place.

IMPACT PROTECTORS

Heavy duty rotationally moulded strip & edge protectors for walls and corners prone to damage. Fix in place with bolts or screws, not provided

length	235mm
width	235mm
height	955mm
weight	5kg




DISTRIBUTION AND PACK SIZES




MULTI PACK SHIPPING INFORMATION

As the manufacturer supplying direct to our trade customers we are pleased to offer shipping options to allow for the most efficient and cost effective transportation of our products. The following are examples of how we can package and ship multiples of individual items.



BP4FW

Consignment Size	10 units
Length	1222mm
Width	1222mm
Height	2502mm
Weight	400kg







DISTRIBUTION AND PACK SIZES

Best Sellers Range



BP2

Consignment Size 12 units
Length 1220mm
Width 820mm
Height 2300mm
Weight 330kg



BP2FW

Consignment Size 10 units
Length 1220mm
Width 820mm
Height 2500mm
Weight 270kg






DISTRIBUTION AND PACK SIZES

Best Sellers Range




BP4L

Consignment Size 15 units
Length 1295mm
Width 1295mm
Height 2450mm
Weight 435kg



BB1FW

Consignment Size 4 units
Length 1220mm
Width 1220mm
Height 2570mm
Weight 213kg



DISTRIBUTION AND PACK SIZES

Best Sellers Range

Other Best Sellers

Product	Consignment Size	Length	Width	Height	Weight
BT230	3 units	1600mm	800mm	2160mm	126kg
PSC1	14 units	1200mm	1200mm	2535mm	210kg
PSC2	12 units	1200mm	1200mm	2120mm	180kg
PSC3	8 units	1280mm	850mm	2300mm	120kg
BB2FW	4 units	2355mm	1230mm	2420mm	364kg
BB3	3 units	1600mm	1435mm	2270mm	231kg
BB4	4 units	2320mm	1360mm	2380mm	264kg
BF2	15 units	1240mm	1100mm	2140mm	300kg
BF4	15 units	1670mm	1240mm	2470mm	570kg
BP2	12 units	1220mm	820mm	2350mm	276kg
BP2FW	10 units	1220mm	820mm	2365mm	270kg
BP4FW	10 units	1220mm	1220mm	2380mm	400kg
BB1	3 units	1760mm	1350mm	2200mm	273kg
BB1D	3 units	2060mm	1420mm	2110mm	237kg
BB1FW	4 units	1220mm	1220mm	2570mm	213kg
BB2	5 units	2560mm	1350mm	2500mm	580kg
BP4L	15 units	1295mm	1295mm	2450mm	435kg

POLYETHYLENE CHEMICAL COMPATIBILITY GUIDE

Acetaldehyde 40%	Butanol	Fluosilicic Acid	Methyl Amine 32%	Selenic Acid
Acetamide	Butyl Acetate	Formaldehyde 40%	Methyl Sulphate	Silicic Acid
Acetic Acid 10%	Butyl Alcohol	Formamide	Methyl Sulphuric Acid	Silver Nitrate
Acetone	Butylene Glycol	Formic Acid	Monochloroacetic Acid Ethyl Ester	Sodium Acetate sat.sol
Acrylonitrile	Butyric Acid	Fruit Pulp sol	Monnchloroacetic Acid Methyl Ester	Sodium Acrylates
Adipic Acid	Calcium Carbonate sat.sol	Furfural	Morpholin	Sodium Benzoate
Aliphatic Hydrocarbons	Calcium Chloride	Gallic Acid sat.so	MowliithD	Sodium Bicarbonate
Allyl Alcohol 96%	Calcium Hydroxide	Gluconic Acid	Muriatic Acid	Sodium Bisulphate sat.sol
Alum (aqu.sol)	Calcium Hypochlorite sol	Glycerine	Nickel Chloride sat.so	Sodium Bisulphite
Aluminium Chloride sat.sol	Calcium Nitrate 50%	Glycol	Nicotine Dilute	Sodium Bromide
Aluminium Fluoride	Calcium Sulphate sat.sol	Glycol Ethers	Nicotinic Acid	Sodium Carbonate
Aluminium Hydrogen sol 10%	Carbonic Acid (Aq.CO2)	Glycolic Acid	Nitric Acid 25%	Sodium Chlorate
Aluminium Hydroxide	Carbon Monoxide	Heptane	n-Octane	Sodium Chloride
Aluminium Sulphate sat.sol	Caustic (Aqueous)	Hexane	Octyl Cresol	Sodium Chromate
Ammonia (Anhydrous)	Caustic Potash Sol. 50%	Hexanel Tert	Oleic Acid	Sodium Disulphite
Ammonia (aqu.sol)	Caustic Soda Sol. 10%	Hydrazine Hydrate	Orthophosphoric Acid 50%	Sodium Dithionite 10%
Ammonia (100% Dry Gas)	Chloral Hydrate	Hydrosulphite 10%	Oxalic Acid	Sodium Ferricyanide
Ammonium Acetate	Chloroethanol	Hydroxylamine Sulphate	Paraffin Emulsions	Sodium Ferrocyanide sat.sol
Ammonium Bifluoride	Chloric Acid 10%	Hydrazine 35%	Paraffin Oil	Sodium Fluoride sat.sol
Ammonium Carbonate 50%	Chloroacetic Acid	Hydrazine Hydrochloride	Perchloric Acid 20%	Sodium Hydroxide Conc.
Ammonium Chloride	Chlorobenzene	Hydroiodic Acid	Phosphoric Acid 50%	Sodium Hypochlorite
Ammonium Hydrogen Fluoride 50%	Chrome Alum sat.sol	Hydrobromic Acid 50%	Phosphorous Yellow	Sodium Iodide
Ammonium Hydroxide	Chromic Acid sat.sol	Hydrocyanic Acid sat.sol	Phosphorous Pentoxide	Sodium Nitrate
Ammonium Metaphosphate sat.so	Citric Acid 25%	Hydrochloric Acid 36%	Phtalic Acid	Sodium Oxalate
Ammonium Nitrate sat.sol	Clorox Bleach	Hydrofluoric Acid 40%	Phtalic Anhydride	Sodium Persulphate
Ammonium Persulphate sat.so	Copper Cyanide	Hydrofluorsilicic Acid	Picric Acid 1%	Sodium Phosphate
Ammonium Phosphate	Copper Nitrate	Hydrogen Bromide 10%	Potash	Sodium Silicate
Ammonium Sulphide sat.sol	Copper Sulphate	Hydrogen Peroxide 20% Sulphates 50%	Potassium/Aluminum	Sodium Sulphate
Ammonium Thiocyanate sat.sol	Cresol 90%	Hydrogen Phosphide 100%	Potassium Bichromate	Sodium Sulphide
Amyl Acetate	Cresylic Acid	Hydrogen Sulphide	Potassium Borate 10%	Sodium Sulphonates
Amyl Alcohol	Crotonic Aldehyde	Hypochlorous Acid	Potassium Bromide	Sodium Thiosulphate
Antimony Salts	Cuprous Chloride sat.sol	Iodine (Alc. Sol.) Conc	Potassium Chlorate	Starch Solution sat.sol
Antimony Trichloride 90%	Cyclohexane	Iron (II) Chloride sat.sol	Potassium Chloride	Stearic Acid
Aqueous Alkalies (NaOH)	Cyclohexanol	Iron (II) Sulphate sat.sol	Potassium Chromate	Succinic Acid
Arsenic Acid	Dextrin sat.so	Iron (III) Chloride sat.sol	Potassium Cyanide	Sulphur
Asorbic Acid 10%	Dextrose sat.sol	Iron (III) Nitrate sat.sol	Potassium Dichromate 40%	Sulphuric Acid 50%
Barium Carbonate sat.sol	Diethyl Carbonate	Iron (III) Sulphate sat.sol	Potassium Fluoride	Tannic Acid sol
Barium Chloride	Disodium Phosphate	Isopropanol	Potassium Hydroxide	Tanning Extracts
Barium Cyanide	Diethylene Glycol	Isopropyl Acetate	Potassium Iodide	Tartaric Acid sat.sol
Barium Hydroxide sat.sol	Diglycolic Acid 30%	Isopropyl Alcohol	Potassium Nitrate sat.sol	Tetraethyl Lead
Barium Nitrate	Dioxane	Lactic Acid (All Conc)	Potassium Perborate sat.sol	Tributylprophate
Barium Sulphate sat.sol	Electrolyte	Lead Acetate sat.sol	Potassium Perchlorate	Tricresyl Phosphate
Barium Sulphide	Ethanol	Magnesium Carbonate	Potassium Permanganate	Triethanolamine
Battery Fluid, Acid	Ethylene Chlorohydrin	Magnesium Hydroxide	Potassium Persulphate sat.sol	Trisodium Phosphate sat.sol
Benzaldehyde	Magnesium Oxide	Magnesium Nitrate	Potassium Phosphates	Urea
Benzene Ethylene Diamine	Ethylene Glycol	Potassium Sulphate	Wetting Agents	White Acid 75%
Benzoic Acid	Ferric Chloride sat.sol	Magnesium Sulphate	Propanol	Yeast sol
Benzyl Alcohol	Ferric Nitrate sat.sol	Maleic Acid	Propargyl Alcohol 7%	Zinc Bromide sat.sol
Benzyl Chloroformate	Ferric Salts	Malic Acid 1%	Propionic Acid 50%	Zinc Chloride sat.sol
Boric Acid Dilute	Ferric Sulphate sat.sol	Mercury	Propyl Alcohol	Zinc Sulphate
Boric Acid Conc	Ferrous Sulphate	Methanol	Propylene Dichloride	
Butadiene	Fluoboric Acid	Methyl Acetate	Propylene Glycol	
Butanediol		Methyl Alcohol	Propylene Oxide	

ROMOLD LIMITED - TERMS AND CONDITIONS OF SALE

Conditions applicable

1.1 These Conditions of Sale apply to all contracts for the supply of Goods or Service by Romold Ltd to you to the exclusion of all other terms and conditions. Any order from you gives rise to a binding contract with us only when we have notified you in writing that the order is accepted or when we have made delivery of the Goods to you (if sooner).

Specifications

2.1 All illustrations and specifications are given as a general idea of the Goods described and do not form part of a contract. We reserve the right to incorporate changes or make substitutions without prior notice. Dimensions may vary by +-2%

Prices

3.1 Prices quoted on the Romold Product Price List exclude Delivery and Value Added Tax where applicable unless specifically stated otherwise. Every effort is made to charge the prices set out in the most current Product and Delivery (UK only) Price Lists; however we reserve the right to increase the price payable for Goods or Delivery without prior notice.

Delivery

4.1 Delivery dates are estimated only and we shall not be liable for any loss or damage resulting from any delay. In particular we shall not be liable for any matter which results from an act of god, war or riot, extreme weather, strikes or any other events which are beyond our control.

4.2 We reserve the right to deliver Goods by instalments, each instalment being treated as a separate contract.

4.3 Risk in Goods will pass to you on delivery and you should insure accordingly.

4.4 Goods will be delivered at the point most convenient to our carrier. Further transfer at your or your customer's premises, particularly for large or heavy items, must be arranged prior to delivery and will be charged extra.

Claims

5.1 Claims for loss or non-delivery of Goods, damage, short delivery or non-compliance with descriptions must be notified in writing to us and the carrier as provided in the delivery note and in any event within 5 days of the delivery date. Original packaging must be returned with any damaged Goods. Claims will only be considered if these conditions are met. Our liability shall be limited to replacement free of charge or refund of the proportion of the price attributable to Goods undelivered or damaged at our option.

5.2 Goods are not sold for any particular purpose. We shall not be liable to you for any indirect or consequential loss arising out of or in connection with the sale of Goods to you.

Payment

6.1 Credit accounts are opened subject to status and are due strictly on 30 days from invoice date terms; otherwise payment is required with order. No set-off is permitted for any reason.

6.2 Where only part of the Goods ordered is dispatched, payment shall be made of the contract price attributed to that part.

6.3 Payment by cheque shall be treated as received once your cheque has cleared. In the case of late payment we reserve the right to charge interest at the daily rate of 4% per annum above the base rate of National Westminster Bank Plc both before and after judgment.

6.4 If any payment falls into arrears or you are the subject of any insolvency or related proceedings you must immediately notify us and we will have the right to cancel or postpone any contract, wholly or in part, and to be paid immediately for performance or part performance of any contract date.

Ownership of Goods

You will own Goods only once we have received payment in full of all sums owed by you. Until such time you must keep such Goods separate from your property, clearly identified as our property, and insured to their full reinstatement value. The proceeds of any insurance claim will belong to us. In the circumstances set out in clause 6.4 you shall allow us to enter your premises at any time in normal business hours to recover and/or resell Goods.

Cancellation and return of Goods

8.1 You may only cancel a Contract with our prior consent and on the basis that you will indemnify us against any costs or consequent losses.

8.2 The return of Goods will not be accepted for any reason without prior consent and you will pay any consequential costs.

Warranty

Goods manufactured by Romold Ltd come with a 3 year guarantee against manufacturing defect only.

General Law

These conditions and any contract between us shall be subject to and construed in accordance with English law.

Acceptance of Terms of Business

On commencement of trade with Romold Limited the above terms of business become effective between both parties.

NEW FOR 2018 - GALVANISED STEEL SPILL PALLETS

For drum and IBC storage applications where polyethylene spill pallets are not suitable due to incompatibility, or a harsh working environment.

GSP2D



CODE	SIZE	SUMP	WEIGHT
GSP2D	1220 x 815 x 393mm	225.5ltrs	51kg
GSP4D	1220 x 1220 x 463mm	440ltrs	82kg
GSP1IBC	1220 x 1220 x 1050mm	1100ltrs	121kg
GSP2IBC	2450 x 1220 x 550mm	1100ltrs	164kg

GSP4D



GSP2IBC



GSP1IBC



**ENQUIRE
TODAY**



ROMOLD LTD[®]
specialist manufacturers of polyethylene products

4 Maxwell Square, Brucefield Industry Park,
Livingston, EH54 9BL, UK
Telephone: +44 (0) 1506 409 973
Fax: +44 (0) 1506 415 619
Email: enquiries@romold.co.uk
www.romold.co.uk

