

CONTAINERS & BINS





GENERAL PURPOSE

- 2 sizes of free standing GPSC1 & GPSC2 containers and 2 with wheels GPSC1W & GPSC2W.
- Models GPSC1 & GPSC1W are supplied with a loose fit lid as standard. Lock and hinge kit GPSC1L is available but must be ordered at the same time as the container so we can pre-drill the container for you.
- Models GPSC2 & GPSC2W come with a hinged lid as standard.



Read our Polyethylene Chemical Compatibility Guide on PAGE 47

GPSC1W



Model GPSC1W comes with wheels and loose lid

GPSC1



GPSC2

Easy to keep clean



IMPORTANT



Should you require a lockable hinged lid as shown above, please also order a GPSC1LH or GPSC2L respectively

GPSC2W



Model GPSC2W comes with wheels and hinged lid

| CODE | SIZE (LxWxH) | UDL | CAPACITY | WEIGHT |
|--------|---------------------|--------|----------|--------|
| GPSC1 | 1150 x 1130 x 850mm | 1000kg | 600ltr | 32kg |
| GPSC1W | 1150 x 1130 x 920mm | 300kg | 600ltr | 43kg |
| GPSC2 | 875 x 875 x 880mm | 300kg | 250ltr | 22kg |
| GPSC2W | 875 x 875 x 1010mm | 150kg | 250ltr | 25kg |



PSB1



PSB1W



PSB1LH, PSB2LH, PSB3LH



PSB2



PSB2W

GENERAL PURPOSE

- 3 sizes of free standing containers: PSB1, PSB2 & PSB3 and 3 on wheels: PSB1W, PSB2W & PSB3W.
- All models are supplied with loose fit lids as standard but locking/hinge kits are available but must be ordered with the container so we can pre-drill the container for you.
- PBS1/PBS1W order kit **PBS1LH**
- PBS2/PBS2W order kit **PBS2LH**
- PBS3/PBS3W order kit **PBS3LH**

PSB3



PSB3W



Please note: Wheeled models are not watertight

| CODE | SIZE (LxWxH) | CAPACITY | UDL | TARE WEIGHT |
|-------|----------------------|----------|-------|-------------|
| PSB1 | 1265 x 855 x 910mm | 350ltr | 300kg | 28kg |
| PSB1W | 1265 x 855 x 950mm | 350ltr | 300kg | 40kg |
| PSB2 | 1460 x 1010 x 975mm | 1000ltr | 300kg | 38kg |
| PSB2W | 1460 x 1010 x 1015mm | 1000ltr | 300kg | 40kg |
| PSB3 | 1630 x 1170 x 1125mm | 1400ltr | 300kg | 47kg |
| PSB3W | 1630 x 1170 x 1165mm | 1400ltr | 300kg | 52kg |

KEEP WINTER AT BAY WITH OUR GRITBIN



- Designed to hold rock salt or grit.
- Includes lockable hinged lids.
- Fork pockets to aid movement.
- Manufactured from polyethylene: easy to clean and maintain.
- Can be left out in almost any weather conditions.



ROMOLD GRITBIN

| CODE | SIZE (LxWxH) | CAPACITY | WEIGHT |
|---------|-------------------|----------|--------|
| GRITBIN | 865 x 790 x 820mm | 250ltr | 22kg |



GUIDES & MORE







FORKLIFT POCKET DIMENSIONS

At Romold, we aim to make your job as simple as possible. As an international supplier of spill pallets, we appreciate that forklift access pocket dimensions across the globe differ.


This handy guide provides the information you need to ensure your customers get the correct spill pallet to suit their fork lift or pallet truck.




BP2




BP4




BP4L




BB1




BB2




FW




BB1D




BP4XL




GRITBIN



PSB1



PSB2



PSB3

Please note: the FW measurements refer to models BP2FW, BP4FW, BP8FW, BB1FW and BB2FW.



ROMOLD: A FAST & FLEXIBLE SUPPLIER

At Romold, we like to think of our relationship with you as a partnership; providing you with first class customer service is our number one priority. Whether you order little often, or in bulk, we will work with you and devise an ordering and shipping plan to suit.

Contact us today to find out how we can help you:



enquiries@romold.co.uk



LOOKING TO ORDER SMALLER QUANTITIES?

We work closely with a range of transport providers to ensure the best rates in relation to the size of order. In most cases, we can have your goods delivered within 3 working days.

As an option, we are happy for you to arrange the collection of your order using your own transport. All we ask, is that you discuss this with us so we can arrange a collection date and time in advance.



LOOKING TO BULK ORDER?

If you want to maximise your buying power, we offer the option of buying in bulk from our extensive stock holding. Take a look at our online consignment size guide to help you choose the quantity that suits you and then speak to one of our customer service team to ensure you are maximising your order.



ROMOLD PACK SIZES

| CODE | CONSIGNMENT | L | W | H | WEIGHT |
|-------|-------------|--------|--------|--------|--------|
| BF2 | 17 units | 1240mm | 1100mm | 2420mm | 340kg |
| BF4 | 15 units | 1670mm | 1240mm | 2470mm | 570kg |
| BP2 | 12 units | 1220mm | 820mm | 2300mm | 330kg |
| BP2FW | 10 units | 1220mm | 820mm | 2500mm | 270kg |
| BP4FW | 10 units | 1222mm | 1222mm | 2502mm | 400kg |
| BP4 | 7 units | 1310mm | 1310mm | 2400mm | 280kg |
| BP4L | 15 units | 1295mm | 1295mm | 2450mm | 435kg |
| BB1 | 3 units | 1760mm | 1350mm | 2200mm | 273kg |
| BB1FW | 4 units | 1340mm | 1220mm | 2570mm | 213kg |
| BB2 | 5 units | 2560mm | 1350mm | 2500mm | 580kg |
| BB2FW | 4 units | 2355mm | 1230mm | 2420mm | 364kg |



THE ROMOLD ENVIRONMENTAL POLICY



“CLIMATE CHANGE IS ONE OF THE BIGGEST THREATS TO HUMANITY. MORE THAN EVER, WE ARE COMMITTED TO FOSTERING A SUSTAINABLE FUTURE, NOT ONLY BY THE PRODUCTS WE MANUFACTURE BUT BY ENCOURAGING A RESPONSIBLE CULTURE WITHIN OUR ORGANISATION.”- **JIM McLEARY, GROUP OPERATIONS DIRECTOR**

- Our products are designed to help protect the world we live in, but within our factory we also endeavour to give back more than we take.
- Any product we create is done so via our Life-cycle Analysis programme. This begins with the efficient sourcing of raw material, environmental considerations throughout the manufacturing process & recycling any waste produce.
- In 2019, we are expanding our recycling facility allowing us to reduce the waste leaving the factory and create sustainable products.
- Importantly, we also deploy strict measures to avoid the contamination of local land or aquatic environments. All staff are also trained in handling spills should they occur.



MEMBERS OF CLIMATE CHANGE LEVY & OPERATION CLEAN SWEEP



UTILISE BEST PRACTISE & FULLY LICENSED WASTE REMOVAL



REGULAR AIR QUALITY & NOISE CONTROL TESTING WITHIN FACTORY



CAR SHARING POLICY & ELECTRIC CAR SCHEME



UNDERTAKE EFFICIENT ROUTE LOGISTICS



PRINTING & OFFICE RECYCLING POLICY



OFFER YOUR CUSTOMERS MORE

OUR PRODUCTS ARE NOW AVAILABLE IN A RANGE OF COLOURS.

GET IN TOUCH TODAY.

PLEASE NOTE: THIS SERVICE IS SUBJECT TO MINIMUM ORDER AND ALTERED LEAD TIMES.



POLYETHYLENE CHEMICAL COMPATIBILITY CHART



| | | | | |
|--------------------------------|---------------------------|-------------------------------------|------------------------------------|-----------------------------|
| Acetaldehyde 40% | Butanol | Floosilic Acid | Methyl Amine 32% | Selenic Acid |
| Acetamide | Butyl Acetate | Formaldehyde 40% | Methyl Sulphate | Silicic Acid |
| Acetic Acid 10% | Butyl Alcohol | Formamide | Methyl Sulphuric Acid | Silver Nitrate |
| Acetone | Butylene Glycol | Formic Acid | Monochloroacetic Acid Ethyl Ester | Sodium Acetate sat.sol |
| Acrylonitrile | Butyric Acid | Fruit Pulp sol | Monnchloroacetic Acid Methyl Ester | Sodium Acrylates |
| Adipic Acid | Calcium Carbonate sat.sol | Furfural | Morpholin | Sodium Benzoate |
| Aliphatic Hydrocarbons | Calcium Chloride | Gallic Acid sat.so | MowliithD | Sodium Bicarbonate |
| Allyl Alcohol 96% | Calcium Hydroxide | Gluconic Acid | Muriatic Acid | Sodium Bisulphate sat.sol |
| Alum (aqu.sol) | Calcium Hypochlorite sol | Glycerine | Nickel Chloride sat.so | Sodium Bisulphite |
| Aluminium Chloride sat.sol | Calcium Nitrate 50% | Glycol | Nicotine Dilute | Sodium Bromide |
| Aluminium Fluoride | Calcium Sulphate sat.sol | Glycol Ethers | Nicotinic Acid | Sodium Carbonate |
| Aluminium Hydrogen sol 10% | Carbonic Acid (Aq.CO2) | Glycolic Acid | Nitric Acid 25% | Sodium Chlorate |
| Aluminium Hydroxide | Carbon Monoxide | Heptane | n-Octane | Sodium Chloride |
| Aluminium Sulphate sat.sol | Caustic (Aqueous) | Hexane | Octyl Cresol | Sodium Chromate |
| Ammonia (Anhydrous) | Caustic Potash Sol. 50% | Hexanel Tert | Oleic Acid | Sodium Disulphite |
| Ammonia (aqu.sol) | Caustic Soda Sol. 10% | Hydrazine Hydrate | Orthophosphoric Acid 50% | Sodium Dithionite 10% |
| Ammonia (100% Dry Gas) | Chloral Hydrate | Hydrosulphite 10% | Oxalic Acid | Sodium Ferricyanide |
| Ammonium Acetate | Chloroethanol | Hydroxylamine Sulphate | Paraffin Emulsions | Sodium Ferrocyanide sat.sol |
| Ammonium Bifluoride | Chloric Acid 10% | Hydrazine 35% | Paraffin Oil | Sodium Fluoride sat.sol |
| Ammonium Carbonate 50% | Chloroacetic Acid | Hydrazine Hydrochloride | Perchloric Acid 20% | Sodium Hydroxide Conc. |
| Ammonium Chloride | Chlorobenzene | Hydroiodic Acid | Phosphoric Acid 50% | Sodium Hypochlorite |
| Ammonium Hydrogen Fluoride 50% | Chrome Alum sat.sol | Hydrobromic Acid 50% | Phosphorous Yellow | Sodium Iodide |
| Ammonium Hydroxide | Chromic Acid sat.sol | Hydrocyanic Acid sat.sol | Phosphorous Pentoxide | Sodium Nitrate |
| Ammonium Metaphosphate sat.so | Citric Acid 25% | Hydrochloric Acid 36% | Phthalic Acid | Sodium Oxalate |
| Ammonium Nitrate sat.sol | Clorox Bleach | Hydrofluoric Acid 40% | Phthalic Anhydride | Sodium Persulphate |
| Ammonium Persulphate sat.so | Copper Cyanide | Hydrofluorsilicic Acid | Picric Acid 1% | Sodium Phosphate |
| Ammonium Phosphate | Copper Nitrate | Hydrogen Bromide 10% | Potash | Sodium Silicate |
| Ammonium Sulphide sat.sol | Copper Sulphate | Hydrogen Peroxide 20% Sulphates 50% | Potassium/Aluminum | Sodium Sulphate |
| Ammonium Thiocyanate sat.sol | Cresol 90% | Hydrogen Phosphide 100% | Potassium Bichromate | Sodium Sulphide |
| Amyl Acetate | Cresylic Acid | Hydrogen Sulphide | Potassium Borate 10% | Sodium Sulphonates |
| Amyl Alcohol | Crotonic Aldehyde | Hypochlorous Acid | Potassium Bromide | Sodium Thiosulphate |
| Antimony Salts | Cuprous Chloride sat.sol | Iodine (Alc. Sol.) Conc | Potassium Chlorate | Starch Solution sat.sol |
| Antimony Trichloride 90% | Cyclohexane | Iron (II) Chloride sat.sol | Potassium Chloride | Stearic Acid |
| Aqueous Alkalies (NaOH) | Cyclohexanol | Iron (II) Sulphate sat.sol | Potassium Chromate | Succinic Acid |
| Arsenic Acid | Dextrin sat.so | Iron (III) Chloride sat.sol | Potassium Cyanide | Sulphur |
| Asorbic Acid 10% | Dextrose sat.sol | Iron (III) Nitrate sat.sol | Potassium Dichromate 40% | Sulphuric Acid 50% |
| Barium Carbonate sat.sol | Diethyl Carbonate | Iron (III) Sulphate sat.sol | Potassium Fluoride | Tannic Acid sol |
| Barium Chloride | Disodium Phosphate | Isopropanol | Potassium Hydroxide | Tanning Extracts |
| Barium Cyanide | Diethylene Glycol | Isopropyl Acetate | Potassium Iodide | Tartaric Acid sat.sol |
| Barium Hydroxide sat.sol | Diglycolic Acid 30% | Isopropyl Alcohol | Potassium Nitrate sat.sol | Tetraethyl Lead |
| Barium Nitrate | Dioxane | Lactic Acid (All Conc) | Potassium Perborate sat.sol | Tributylprophate |
| Barium Sulphate sat.sol | Electrolyte | Lead Acetate sat.sol | Potassium Perchlorate | Tricresyl Phosphate |
| Barium Sulphide | Ethanol | Magnesium Carbonate | Potassium Permanganate | Triethanolamine |
| Battery Fluid, Acid | Ethylene Chlorohydrin | Magnesium Hydroxide | Potassium Persulphate sat.sol | Trisodium Phosphate sat.sol |
| Benzaldehyde | Magnesium Oxide | Magnesium Nitrate | Potassium Phosphates | Urea |
| Benzene Ethylene Diamine | Ethylene Glycol | Potassium Sulphate | Wetting Agents | White Acid 75% |
| Benzoic Acid | Ferric Chloride sat.sol | Magnesium Sulphate | Propanol | Yeast sol |
| Benzyl Alcohol | Ferric Nitrate sat.sol | Maleic Acid | Propargyl Alcohol 7% | Zinc Bromide sat.sol |
| Benzyl Chloroformate | Ferric Salts | Malic Acid 1% | Propionic Acid 50% | Zinc Chloride sat.sol |
| Boric Acid Dilute | Ferric Sulphate sat.sol | Mercury | Propyl Alcohol | Zinc Sulphate |
| Boric Acid Conc | Ferrous Sulphate | Methanol | Propylene Dichloride | |
| Butadiene | Fluoboric Acid | Methyl Acetate | Propylene Glycol | |
| Butanediol | | Methyl Alcohol | Propylene Oxide | |



TOP TEN BESTSELLERS



ST20
Page 24
Spill Tray - 22ltr sump



BP4L
Page 15
Low Profile Sump
Pallet - 230ltr sump



BB2
Page 9
Spill Pallet for 2 IBCs
- 1140ltr sump



BF2
Page 21
Sump Floor for 2
drums - 130ltr sump



BP2FW
Page 14
Sump Pallet for 2
drums with 4-way entry
- 230ltr sump




BP2
Page 14
Sump Pallet for 2 drums
- 240ltr sump



BP4LR
Page 15
Recycled Low Profile
Sump Pallet - 230ltr
sump



BP4FW
Page 15
Sump Pallet for 4 drums
with 4-way entry - 250ltr
sump



BF4
Page 21
Sump Floor for 4 drums
- 300ltr sump



BB1
Page 8
Sump Pallet for 1 IBC
- 1100ltr sump



ROMOLD

TO FIND OUT MORE



Conditions Applicable

1.1 These Conditions of Sale apply to all contracts for the supply of Goods or Service by Romold Ltd to you to the exclusion of all other terms and conditions. Any order from you gives rise to a binding contract with us only when we have notified you in writing that the order is accepted or when we have made delivery of the Goods to you (if sooner).

Specifications

2.1 All illustrations and specifications are given as a general idea of the Goods described and do not form part of a contract. We reserve the right to incorporate changes or make substitutions without prior notice. Dimensions may vary by +2%

Prices

3.1 Prices quoted on the Romold Product Price List exclude Delivery and Value Added Tax where applicable unless specifically stated otherwise. Every effort is made to charge the prices set out in the most current Product and Delivery (UK only) Price Lists; however we reserve the right to increase the price payable for Goods or Delivery without prior notice.

Delivery

4.1 Delivery dates are estimated only and we shall not be liable for any loss or damage resulting from any delay. In particular we shall not be liable for any matter which results from an act of god, war or riot, extreme weather, strikes or any other events which are beyond our control.

4.2 We reserve the right to deliver Goods by instalments, each instalment being treated as a separate contract.

4.3 Risk in Goods will pass to you on delivery and you should insure accordingly.

4.4 Goods will be delivered at the point most convenient to our carrier. Further transfer at your or your customer's premises, particularly for large or heavy items, must be arranged prior to delivery and will be charged extra.

Claims

5.1 Claims for loss or non-delivery of Goods, damage, short delivery or non-compliance with descriptions must be notified in writing to us and the carrier as provided in the delivery note and in any event within 5 days of the delivery date. Original packaging must be returned with any damaged Goods. Claims will only be considered if these conditions are met. Our liability shall be limited to replacement free of charge or refund of the proportion of the price attributable to Goods undelivered or damaged at our option.

5.2 Goods are not sold for any particular purpose. We shall not be liable to you for any indirect or consequential loss arising out of or in connection with the sale of Goods to you.

Payment

6.1 Credit accounts are opened subject to status and are due strictly on 30 days from invoice date terms; otherwise payment is required with order. No set-off is permitted for any reason.

6.2 Where only part of the Goods ordered is dispatched, payment shall be made of the contract price attributed to that part.

6.3 Payment by cheque shall be treated as received once your cheque has cleared. In the case of late payment we reserve the right to charge interest at the daily rate of 4% per annum above the base rate of National Westminster Bank PLC both before and after judgment.

6.4 If any payment falls into arrears or you are the subject of any insolvency or related proceedings you must immediately notify us and we will have the right to cancel or postpone any contract, wholly or in part, and to be paid immediately for performance or part performance of any contract date.

Ownership of Goods

You will own Goods only once we have received payment in full of all sums owed by you. Until such time you must keep such Goods separate from your property, clearly identified as our property, and insured to their full reinstatement value. The proceeds of any insurance claim will belong to us. In the circumstances set out in clause 6.4 you shall allow us to enter your premises at any time in normal business hours to recover and/or resell Goods.

Cancellation and Return of Goods

8.1 You may only cancel a Contract with our prior consent and on the basis that you will indemnify us against any costs or consequent losses.

8.2 The return of Goods will not be accepted for any reason without prior consent and you will pay any consequential costs.

Warranty

Goods manufactured by Romold Ltd come with a 3 year guarantee against manufacturing defect only.

General Law

These conditions and any contract between us shall be subject to and construed in accordance with English law.

Acceptance of Terms of Business

On commencement of trade with Romold Limited the above terms of business become effective between both parties.



ROMOLD LTD[®]
specialist manufacturers of spill containment solutions



CONTACT YOUR LOCAL DISTRIBUTOR