SAFETY DATA SHEET

HONA **PureBuild**

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision: 1.1

SDS Revision Date: 10/18/21

	1. PRODUCT INDENTIFICATION					
	1. PRODUCT INDENTIFICATION					
1.1	Product Name:					
	HONA PureBuild					
1.2	Chemical Name:					
	POLYURETHANE (METH)ACRYLATE PREPOLYMER RESIN BLEND					
1.3	Synonyms:					
	NA					
1.4	Trade Names:					
	NA .					
1.5	Product Use:					
	PROFESSIONAL USE ONLY					
1.6	Manufacturer's Name:					
	MCCONNELL LABS, INC.					
1.7	Manufacturer's Adress:					
	406 SW UMATILLA AVE, REDMOND, OR 97756 USA					
1.8	Emergency Phone:					
	CHEMTREC: +1 703 527 3887 / +1 800 424 9300 (CCN 696869)					
1.9	Business Phone / Fax:					
	+1 541 526 1417 / +1 541 526 1418					

2. HAZARD INDENTIFICATION

Hazard Identification: 2.1

> WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSES EYE IRRITATION. Hazard Statements (H):H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary Statements (P): P261 - Avoid breathing fumes/gas/vapors/spray. P272 - Contaiminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF IN EYES - Rince continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. P333 + P313 - If skin reaction or a rash occurs, get medical attention. P337 + P313 - ilf eye irritation persists, P321 - for specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before resuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



Inhalation: YES Absorption: YES Routes of Entry: Ingestion: YES

Effects of Exposure: 2.3

> INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression.

EYES & SKIN:

The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflamation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin

reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated expsoure.

INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system.

Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give

some warning of exposure but odor fatigue may occur.

2.4 Symptoms of Overexposure:

> Symptoms of skin overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.

2.5 Acute Health Effects:

> Moderate irritation to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

Chronic Health Effects: 2.6

The material may cause an allergic reaction for some sensitive individuals.

2.7 Target Organs:

Eves, skin

	I	1	1	I		3. COMPOSITION & INGREDIENT INFORMATION							
					EXPOSURE LIMITS IN AIR (mg/m3)								
					AC	GIH		NOHS	2		OSHA		
					р	ppm ppm			ppm				
							ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
Bis-HEA IPDI / PPG-53	NA	NA	NA	20-60	NA	NA	NA	NF	NF	NA	NA	NE	
copolymer				_						_			
Bis-HEMA	82339-16-0	NA	NA	20-60	NA	NA	NF	NF	NF	NA	NA	NA	
Polyneopentyl Glycol Adipate/ IPDI Copolymer													
BIS-	NA	NA	NA	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
HEMAPoly(butylene/h examethylene				•	-	-	-	-	-	-	-		
Isobutyl Methacrylate	97-86-9	NA	NA	5-25	NA	NA	NF	NF	NF	NA	NA	NA	
, ,													
PEG-4 Dimethacrylate	25852-47-5	NA	NA	5-25	NA	NA	NF	NF	NF	NA	NA	NA	
Tripropylene glycol	42978-66-5	NA	NA	5-25	NA	NA	NF	NF	NF	NA	NA	NA	
diacrylate													
1-Hydroxylcyclohexyl	947-19-3	NA	213-426-9	0.1 - 5	NA	NA	NF	NF	NF	NA	NA	NA	
phenyl ketone		•											
Ttrimethylbenzoyl	162-881-26-7	NA	423-340-5	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Phenylphosphine	Skin Sens. 1; Aqu		•		INA	INA	1181	1181	INI	111/7	LINA	INA	
MAY ALSO CONTAIN		iadic Cili Offic 4	, 11317, 11413										
CI 77891 (Titanium	13463-67-7	XR2275000	226-675 5	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Dioxide)	13403-07-7	[ARZZ/3000	230-073-3	21.0	INA	INA	INF	INF	INF	INA	INA	IVA	
CI 15850 (Red 6)	17852-98-1	NA	241-806-4	≤0.1	NA.	NA	NF	NF	NF	NA	NA	NA	
2. 13030 (nea 0)	1,002 00 1	1.4/1	12 11 000 4	1_0.1	11471	14/1				. 47 1	/ 1/ 1	1.4/1	
CI 47005 (Yellow 10))	8004-92-0	NA	305-897-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	

4. FIRST AID MEASURES 4.1 First Aid:

4.1 Filst Alu.

INHALATION:

INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the

patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was

ingested and the amount of the substance that was swallowed.

SKIN & EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close

eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water followed by a thorough washing of the affected area with plenty of soak and waster. Remove all contaminated clothing including footwear and

Wach thoroughly before rouse. If irritation rodness or swelling persists, consult a physician immediately Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention.

4.2 Medical Conditions Aggravated by Exposure:

Pre-existing dermatitis, other skin conditions and disorders of the target organs (eyes, skin

	HEALTH	1
1)	FLAMMABILITY	0
	PHYSICAL HAZARDS	0
	PROTECTIVE EQUIPMENT	В
	FYFS SKIN	

5. FIREFIGHTING MEASURES						
Flashpoint & Method: > 100 °C (> 212 °F)						
Autoignition Temperature: NA						
Flammability Limits: Fire & Explosion Hazards:	Lower Explosive Limit (LEL): NA	Upper Explosive Limit (UEL): NA				

	When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2 and Nox)	3 of
5.	Extinguishing Methods:	
	Water, Foam, CO2, Dry Chemical	1

f 8

5.6 Fire Fighting Procedures:

First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water or other environmentally sensitive reas. If necessary, rinse contaminated equipment with soapy water before returning to service.

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., >1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of

7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a

maisturizer after washing. Do not eat drink or smoke while handling this product

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Do not store where temperatures can exceed 50 °C (122 °F).

	8. EXPOSURE CONTROLS & PERSONAL PROTECTION						
8.1	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate de	contaimination				
	equipment is available (e.g. sink safety shower eye wash station).						
8.2	8.2 Respiratory Protection: No special respiratory protections is required under typical circumstances of use or						
		handling. In instances where vapors or sprays of this product are generated, and					
		respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134,					
		application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable					
		standards of Canadian Provinces FC Member States or Australia					
8.3	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side shields) at all times when					
		handling this product. Always use protective eyewear when cleaning spills or leaks.					
		Contact lenses nose a special hazard: soft lenses may absorb and concentrate irritants.					
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in	mm				
		some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785					
		liters 1) wear nitrile or imprevious gloves					
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities					
		(e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon					
		completion of work activities involving large quantities of this product, wash any					
		exposed areas thoroughly with soap and water.					

	9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:	1.1				
9.2	Boiling Point:	NA				
9.3	Melting Point:	ND				
9.4	Evaporation Rate:	NA				
9.5	Vapor Pressure:	ND				
9.6	Molecular Weight:	NA				
9.7	Appearance & Color:	Clear or pigmented liquid				
9.8	Odor Threashold:	NE				
9.9	Solubility:	Not soluble				
9.1	pH:	NA				
9.1	Viscosity:	approximately 15,000 cps				
9.1	Other Information:	NA				

10. STABILITY & REACTIVITY

10 Stability

Relatively stable under ambient conditions when stored properly.

10 Hazardous Decomposition Products:

If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon and nitrogen).

10 Hazardous Polymerization:

Will not occur.

10 Conditions to Avoid:

Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and flame.

11 Incompatable Substances:

Strong oxidizers, peroxides, strong acids or alkalis.

11. TOXICOLOGICAL INFORMATION

11 Toxicity Data:

This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the produt which are found in scientific literature. These data have not been presented in this document.

11 Acute Toxicity:

See Section 2.5

11 Chronic Toxicity:

See Section 2.6

11 Suspected Carcinogen:

The ingredients of this product are not listed as carcinogens by the National Toxicology Program and have not been evaluated by the Internail Agency for Research on Cancer or the American Conference of Government Industrial Hygenists.

12 Reproductive Toxicity:

This product is not reported to cause reproductive toxicity in humans.

Mutagenicity:

This product is not reported to produce mutagenic effects in humans.

Embryotoxicity:

This product is not reported to produce embryotoxic effects in humans.

Teratogenicity:

This products is not reported to cause teratogenic effects in humans.

12 Irritancy of Product:

See Section 2.3

12 Biological Exposure Indicies:

NE

12 Physician Recommendations:

Treat syptomatically

12. ECOLOGICAL INFORMATION

12 Environmental Stability:

This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.

12 Effects on Plants & Animals:

There is no specific data availble for this product on plant life.

12 Effects on Aquatic Life:

There is no specific data availble for this product on aquatic life.

13. DISPOSAL CONSIDERATIONS

13 Waste Disposal:

Dispose inaccordance with local, state and Federal waste laws.

13 Special Considerations:

This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the environment and is more easily handled for disposal according to local, state and Federal regulations.

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.

Additional descriptive information may be required by 49 CFR. IATA/ICAO. IMDG. SCT. ADR and the CTDGR.

14 49 CFR (GRD):

NOT REGULATED

- 14 IATA (AIR):
- NOT REGULATED
- 14 IMDG (OCN):
- NOT REGULATED
- 14 TDGR (Canadian GND):
 - NOT REGULATED
- 15 ADR/RID (EU):
 - NOT REGULATED
- 15 MEXICO (SCT):
 - NOT REGULATED
- 15 ADGR (AUS):
 - **NOT REGULATED**

15. REGULATORY INFORMATION

15 SARA Reporting:

NA

15 SARA Threshold Planning Quantity:

NA

15 TSCA Inventory Status:

All components of this product are listed in the TSCA Inventory or are exempt

15 CERCLA Reportable Quantity (RQ):

NA

16 Other Federal Requirements:

This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

16 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are on the Priorities Substances List.



16 State Regulatory Information:

Ingredients in this mixture are found on the following state criteria lists: Itianium Dioxide is listed on the following state criteria list(s): Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposure List (WA). Benzophenone is listed on the following state criteria list(s): MN. No toher ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnisota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennylvania Right-to-Know

16 67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements:

The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): 36/37/38 - Irritating to eyes, respiratory system and skin. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do not breath gas, fumes, vapor or spray. Do not empty into drains.



16. OTHER INFORMATION 16 Other Information: WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. Wear potective gloves and eye/face protection. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not <u>take internally. Keen away from heat and onen flame. KFFP OUT OF THE REACH OF CHILDREN</u> 16 Terms & Definitions: Please see last page of this SDS. 16 Disclaimer: This Safety Data Sheet (SDS) is offered persuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of McConnell Labs' knowledge, the information contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to sonsult the latest edition. 16 Prepared for: Home of Nail Art (HONA) 13614125, Wednesbury Street Newport, NP190FG, Wales 17 Prepared by:

McConnell Labs, Inc. 406 SW Umatilla Ave Redmond, OR 97756 USA Tel: +1 541 526 1417 Fax: +1 541 526 1418

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1 Slight Hazard				
2	2 Moderate Hazard			
3	Severe Hazard			
4	4 Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В	The second second		
С	The second second	THE PARTY OF THE P	
D			
Е			
F			





Full Face Respirator











Full Face Respirator

包里 Face Shield & Protective Eyewear



Dust Respirator





OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

Minimal Hazard			
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
₩	Use No Water		
OX Oxidizer			
TREFOIL	Radioactive		



TOXICOLOGICAL INFORMATION:

als

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	I.S. Department of Transportation					
TC	Transport Canada					
EPA	S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(2)	②	(T)	®		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

			*			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

						(!)		(1)
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment