



Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1/15/2024

1. PRODUCT IDENTIFICATION

| | |
|-----|---|
| 1.1 | Product Name: McConnell Labs Easy Peel Base Coat |
| 1.2 | Chemical Name: Polyvinyl Alcohol solution |
| 1.3 | Synonyms: NA |
| 1.4 | Trade Names: Easy Peel Base Coat |
| 1.5 | Product Use: PROFESSIONAL CONSUMER USE ONLY |
| 1.6 | Manufacturer's Name: MCCONNELL LABS, INC. |
| 1.7 | Manufacturer's Address: 406 SW UMATILLA AVE, REDMOND, OR 97756 USA |
| 1.8 | Emergency Phone: CHEMTREC: +1 703 527 3887 / +1 800 424 9300 (CCN 696869) |
| 1.9 | Business Phone / Fax: +1 541 526 1417 / +1 541 526 1418 |

2. HAZARD IDENTIFICATION

| | | |
|-----|--|---|
| 2.1 | <p>This product is classified as a HAZARDOUS SUBSTANCE and as a DANGEROUS GOOD according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSES EYE IRRITATION. Hazard Statements (H): H226 - Flammable liquid and vapor. H302 – Harmful if swallowed. H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. H335 – May cause respiratory irritation. H370 – Causes damage to organs</p> <p>Precautionary Statements (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P223 - Keep container tightly closed. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing fumes/gas/vapors/spray. P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF IN EYES - Rinse continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. P333 + P313 - If skin reaction or a rash occurs, get medical attention. P337 + P313 - If eye irritation persists, P321 - for specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).</p> |   |
| 2.2 | Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES | |
| 2.3 | Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression. EYES & SKIN: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur. | |
| 2.4 | Symptoms of Overexposure: Symptoms of skin overexposure may include redness, itching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. | |
| 2.5 | Acute Health Effects: Moderate irritation to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. | |
| 2.6 | Chronic Health Effects: The material may cause an allergic reaction for some sensitive individuals. | |
| 2.7 | Target Organs: Eyes, skin | |

3. COMPOSITION & INGREDIENT INFORMATION

| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | EXPOSURE LIMITS IN AIR (mg/m3) | | | | | | | | OTHER |
|--|-------------|-----------|------------|-------|--------------------------------|------|--------|---------|---------|------|------|------|-------|
| | | | | | ACGIH | | NOHSC | | | OSHA | | | |
| | | | | | ppm | | ppm | | | ppm | | | |
| | | | | | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | |
| Aqua | 7732-18-5 | NA | 231-791-2 | 50-70 | NA | NA | NA | NF | NF | NA | NA | NE | |
| Ethanol | 64-17-5 | NA | 200-578-6 | 10-30 | 1000 | NA | 1000 | NF | NF | 1000 | NA | NA | |
| Flam. Liq. 2; Eye Irrit. 2A; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319; | | | | | | | | | | | | | |
| Polyvinyl Alcohol | 25213-24-5 | NA | NA | 5-10 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Coceth-7 | 61791-13-7 | NA | NA | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H400, H410 M-Factor - Aquatic Acute: 1 | | | | | | | | | | | | | |
| PPG-1-PEG-9 Lauryl Glycol Ether | 154248-98-3 | NA | | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| PEG 40 Hydrogenated Castor Oil | 61788-85-0 | NA | 500-147-5 | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Methylpropanediol | 2163-42-0 | NA | 412-350-5 | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Caprylyl Glycol | 1117-86-8 | NA | 214-254-7 | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Eye Irrit. 2A; Aquatic Acute 3; H319, H402 | | | | | | | | | | | | | |
| Phenoxyethanol | 122-99-6 | NA | 204-589-7 | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Acute Tox. 4; Eye Dam. 1; STOT SE 3; H302, H318, H335 | | | | | | | | | | | | | |
| Ethylhexylglycerin | 70445-33-9 | NA | NA | ≤1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| Methanol | 8024-22-4 | NA | NA | <0.3 | 200 | 250 | 200 | 250 | NF | 200 | NA | NA | |
| Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits:>= 10 %: STOT SE 1, H370; 3 - < 10 %: | | | | | | | | | | | | | |

4. FIRST AID MEASURES

| | | | | | | | | | | | | | |
|----------------------|--|--|--|--------|---|--------------|---|------------------|---|----------------------|---|------|--|
| 4.1 | First Aid: | | | | | | | | | | | | |
| | INGESTION: | If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount at which the material was ingested and the amount of the substance that was swallowed. | | | | | | | | | | | |
| | SKIN & EYES: | If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, seek immediate medical attention. If irritation, redness or swelling persists, consult a physician immediately. | | | | | | | | | | | |
| | INHALATION: | Remove victim to fresh air at once. | | | | | | | | | | | |
| 4.2 | Medical Conditions Aggravated by Exposure: | Pre-existing dermatitis, other skin conditions and disorders of the target organs (eyes, skin) | <table border="1" style="width: 100%;"> <tr> <td style="background-color: #0000FF; color: white;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #FF0000; color: white;">FLAMMABILITY</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="background-color: #FFFF00; color: black;">PHYSICAL HAZARDS</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #000000; color: white;">PROTECTIVE EQUIPMENT</td> <td style="text-align: center;">B</td> </tr> <tr> <td style="background-color: #000000; color: white;">EYES</td> <td></td> </tr> </table> | HEALTH | 1 | FLAMMABILITY | 3 | PHYSICAL HAZARDS | 1 | PROTECTIVE EQUIPMENT | B | EYES | |
| HEALTH | 1 | | | | | | | | | | | | |
| FLAMMABILITY | 3 | | | | | | | | | | | | |
| PHYSICAL HAZARDS | 1 | | | | | | | | | | | | |
| PROTECTIVE EQUIPMENT | B | | | | | | | | | | | | |
| EYES | | | | | | | | | | | | | |

5. FIREFIGHTING MEASURES

| | |
|-----|---|
| 5.1 | Flashpoint & Method: 24 °C (75 °F) |
| 5.2 | Autoignition Temperature: NA |
| 5.3 | Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA |
| 5.4 | Fire & Explosion Hazards: This product is slightly flammable. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2 and Nox) |
| 5.5 | Extinguishing Methods: Water, Foam, CO2, Dry Chemical |
| 5.6 | Fire Fighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service. |



6. ACCIDENTAL RELEASE MEASURES

| | |
|-----|--|
| 6.1 | Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. |
|-----|--|

7. HANDLING AND STORAGE INFORMATION

| | |
|-----|--|
| 7.1 | Work & Hygiene Practices: Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product. |
| 7.2 | Storage & Handling: Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES! |
| 7.3 | Special Precautions: Do not store where temperatures can exceed 50 °C (122 °F). |

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

| | | | |
|-----|-------------------------------------|--|---|
| 8.1 | Ventilation & Engineering Controls: | Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye wash station). | |
| 8.2 | Respiratory Protection: | No special respiratory protections is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134, application U.S. State regulations or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC Member States or Australia. |  |
| 8.3 | Eye Protection: | Wear protective eyewear (e.g., safety glasses with side shields) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. | |
| 8.4 | Hand Protection: | None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785 liters]), wear nitrile or impervious gloves. |  |
| 8.5 | Body Protection: | No apron required when handling small quantities. When handling large quantities (e.g., 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. | |

9. PHYSICAL & CHEMICAL PROPERTIES

| | | |
|------|---------------------|-----------------|
| 9.1 | Density: | 0.95 |
| 9.2 | Boiling Point: | ND |
| 9.3 | Melting Point: | -18°C (-0.4 °F) |
| 9.4 | Evaporation Rate: | 77 |
| 9.5 | Vapor Pressure: | ND |
| 9.6 | Molecular Weight: | NE |
| 9.7 | Appearance & Color: | Clear liquid |
| 9.8 | Odor Threshold: | NE |
| 9.9 | Solubility: | Soluble |
| 9.1 | pH: | 6.5-7 |
| 9.11 | Viscosity: | 1,500 cps |
| 9.12 | Other Information: | NA |

10. STABILITY & REACTIVITY

| | | |
|------|-----------------------------------|--|
| 10.1 | Stability: | Relatively stable under ambient conditions when stored properly. |
| 10.2 | Hazardous Decomposition Products: | If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of |
| 10.3 | Hazardous Polymerization: | Will not occur. |
| 10.4 | Conditions to Avoid: | Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks and flame. |
| 10.5 | Incompatible Substances: | Strong oxidizers, peroxides, strong acids or alkalis. |

11. TOXICOLOGICAL INFORMATION

| | |
|------|--|
| 11.1 | Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product which are found in scientific literature. These data have not been presented in this document. |
| 11.2 | Acute Toxicity: See Section 2.5 |
| 11.3 | Chronic Toxicity: See Section 2.6 |
| 11.4 | Suspected Carcinogen: NE |
| 11.5 | Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This products is not reported to cause teratogenic effects in humans. |
| 11.6 | Irritancy of Product: See Section 2.3 |
| 11.7 | Biological Exposure Indices: NE |
| 11.8 | Physician Recommendations: Treat syptomatically |

12. ECOLOGICAL INFORMATION


| | |
|------|--|
| 12.1 | Environmental Stability: There is no specific data for this product. |
| 12.2 | Effects on Plants & Animals: There is no specific data for this product. |
| 12.3 | Effects on Aquatic Life: There is no specific data for this product. |

13. DISPOSAL CONSIDERATIONS

| | |
|------|--|
| 13.1 | Waste Disposal: Dispose inaccordance with local, state and Federal waste laws. |
| 13.2 | Special Considerations: Packaging should be emptied as much as possible and after rinsing, sent for recycling. |

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.



| | | |
|------|--|---|
| 14.1 | 49 CFR (GRD): CONSUMER COMMODITY, ORM-D UN1170, Ethanol Solution, 3, II, LTD QTY |  |
| 14.2 | IATA (AIR): ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 0.5 L) UN 1170, Ethanol Solution, 3, II, (IP VOL ≤ 5.0 L) | |
| 14.3 | IMDG (OCN): UN1170, Ethanol Solution, 3, II, LTD QTY | |
| 14.4 | TDGR (Canadian GND): MARK PACKAGE "LIMITED QUANTITY" OR "QUANTITE LIMUTEE" OR "LTD QTY" OR "QUANT LTEE" UN1170, Ethanol Solution, 3, II, LTD QTY | |
| 14.5 | ADR/RID (EU): UN1170, Ethanol Solution, 3, II, LTD QTY (IP VOL ≤ 5 L) | |
| 14.6 | MEXICO (SCT): UN1170 solución de etanol, 3, II, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L) | |

14.7 ADGR (AUS):

UN1170, Ethanol Solution, 3, II, LTD QTY (IP VOL ≤ 5 L)



15. REGULATORY INFORMATION

| | | |
|------|---|---|
| 15.1 | SARA Reporting: NA | |
| 15.2 | SARA Threshold Planning Quantity: NA | |
| 15.3 | TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt | |
| 15.4 | CERCLA Reportable Quantity (RQ): NA | |
| 15.5 | Other Federal Requirements: This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). | |
| 15.6 | Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required | |
| 15.7 | State Regulatory Information: Massachusetts Right To Know Components ethanol, methanol Pennsylvania Right To Know Components ethanol, methanol California Prop. 65 Components , which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.ethanol List. | |
| 15.8 | 67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements: The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC. Ethanol: Flammable (F). Harmful (Xi). Risk Phrases (R): 11-36/37/38 - Highly Flammable. Irritating to eyes, skin and respiratory system. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do not breath gas, fumes, vapor or spray. Do not empty into drains. Keep away from sources of ignition - No Smoking. Avoid contact with skin and eyes, rinse immediately with plenty of water and seek medical advice. |   |

16. OTHER INFORMATION

| | | |
|------|--|--|
| 16.1 | Other Information: WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. Wear potective gloves and eye/face protection. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not take internally. Keep away from heat and open flame. KEEP OUT OF THE REACH OF CHILDREN. | |
| 16.2 | Terms & Definitions: Please see last page of this SDS. | |
| 16.3 | Disclaimer: This Safety Data Sheet (SDS) is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of McConnell Labs' knowledge, the information contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. | |
| 16.4 | Prepared for: McConnell Labs, Inc. 406 SW Umatilla Ave Redmond, OR 97756 USA Tel: +1 541 526 1417 Fax: +1 541 526 1418 http://www.lightelegance.com | |
| 16.5 | Prepared by: McConnell Labs, Inc. 406 SW Umatilla Ave Redmond, OR 97756 USA Tel: +1 541 526 1417 Fax: +1 541 526 1418 http://www.lightelegance.com | |

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| | |
|----------------|----------------------------------|
| CAS No. | Chemical Abstract Service Number |
|----------------|----------------------------------|

EXPOSURE LIMITS IN AIR:

| | |
|--------------|---|
| ACGIH | American Conference on Governmental Industrial Hygienists |
| TLV | Threshold Limit Value |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| IDLH | Immediately Dangerous to Life and Health |


FIRST AID MEASURES:

| | |
|------------|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|------------|--|




































HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| | |
|---|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |



PERSONAL PROTECTION RATINGS:

| | | | |
|----------|--|----------|---|
| A |  | G |    |
| B |   | H |     |
| C |    | I |    |
| D |     | J |     |
| E |    | K |     |
| F |     | X | Consult your supervisor or SOPs for special handling directions. |



OTHER STANDARD ABBREVIATIONS:

| | |
|-------------|------------------------------------|
| NA | Not Available |
| NR | No Results |
| NE | Not Established |
| ND | Not Determined |
| ML | Maximum Limit |
| SCBA | Self-Contained Breathing Apparatus |


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

| | |
|---------------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

HAZARD RATINGS:

| | |
|----------------|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| W | Use No Water |
| OX | Oxidizer |
| TREFOIL | Radioactive |











TOXICOLOGICAL INFORMATION:

| | |
|--|---|
| LD₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals |
| LC₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD₀₁ | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD₁₀, LD₁₀, & LD₀₁ or TC, TC₀₁, LC₀₁, & LC₀ | Lowest dose (or concentration) to cause lethal or toxic effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL_m | Median threshold limit |
| log K_{OW} or log K_{OC} | Coefficient of Oil/Water Distribution |









REGULATORY INFORMATION:

| | |
|--------------|--|
| WHMIS | Canadian Workplace Hazardous Material Information System |
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) |










WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| | | | | | | | |
|---|---|---|--|---|---|---|---|
|  |  |  |  |  |  |  |  |
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| | | | | | | | |
|---|---|---|--|---|---|---|---|
|  |  |  |  |  |  |  |  |
| C | E | F | N | O | T | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | | | | | | |
|---|---|---|--|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |