

Safety Data Sheet - HONA 'Get Tacky Detail' Foil Transfer Gel

Compilation Date: 23/03/2021

Section 1 – Identification of the Substance/Preparation and of the Company Undertaking

1.1. Product identifier

Product name: HONA 'Get Tacky Detail' Foil Gel

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: PC39: Cosmetics, personal care products. For nail use only

Uses advised against: All other uses

1.3. Details of the supplier of the safety data sheet

Company name: HONA - Home Of Nail Art, Wednesbury Street, Newport, South Wales, NP19 0FG.

Emergency Phone Numbers: +447917457563

Information Contacts: +447917457563

Email: Info@homeofnailart.com

Section 2: Hazards identification

Physical hazards - Not classified

Health hazards -	Skin corrosion/irritation	Category 2
	Skin sensitization	Category 1
	Serious eye damage/eye irritation	Category 2
	Specific target organ toxicity after single exposure	Category 3
	Specific target organ toxicity after repeated exposure	Category 2

Environmental hazards - Not classified

Label elements - The product is labeled according to Regulation (EC) NO 1272/2008

Hazard Pictograms



GHS07

Signal word Warning

Hazard determining components of labelling HEMA

Hazard statement Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.

**Precautionary
Statement**

Prevention Read label before use
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Wash thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/eye protection/face protection.
 Keep out of reach of children

Response If on skin: Wash with plenty of water.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 Call a poison center /doctor if you feel unwell.
 Get medical advice/ attention if you feel unwell.
 If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Storage Store in a well-ventilated place out of direct sunlight.
 Keep the container tightly closed. Store locked up.

Disposal Dispose of contents/container in corroding with local regulation.

Section 3: Composition/information on ingredients

Components	CAS#	Percentage %
Acrylates Copolymer	5035-69-2	10-40
HEMA	868-77-9	5-30
Cellulose acetate butyrate	9004-36-8	0-30

Hydroxycyclohexyl Phenyl Ketone	947-19-3	3-8
Dimethicone	9016-00-6	1-2
Tris-bht Mesitylene	1709-70-2	0-1

Section 4: First aid measures

Skin contact	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact	Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion	Wash out your mouth with water. Supply with fresh air. Consult a doctor.
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.1. Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact. May cause an allergic skin reaction
Eye contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure May cause coughing or wheezing.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure.

4.2. Indication of any immediate medical attention and special treatment needed

Immediate/ special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media Suitable extinguishing media for the surrounding fire should be used. Use CO2, powder, water spray or alcohol resistant foam to

extinguish

5.2. Special hazards arising from the substance or mixture

Exposure hazards In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Use personal protective equipment. Avoid breathing vapours. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2. Environmental precautions Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. If leakage occurs, dam up. Resolve leaks if possible without risk. Prevent from entering the drainage system. Inform the competent authorities when water or canalization has been infiltrated.

6.3. Methods and material for containment and cleaning up

Clean-up

procedures Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a cool, well ventilated area. Keep the container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Keep out of direct sunlight.

Suitable packaging Containers used must be opaque or light fast as material will polymerise under exposure to light

7.3. Specific end use(s)

Specific end use(s) No data available.

Section 8: Exposure controls/personal protection

Control Parameters

Ingredients with limit values

That require monitoring at

the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs:

DNEL type	Systemic Effects	DNEL worker value	DNEL consumer value
HEMA (868-77-9)	Long-term, inhalation exposure	4.9 mg/m ³	2.9 mg/m ³
	Long-term, dermal exposure	1.3 mg/kg bw/day	830 ug/kg bw/day
	Long-term, oral exposure	-	830 ug/kg bw/day
Hydroxycyclohexyl Phenyl Ketone (947-19-3)	Long-term, inhalation exposure	21.16 mg/m ³	5.22 mg/m ³
	Long-term, dermal exposure	3 mg/kg bw/day	1.5 ug/kg bw/day
	Long-term, oral exposure	-	1.5 ug/kg bw/day

Tris-bht Mesitylene (1709-70-2)	Long-term, inhalation exposure	33.234 mg/m ³	8.27 mg/m ³
	Long-term, dermal exposure	7.14 mg/kg bw/day	3.57 ug/kg bw/day
	Long-term, oral exposure	-	3.57 ug/kg bw/day

PNECs:

PNEC Type	Value
HEMA (868-77-9)	
-- Freshwater	482 ug/L
-- Intermittent releases (freshwater)	1 mg/L
-- Marine water	482 ug/L
-- Intermittent releases (marine water)	1 mg/L
-- Sewage treatment plant (STP)	10 mg/L
-- Sediment (freshwater)	3.79 mg/kg sediment dw
-- Sediment (marine water)	3.79 mg/kg sediment dw
Hydroxycyclohexyl Phenyl Ketone (947-19-3)	
-- Freshwater	14.4 ug/L
-- Intermittent releases (freshwater)	144 mg/L
-- Marine water	1.44 ug/L
-- Intermittent releases (marine water)	1.4 mg/L
-- Sewage treatment plant (STP)	10 mg/L
-- Sediment (freshwater)	186 mg/kg sediment dw
-- Sediment (marine water)	18.6 mg/kg sediment dw
Tris-bht Mesitylene (1709-70-2)	
-- Freshwater	1 ug/L
-- Intermittent releases (freshwater)	1 mg/L

-- Marine water	100 ug/L
-- Intermittent releases (marine water)	1 mg/L
-- Sewage treatment plant (STP)	10 mg/L
-- Sediment (freshwater)	193 mg/kg sediment dw
-- Sediment (marine water)	19.3 mg/kg sediment dw
-- Soil	304.35 g/kg soil dw
-- Secondary poisoning	333 mg/kg food

Exposure controls

Appropriate engineering controls Use in a well-ventilated area.

Individual protection measures, such as personal protective equipment

Eye / face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching the glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments). Impervious clothing, the type of protective equipment must be selected according to the concentration.

Respiratory protection For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate laws.

General hygiene considerations Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid/gel
Colour:	Colourless / transparent
Odour:	Fruity (Esters)
Odor threshold	Not available
pH	Not available
Vapor pressure	Not available
Melting/Freezing point	Not available
Initial boiling point	Not available
Flash point	>93°C (closed cup)
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Explosion limits	Not available
Vapor density	Not available
Solubility in water	Insoluble in water
Partition coefficient	Not available
Auto-ignition temperature	Product is not self-igniting
Decomposition temperature	Not available
Specific gravity	Not available
Density	Not available
Flammability limits in air, upper, %by volume	Not available
Flammability limits in air, lower, % by volume	Not available
VOC	Total volatiles 0.80%
Percent volatile	Not available
Other data Viscosity	Not available

Section 10: Stability and reactivity

Chemical stability	Material is stable under normal conditions
Conditions to avoid	Incompatible materials. Strong heat
Incompatible materials	Avoid contact with oxidizing agents
Hazardous decomposition products	No known hazardous composition
Possibility of hazardous reactions	No decomposition when used as directed

Section 11: Toxicological information

Acute toxicity: Based on available data, the classification criteria are not met.

LD50/LC50 values relevant for classification: No animal test has been done for this product or the components. ·Skin corrosion/irritation: Causes skin irritation.

Serious eyes damage/ irritation: Causes serious eye irritation.

Respiratory or skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT -single exposure: Based on available data, the classification criteria are not met.

STOT -repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Section 12. Ecological information

12.1 Toxicity

Aquatic toxicity : Not hazardous to the aquatic environment.

HEMA (868-77-9)	
Short-term toxicity to fish	LC50 (4 days) 100 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 380 mg/L NOEC (48 h) 171 mg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 24.1 mg/L EC50 (21 days) 90.1 mg/L LC50 (21 days) 100 mg/L

Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 345 - 836 mg/L NOEC (72 h) 160 - 400 mg/L
Hydroxycyclohexyl phenyl ketone (947-19-3)	
Short-term toxicity to fish	LC50 (4 days) 24 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 53.9 mg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 4.68 - 14.4 mg/L NOEC (72 h) 700 µg/L
Toxicity to microorganisms	EC50 (3 h) 100 mg/L
Tris-bht mesitylene (1709-70-2)	
Short-term toxicity to fish	LC50 (4 days) 100 mg/L
Short-term toxicity to aquatic invertebrates	LC50 (4 days) 100 mg/L EC50 (72 h) 100 mg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 100 mg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 100 mg/L NOEC (72 h) 100 mg/L

Toxicity to microorganisms	EC50 (3 h) 100 mg/L
----------------------------	---------------------

·12.2 Persistence and degradability: *Readily biodegradable.*

·12.3 Bio -accumulative potential: *Low bio-accumulation.*

·12.4 Mobility in soil : *Low mobility in soil.*

·12.5 Results of PBT and vPvB assessment PBT: *Not applicable*

vPvB: *Not applicable*

·12.6 Other adverse effects: *No known other adverse effects.*

·12.7 Additional ecological information

·General notes: *Water hazard class 1 (German Regulation) (self-assessment): Low hazard to waters. Do not allow large quantities of the product to reach ground water, water course or sewage system.*

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations	Dispose of contents/container in accordance with local/regional/national/international regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after the container is emptied.
Please Note	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

DOT

Basic shipping requirements

UN number	Not regulated
Proper shipping name	Not regulated
Hazard class	Not regulated
Packing group	Not regulated
Environmental hazards	No

IATA

UN number	Not regulated
UN proper shipping name	Not regulated
Transport hazard class(es)	Not regulated
Packing group	Not regulated
Environmental hazards	No

IMDG

UN number	Not regulated
UN proper shipping name	Not regulated
Transport hazard class(es)	Not regulated
Packing group	Not regulated
Environmental hazards	No

Section 15 Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

MAK (German Maximum Workplace Concentration): None of the ingredients is listed.

Directive 2012/18/EU

Named dangerous substances -ANNEX I: None of the ingredients is listed.

Seveso category: Not applicable

Qualifying quantity (tonnes) for the application of lower -tier requirements: Not applicable

Qualifying quantity (tonnes) for the application of upper -tier requirements: Not applicable

National regulations.

Water hazard class: Water hazard class 1 (German Regulation) (self-assessment): Low hazard to waters. **-Other regulations, limitations and prohibitive regulations**

SVHC Candidate list of REACH Regulation Annex XIV Authorisation: None of the ingredients is listed. **REACH Regulation Annex XVII Restriction:** None of the ingredients is listed.

REACH Regulation Annex XIV Authorization List: None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safe Assessment has not been carried out.

Section 16 Other information, including date of preparation or last revision

HMIS@ratings

Health: 2

Flammability: 1

Physical hazard: 0

NFPA ratings

Health: 2

Flammability: 1

Instability: 0

Relevant phrases:

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H413 May harmful to aquatic life with long lasting effects

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently available. Issue date 17/03/2021

The data contained herein are furnished for information only and are believed to be Reliable. However, HONA - Home Of Nail Art does not assume responsibility for any results obtained by persons over whose methods HONA has no control. It is the user's responsibility to determine the suitability of HONA's products or any production methods mentioned herein for particular purpose, and to adopt such precautions as may be advisable for the protection

property and persons against any hazards that may be involved in the handling and use of any of HONA's products. In light of the foregoing, HONA specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of HONA products. HONA further disclaims any liability for consequential or incidental damages of any kind, including lost profits.