



SHELLY BEACH



HD SURVEILLANCE



# AHD ECONOMY 4 CHANNEL KITS



4ECO

SURCHK-PRO013

- 1 X SH-4100A5N-2L(MM) 4CH DVR
- 2 x I1-320AB-28 BULLET CAMERAS
- 2 x DI-320AB-28 DOME CAMERAS
- 1 X 1TB HARD DRIVE
- 1 X PR-12V5A-4T 5A PSU
- 8 X PR-C13 BNC PLUGS 3Pcs
- 4 X PR-C10 DC CABLE (25cm length)
- 1 X RG59-100M RG59 POWAX CABLE, 100M



Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



# AHD ECONOMY 8 CHANNEL KITS



8ECO

**SURCHK-PRO014**

- 1 X SH-8100A5N-2L(MM) 8CH DVR
- 2 x I1-320AB-28 BULLET CAMERAS
- 2 x DI-320AB-28 DOME CAMERAS
- 1 X 1TB HARD DRIVE
- 2 X PR-12V5A-4T 5A PSU
- 8 X PR-C13 BNC PLUGS 3Pcs
- 4 X PR-C10 DC CABLE (25cm length)
- 1 X RG59-100M RG59 POWAX CABLE, 100M



ossia

8MP Lite Resolution	HD TVI CVI CVBS 4 in 1	Analytics	H.265 H.264 Compression
Alarm	2-Way Audio	CoC Control over coax	

**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



# AHD ECONOMY 8 CHANNEL KITS



- 1 X SH-8100A5N-2L(MM) 8CH DVR
- 4 x I1-320AB-28 BULLET CAMERAS
- 1 X 1TB HARD DRIVE
- 2 X PR-12V5A-4T 5A PSU
- 8 X PR-C13 BNC PLUGS 3Pcs
- 4 X PR-C10 DC CABLE (25cm length)
- 1 X RG59-100M RG59 POWAX CABLE, 100M

## 8ECO (4 Bullets)

**SURCHK-PRO015**



**ossia**



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



## H.265 All In 1 Hybrid Stand Alone DVR-2MP Lite 4CH Video Inputs

<b>Video Input</b>	4CH AHD Standard BNC + 2CH IP (over Network)
<b>Video Output</b>	HDMI(1920x1080), VGA (1280x1024, 1024x768)
<b>Recording IP</b>	3MP and lower: 25/30FPS Per Channel
<b>Recording AHD</b>	AHD 2MP lite / 1MP: Up to 25/30FPS Per Channel
<b>Recording TVI</b>	2MP lite / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVI</b>	2MP lite / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 25/30FPS Per Channel
<b>Playback</b>	Playback:
<b>Playback Local</b>	4 Channel Simultaneously (Local)
<b>Playback Remote</b>	4 Channel Simultaneously (Remote)
<b>Audio</b>	2-Way audio
<b>Audio Input</b>	1 Channel (RCA) + IP Cameras inputs
<b>Audio Output</b>	1 Channel (RCA) + IP Cameras outputs
<b>Storage</b>	1 x SATA (Up to 6TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 100Mbps
<b>PTZ / Keyboard</b>	Protocols: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC



SH-4100A5N-2L(MM)

**SURDHD-PRO4001**



## H.265 All In 1 Hybrid Stand Alone DVR-8MP Lite 4CH Video Inputs

<b>Video Input</b>	4CH Standard BNC + 2CH IP (over Network)
<b>Video Output</b>	HDMI(4K, 1920x1080), VGA (1280x1024), CVBS(Spot)
<b>Recording IP</b>	8MP: 20FPS Per Channel, 5MP and lower: 25/30FPS Per Channel
<b>Recording AHD</b>	8MP lite / 5MP / 4MP: Up to 12/15FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording TVI</b>	8MP lite / 5MP / 4MP: Up to 12/15FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVI</b>	4MP: Up to 12/15FPS Per Channel, 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 25/30FPS Per Channel
<b>Bandwidth Incoming</b>	16Mbps
<b>Bandwidth Outgoing</b>	40Mbps
<b>Playback Local</b>	4 Channel Simultaneously (Local)
<b>Playback Remote</b>	6 Channel Simultaneously (Remote)
<b>Audio Input</b>	1 Channel (RCA) + IP Cameras inputs
<b>Audio Output</b>	1 Channel (RCA) + IP Cameras outputs
<b>Analytics AHD Cameras</b>	Line Crossing (No Direction Choice), Sterile Area, Smart Search
<b>Analytics IP Cameras</b>	Line Crossing (With Direction Choice), Sterile Area, Item Monitoring, Camera Tampering, Smart Search
<b>Storage</b>	1 x SATA (Up to 6TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 100Mbps
<b>Alarm Input</b>	IP Cameras inputs only
<b>Alarm Output</b>	IP Cameras outputs only
<b>PTZ / Keyboard</b>	1 x RS-485 / CoC / IP over Network (Protocol: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC)



SH-4050A5N-8L(MM)

**SURDHD-PRO4005**



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



# H.265 All In 1 Hybrid Stand Alone DVR-2MP Lite 8CH Video Inputs

<b>Video Input</b>	8CH Standard BNC + 2CH IP (over Network)
<b>Video Output</b>	HDMI(1920x1080), VGA (1280x1024, 1024x768)
<b>Recording IP</b>	5MP and lower: 25/30FPS Per Channel
<b>Recording AHD</b>	2MP lite / 1MP: Up to 12/15FPS Per Channel
<b>Recording TVI</b>	2MP lite / 1MP: Up to 12/15FPS Per Channel
<b>Recording CVI</b>	2MP lite / 1MP: Up to 12/15FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 25/30FPS Per Channel
<b>Bandwidth Incoming</b>	16Mbps
<b>Bandwidth Outgoing</b>	60Mbps
<b>Playback Local</b>	8 Channel Simultaneously (Local)
<b>Playback Remote</b>	4 Channel Simultaneously (Remote)
<b>Audio Input</b>	1 Channel (RCA) + IP Camera inputs
<b>Audio Output</b>	1 Channel (RCA) + IP Camera outputs
<b>Analytics AHD Cameras</b>	Line Crossing (No Direction Choice), Sterile Area, Smart Search
<b>Analytics IP Cameras</b>	Line Crossing (With Direction Choice), Sterile Area, Item Monitoring, Camera Tampering, Smart Search
<b>Storage</b>	1 x SATA (Up to 6TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 100Mbps
<b>Alarm Input</b>	IP Cameras inputs only
<b>Alarm Output</b>	IP Cameras outputs only
<b>PTZ / Keyboard</b>	Protocols: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC



## SH-8100A5N-2L(MM)

**SURDHD-PRO8001**



# H.265 All In 1 Hybrid Stand Alone DVR-8MP Lite 8CH Video Inputs

<b>Video Input</b>	8CH Standard BNC + 8CH IP (over Network)
<b>Video Output</b>	HDMI(4K, 1920x1080), VGA (1280x1024), CVBS(Spot)
<b>Recording IP</b>	8MP: 20FPS Per Channel, 5MP and lower: 25/30FPS Per Channel
<b>Recording AHD</b>	8MP lite / 5MP / 4MP: Up to 12/15FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording TVI</b>	8MP lite / 5MP / 4MP: Up to 12/15FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVI</b>	4MP: Up to 12/15FPS Per Channel, 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 25/30FPS Per Channel
<b>Bandwidth Incoming</b>	32Mbps
<b>Bandwidth Outgoing</b>	80Mbps
<b>Playback Local</b>	8 Channel Simultaneously (Local)
<b>Playback Remote</b>	8 Channel Simultaneously (Remote)
<b>Audio Input</b>	1 Channel (RCA) + IP Cameras inputs
<b>Audio Output</b>	1 Channel (RCA) + IP Cameras outputs
<b>Analytics AHD Cameras</b>	Line Crossing (No Direction Choice), Sterile Area, Smart Search
<b>Analytics IP Cameras</b>	Line Crossing (With Direction Choice), Sterile Area, Item Monitoring, Camera Tampering, Smart Search
<b>Storage</b>	1 x SATA (Up to 6TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 100Mbps
<b>Alarm Input</b>	IP Cameras inputs only
<b>Alarm Output</b>	IP Cameras outputs only
<b>PTZ / Keyboard</b>	1 x RS-485 / CoC / IP over Network (Protocol: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC)



## SH-8100A5N-8L(MM)

**SURDHD-PRO8006**



ossia



**Security Superstore Shelly Beach**

**saleshc@securitysuperstore.co.za 072 250 7822**



## H.265 All In 1 Hybrid Stand Alone DVR-8MP Lite 8CH Video Inputs

<b>Video Input</b>	8CH Standard BNC + 8CH IP (Over Network)
<b>Video Output</b>	HDMI(4K, 1920x1080), VGA (1280x1024, 1024x768), CVBS(Spot)
<b>Recording</b>	8CH AHD/TVI/CVI/Analogue + 8CH IP
<b>Recording IP</b>	8MP / 5MP / 4MP / 3MP / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording AHD</b>	8MP Lite / 5MP / 4MP: Up to 15/12FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP Lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording TVI</b>	8MP Lite / 5MP / 4MP: Up to 15/12FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP Lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVI</b>	4MP: Up to 15/12FPS Per Channel, 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 30/25FPS Per Channel
<b>Playback</b>	8 Channel Simultaneously
<b>Audio</b>	2 Way audio
<b>Audio Input</b>	8CH RCA (2.0 Vp-p, 1 kΩ) (+IP Cameras)
<b>Audio Output</b>	1CH RCA (2.0 Vp-p, 1 kΩ)
<b>Storage</b>	2 x SATA (Up to 8TB) + E-Sata (Up to 8TB)
<b>USB Port</b>	1 USB 2.0 Port
<b>Network</b>	RJ-45: 1000Mbps
<b>Alarm Input</b>	8CH (+IP Cameras)
<b>Alarm Output</b>	2CH (+IP Cameras)
<b>PTZ / Keyboard</b>	1 x RS485 (Protocol: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC)



SH-8100A5-8L(1U)

**SURDHD-PRO8007**



Ossia



## H.265 All In 1 Hybrid Stand Alone DVR-2MP Lite 16CH Video Inputs

<b>Video Input</b>	16CH Standard BNC + 2CH IP (over Network)
<b>Video Output</b>	HDMI(1920x1080), VGA (1280x1024, 1024x768), CVBS(Spot)
<b>Recording IP</b>	5MP: 25FPS Per Channel, 4MP and lower: 25/30FPS Per Channel
<b>Recording AHD</b>	2MP lite / 1MP: Up to 12/15FPS Per Channel
<b>Recording TVI</b>	2MP lite / 1MP: Up to 12/15FPS Per Channel
<b>Recording CVI</b>	2MP lite / 1MP: Up to 12/15FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 25/30FPS Per Channel
<b>Bandwidth Incoming</b>	16Mbps
<b>Bandwidth Outgoing</b>	80Mbps
<b>Playback Local</b>	16 Channel Simultaneously (Local)
<b>Playback Remote</b>	8 Channel Simultaneously (Remote)
<b>Audio Input</b>	1 Channel (RCA) + IP Camera inputs
<b>Audio Output</b>	1 Channel (RCA) + IP Camera outputs
<b>Analytics AHD Channels</b>	Line Crossing (No Direction Choice), Sterile Area, Smart Search
<b>Analytics IP Channels</b>	(No DDA): Line Crossing (With Direction Choice), Sterile Area, Item Monitoring, Camera Tampering, Smart Search
<b>Storage</b>	1 x SATA (Up to 6TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 100Mbps
<b>Alarm Input</b>	IP Cameras inputs only
<b>Alarm Output</b>	IP Cameras outputs only
<b>PTZ / Keyboard</b>	Protocols: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC, CoC



SH-16200A5N-2L(MM)

**SURDHD-PRO16008**



Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



# H.265 All In 1 Hybrid Stand Alone DVR-5MP Lite 16CH Video Inputs

<b>Video Input</b>	16CH Standard BNC + 8CH IP (over Network)
<b>Video Output</b>	HDMI(1920x1080), VGA (1280x1024, 1024x768), CVBS(Spot)
<b>Recording IP</b>	5MP and lower: 25/30FPS Per Channel
<b>Recording AHD</b>	5MP Lite: Up to 10FPS Per Channel, 4MP Lite / 2MP: Up to 12/15FPS Per Channel, 2MP Lite: Up to 25/30FPS Per Channel
<b>Recording TVI</b>	5MP Lite: Up to 10FPS Per Channel, 4MP Lite / 2MP: Up to 12/15FPS Per Channel, 2MP Lite: Up to 25/30FPS Per Channel
<b>Recording CVI</b>	4MP Lite / 2MP: Up to 12/15FPS Per Channel, 2MP Lite: Up to 25/30FPS Per Channel
<b>Recording CVBS</b>	Not supported
<b>Bandwidth Incoming</b>	32Mbps
<b>Bandwidth Outgoing</b>	80Mbps
<b>Playback Local</b>	16 Channel Simultaneously (Local)
<b>Playback Remote</b>	16 Channel Simultaneously (Remote)
<b>Audio Input</b>	1 Channel (RCA) + IP Cameras inputs
<b>Audio Output</b>	1 Channel (RCA) + IP Cameras inputs
<b>Analytics AHD Channels</b>	Line Crossing (No Direction Choice), Sterile Area, Smart Search
<b>Analytics IP Channels</b>	Line Crossing (With Direction Choice), Sterile Area, Item Monitoring, Camera Tampering, Smart Search
<b>Storage</b>	1 x SATA (Up to 6TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 100Mbps
<b>Alarm Input</b>	IP Cameras inputs
<b>Alarm Output</b>	IP Cameras outputs
<b>PTZ / Keyboard</b>	1 x RS485 (Protocol: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC)



SH-16200A5N-5L(MM)

SURDHD-PRO16009



Ossia



# H.265 All In 1 Hybrid Stand Alone DVR- 8MP Lite 16CH Video Inputs

<b>Video Input</b>	16CH Standard BNC + 8CH IP (Over Network)
<b>Video Output</b>	HDMI(4K, 1920x1080), VGA (1280x1024, 1024x768), CVBS(Spot)
<b>Recording</b>	16CH AHD/TVI/CVI/Analogue + 8CH IP
<b>Recording IP</b>	8MP / 5MP / 4MP / 3MP / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording AHD</b>	8MP Lite / 5MP / 4MP: Up to 15/12FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP Lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording TVI</b>	8MP Lite / 5MP / 4MP: Up to 15/12FPS Per Channel, 5MP Lite: Up to 20FPS Per Channel, 4MP Lite / 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVI</b>	4MP: Up to 15/12FPS Per Channel, 2MP / 1MP: Up to 25/30FPS Per Channel
<b>Recording CVBS</b>	960H: Up to 30/25FPS Per Channel
<b>Playback</b>	16 Channel Simultaneously
<b>Audio</b>	2 Way audio
<b>Audio Input</b>	8CH RCA (2.0 Vp-p, 1 kΩ) (+IP Cameras)
<b>Audio Output</b>	1CH RCA (2.0 Vp-p, 1 kΩ)
<b>Storage</b>	2 x SATA (Up to 8TB) + E-SATA (up to 8TB)
<b>USB Port</b>	2 USB 2.0 Port
<b>Network</b>	RJ-45: 1000Mbps
<b>Alarm Input</b>	16CH (+IP Cameras)
<b>Alarm Output</b>	4CH (+IP Cameras)
<b>FPS</b>	100 (PAL) / 120 (NTSC))
<b>PTZ / Keyboard</b>	1 x RS485 (Protocol: Pelco D, Pelco P, Samsung, Visca, ONVIF, CoC)



SH-16200A5-8L(1U)

SURDHD-PRO16010



Ossia



Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822





# H.265 All In 1 Hybrid Stand Alone DVR-5MP Lite 32CH Video Inputs

<b>Video Input</b>	Input: Dynamic Hybrid, DVR Oriented: 32 Channel 4in1 HD Analog (BNC) + 8 Channel IP (Over Network), NVR Oriented: 24 Channel 4in1 HD Analog (BNC) + 16 Channel IP (Over Network), Including all the HD Analog/IP variations available within the specified ranges.
<b>Video Output</b>	Output: VGA: 1024x768/1280x1024/1920x1080, HDMI: 1024x768/1280x1024/1920x1080, CVBS (Can be used a spot)
<b>Recording</b>	HD Analog – 24-32 Channels
<b>Recording IP</b>	5MP and lower, Max 25/30FPS Per Channel, Resolution: 2560x1920 (PAL/NTSC)
<b>Recording CVBS</b>	960H, Max 25/30FPS Per Channel, Resolution: 960x575 (PAL) / 960x480 (NTSC), IP – 8-24 Channels
<b>Recording AHD/TVI 5MP</b>	5MP Lite, Max 10FPS Per Channel, Resolution: 1280x1936 (PAL/NTSC)
<b>Recording AHD/TVI 4MP</b>	4MP Lite, Max 12/15FPS Per Channel, Resolution: 1280x1936 (PAL/NTSC)
<b>Recording AHD/TVI/CVI</b>	1080P, Max 12/15FPS Per Channel, Resolution: 1920x1080 (PAL/NTSC), (Supported Resolutions: 1080P Lite, 720P)
<b>Bandwidth Incoming</b>	40-88Mbps
<b>Bandwidth Outgoing</b>	160Mbps
<b>Playback Local</b>	16 Channel Simultaneously (Local)
<b>Playback Remote</b>	8 Channel Simultaneously (Remote)
<b>Audio Input</b>	16 Channel (RCA)
<b>Audio Output</b>	1 Channel (RCA)
<b>Storage</b>	4 x SATA (Up to 8TB Each), 1 x eSATA (Up to 8TB)
<b>USB Port</b>	2 x USB2.0
<b>Network</b>	RJ-45: 1000Mbps
<b>Alarm Input</b>	16 (Dry-Contact)
<b>Alarm Output</b>	4 (Dry-Contact)
<b>PTZ / Keyboard</b>	1 x RS485 (Protocol: CoC/Pelco D\P/Samsung/Visca (IP Over ONVIF))



SH-32400A5-5L(1.5U)

**SURDHD-PRO32001**



Ossia



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822




## Camera HD- 2MP Pro series Dome/Turret IR 20M (1 LED Array) 2.8mm Lens

<b>Sensor</b>	1/2.9", 2 Mega-Pixel
<b>Selectable output</b>	1080P/720P 4in1 (AHD / CVI / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (88° Field of View)
<b>IR Range</b>	20M (1 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~270mA
<b>Weight</b>	485g



DI-320A-28

**SURCHD-PROD003**




## Camera HD- 2MP Pro series Dome/Turret IR 40M (3LED Array) 2.8-12mm Lens

<b>Sensor</b>	1/2.9", 2 Mega-Pixel
<b>Selectable output</b>	1080P/720P 4in1 (AHD / CVI / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8-12mm Vari-Focal Lens (88°-33° Field of View)
<b>IR Range</b>	40M (3 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~600mA
<b>Weight</b>	695g



DI-320A-VF

**SURCHV-PROT001**



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822




## Camera HD- 2MP Pro series Bullet IR 20M (1 LED Array) 2.8mm Lens

<b>Sensor</b>	1/2.9", 2 Mega-Pixel
<b>Selectable output</b>	1080P/720P 4in1 (AHD / CVI / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (88° Field of View)
<b>IR Range</b>	20M (1 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~320mA
<b>Weight</b>	475g



I2-320A-28

**SURCHD-PROB002**



## Camera HD- 2MP Pro series Bullet IR 30M (2LED Array) 2.8mm Lens

<b>Sensor</b>	1/2.9", 2 Mega-Pixel
<b>Selectable output</b>	2MP/1MP 4in1 (AHD / CVI / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (88° Field of View)
<b>IR Range</b>	40M (2 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~470mA
<b>Weight</b>	645g



I4-320A-28

**SURCHD-PROB005**



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822




## Camera HD- 2MP Pro series Bullet IR 40M (3 LED Array) 2.8-12mm Lens

<b>Sensor</b>	1/2.9", 2 Mega-Pixel
<b>Selectable output</b>	1080P/720P 4in1 (AHD / CVI / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8-12mm Vari-Focal Lens (88°-33° Field of View)
<b>IR Range</b>	40M (3 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V / 560mA
<b>Weight</b>	700g



I4-320A-VF

**SURCHV-PROB002**



## Camera HD- 5MP Pro series Dome/Turret IR 20M (1 LED Array) 2.8mm Lens

<b>Sensor</b>	1/2.7", 5 Mega-Pixel
<b>Selectable output</b>	5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (91° Field of View)
<b>IR Range</b>	20M (1 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~280mA
<b>Weight</b>	465g



DI-350A-28

**SURCHD-PROD006**



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



# Camera HD- 5MP Pro Series Dome/Turret IR 40M (3 LED Array) 2.8-12mm lens

<b>Sensor</b>	1/2.7", 5 Mega-Pixel
<b>Selectable output</b>	5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8-12mm Vari-Focal Lens (84°-32° Field of View)
<b>IR Range</b>	40M (3 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~620mA
<b>Weight</b>	695g



DI-350A-VF

**SURCHV-PROD001**

**PRO**  
5MP

4in1  
AHD  
ANALOG  
TVI  
CVI

**VF**

**5MP**  
Resolution

**IP67**  
Protection rating

3 Axis

Control over coax

**40m IR**  
IR View 0 Lux

ICR

D&N

3D-DNR

OSD

# Camera HD- 5MP Pro series Bullet IR 20M (1 LED Array) 2.8mm Lens

<b>Sensor</b>	1/2.7", 5 Mega-Pixel
<b>Selectable output</b>	5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (91° Field of View)
<b>IR Range</b>	20M (1 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP66
<b>Power</b>	DC 12V, ~320mA
<b>Weight</b>	475g



I2-350A-28

**SURCHD-PROB006**

**PRO**  
5MP

4in1  
AHD  
ANALOG  
TVI  
CVI

**5MP**  
Resolution

**IP67**  
Protection rating

3 Axis

Control over coax

**20m IR**  
IR View 0 Lux

ICR

D&N

3D-DNR

OSD

**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



## Camera HD- 5MP Pro Series Dome/Turret IR 40M (3 LED Array) 2.8-12mm lens

<b>Sensor</b>	1/2.7", 5 Mega-Pixel
<b>Selectable output</b>	5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (91° Field of View)
<b>IR Range</b>	40M (2 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~470mA
<b>Weight</b>	645g



I4-350A-28

**SURCHD-PROB007**



## Camera HD- 5MP Pro series Bullet IR 40M (3 LED Array) 2.8-12mm Lens

<b>Sensor</b>	1/2.7", 5 Mega-Pixel
<b>Selectable output</b>	5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8-12mm Vari-Focal Lens (84°-32° Field of View)
<b>IR Range</b>	40M (2 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~560mA
<b>Weight</b>	700g



I4-350A-VF

**SURCHV-PROB003**



**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822




## Camera HD- 8MP Pro series Dome/Turret IR 20M (1 LED Array) 2.8mm Lens

<b>Sensor</b>	1/2.5", 8 Mega-Pixel
<b>Selectable output</b>	8MP/5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8mm Mega-Pixel Fixed (89.3° Field of View)
<b>IR Range</b>	20M (1 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~340mA
<b>Weight</b>	485g



DI-380A-28

SURCHD-PROD007



## Camera HD- 8MP Pro series Bullet IR 40M (3 LED Array) 2.8-12mm Motorized Lens

<b>Sensor</b>	1/2.5", 8 Mega-Pixel
<b>Selectable output</b>	8MP/5MP/4MP 4in1 (AHD / CVI - Excluding 5MP / TVI / CVBS + PAL/NTSC)
<b>Lens</b>	2.8-12mm Motorized Vari-Focal Lens (83°-32° Field of View)
<b>IR Range</b>	40M (3 Array LED)
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	3D-DNR
<b>Auto Focus</b>	Support
<b>IP Rate</b>	IP67
<b>Power</b>	DC 12V, ~710mA
<b>Weight</b>	700g



I4-380A-MVF

SURCHM-PROB003



Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



## Camera Mini PTZ Bullet 1080P X4 Zoom high speed Pan/Tilt/Zoom IR 50m distance

<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	Noise reduction (3D-DNR), WB/AGC/BLC
<b>Preset speed</b>	12°/Sec (max)
<b>Preset accuracy</b>	up to 0.1°
<b>Pan</b>	250° Pan Rotation
<b>Tilt</b>	65° Tilt
<b>Zoom</b>	x4 Optical zoom
<b>Preset position</b>	Support
<b>OSD Menu</b>	Support
<b>CoC</b>	Support
<b>IP Rate</b>	IP66



I5PT-390AX4

SURCHD-PROP002



## Camera Mini PTZ Bullet 1080P X10 Zoom high speed Pan/Tilt/Zoom IR 50m distance

<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	Noise reduction (3D-DNR), WB/AGC/BLC
<b>Preset speed</b>	12°/Sec (max)
<b>Preset accuracy</b>	up to 0.1°
<b>Pan</b>	250° Pan Rotation
<b>Tilt</b>	65° Tilt
<b>Zoom</b>	x10 Optical zoom
<b>Preset position</b>	Support
<b>OSD Menu</b>	Support
<b>CoC</b>	Support
<b>IP Rate</b>	IP66



I5PT-390AX10

SURCHD-PROP003



Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822





## Camera ULTRA-Z PTZ Dome 1080P 10X high speed Pan/Tilt/Zoom with IR

<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	Noise reduction (3D-DNR), WB/AGC/BLC
<b>Preset speed</b>	200°/Sec/tilt speed of 30°
<b>Preset accuracy</b>	up to 0.1°
<b>Pan</b>	Endless Pan Rotation 360°
<b>Tilt</b>	Continuously Tilt with Auto flip 180°
<b>Zoom</b>	x10 Optical zoom
<b>Preset position</b>	Preset position, cruise, pattern and auto scan
<b>OSD Menu</b>	Support
<b>CoC</b>	Support
<b>IP Rate</b>	IP66
<b>Power</b>	DC12V / 1.5A



**MZ-10A-2(1R)**

**SURCHD-PROP001**



## Camera ECO PTZ Dome 1080P 20X high speed Pan/Tilt/Zoom IR 100m distance with 220V Power

<b>Video Output</b>	"4 in 1" - AHD/CVI/TVI 2MP (1920x1080) Analog 700TVL
<b>IR Range</b>	100m Intelligent IR LED Array
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	Noise reduction (3D-DNR), WB/AGC/BLC
<b>Preset speed</b>	60°/Sec (max)
<b>Preset accuracy</b>	up to 0.1°
<b>Pan</b>	Endless Pan Rotation 360°
<b>Tilt</b>	Continuously Tilt with Auto flip 180°
<b>Zoom</b>	x20 Optical zoom
<b>Preset position</b>	Preset position, cruise, pattern, and auto scan
<b>OSD Menu</b>	Support
<b>CoC</b>	Support
<b>Masking</b>	Support
<b>IP Rate</b>	IP66
<b>Power</b>	DC12V/1.6A



**ZE-20A-2(1R)**

**SURCHD-PROP004**



**Security Superstore Shelly Beach**

**saleshc@securitysuperstore.co.za 072 250 7822**



# Camera PRO PTZ Dome 1080P 20X high speed Pan/Tilt/Zoom IR 100m distance with 220V Power

<b>Video Output</b>	"4 in 1" - AHD/CVI/TVI 2MP (1920x1080) Analog 700TVL
<b>IR Range</b>	100m Intelligent IR LED Array
<b>True Day &amp; Night</b>	ICR
<b>Image Enhancement</b>	Noise reduction (3D-DNR), WB/AGC/BLC
<b>Preset speed</b>	350°/Sec (max)
<b>Preset accuracy</b>	up to 0.1°
<b>Pan</b>	Endless Pan Rotation 360°
<b>Tilt</b>	Continuously Tilt with Auto flip 180°
<b>Zoom</b>	x20 Optical zoom
<b>Preset position</b>	Preset position, cruise, pattern and auto scan
<b>Alarm</b>	1 Input / 1 Output
<b>OSD Menu</b>	Support
<b>CoC</b>	Support
<b>IP Rate</b>	IP66
<b>Power</b>	24VAC/3A



**ZP-20A-2(IR)**

**SURCHD-PROP005**



**Security Superstore Shelly Beach**

**saleshc@securitysuperstore.co.za 072 250 7822**



## Vari-Focal F1.5 CS mount 1/1.8" P-IRIS 3.6mm-10mm 6MP lens

### Details

6 Mega-Pixel Lens  
Auto Iris Lens  
3.6-10mm Vari-Focal



03610DCMP-6

SURZSU-PRO003

## Vari-Focal DC Auto Iris 2.8-12mm 3MP lens

### Details

3 Mega-Pixel Lens  
Auto Iris Lens  
2.8~12mm Vari-Focal  
Suitable for 1/2.9" Sensors



02812DCMP-3

SURZSU-PRO002

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



# Monitor 10.1 inch Standalone LCD with IP5 panel HDMI & VGA White shell

## Details

Screen Size: 10" TFT Screen  
Resolution: 1024x600  
TV System: PAL / NTSC  
Power Supply: DC 12V, 1A  
Video Input: 1VP-P, 75Ohm  
Inputs: AV1, AV2, VGA, HDMI, Power  
Work Temperature: -10°C ~ 60°C  
Viewing Angle: 85° (All Directions)  
Contrast Ratio: 300:01:00  
Brightness: 350CD/m2  
Weight: 1.2Kg  
Dimension: 250W x 163H x 16D mm



**PR-IPS10-W**

**SURMON-PRO004**

# Tester 4.3 inch AHD/TVI/CVI/CVBS with RS485 up to 8MP with EU & US socket

## Details

4.3" TFT LCD Display  
8MP 4 in 1 support: AHD / CVI /TVI / CVBS  
CoC Support  
Image settings support  
Installation without external Power Source:  
12VDC Ouput (Plug Supplied)  
5VDC Output (Micro USB Plug Supplied)  
Network Cable Tester Included  
Audio in with Built-in Speaker  
PAL/NTSC Support  
Status LED Indicators  
Built-In Long-Life Rechargeable Battery  
Hands Free Operation (Arm strap supplied)  
Light Weight



**TM-434In1-8**

**TOOCCT-PRO01268**



**Security Superstore Shelly Beach**

**saleshc@securitysuperstore.co.za 072 250 7822**



## Power supply Provision ISR 12V 20A Professional Rack mountable for 16CH

### Details

- High efficiency and environmental friendly design
- Optimal design for easy installation
- Stable power signal to support clear images
- Over-current protection
- "Over-voltage" output protection
- Short circuit protection
- Lock
- Individual Status LED for each Channel
- Thermal Fuses



PR-20A16CH(1U)

POWDPS-PRO018

## Power supply Professional 9CH 12V/10A with socket

### Details

- High efficiency and environmental friendly design
- Optimal design for easy installation
- Stable power signal to support clear images
- Over-current protection
- "Over-voltage" output protection
- Short circuit protection
- Lock
- Individual Status LED for each Channel
- Thermal Fuses



PR-10A9CH+

POWDPS-PRO001

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



## Power supply Professional 9CH 12V/10A with room for backup battery with socket

### Details

High efficiency and environmental friendly design  
Optimal design for easy installation  
Stable power signal to support clear images  
Over-current protection  
"Over-voltage" output protection  
Short circuit protection  
Lock  
Individual Status LED for each Channel  
Thermal Fuses  
Backup Battery Support (Backup Battery not included)



**PR-10A9CH-B**

**POWDPS-PRO017**

## Power supply Professional 16CH 2V/12A with socket

### Details

High efficiency and environmentally friendly design  
Optimal design for easy installation  
Stable power signal to support clear images  
Over-current protection  
"Over-voltage" output protection  
Short circuit protection  
Lock  
Individual Status LED for each Channel  
Thermal Fuses  
DC12V/12A



**PR-12A16CH+**

**POWDPS-PRO002**

**Security Superstore Shelly Beach**

**saleshc@securitysuperstore.co.za 072 250 7822**



## Power supply DC 12V 5A with 4 channel terminal block

### Details

12V 5A power supply - 4 DC Terminals.  
High efficiency and environmental friendly design  
Optimal design for easy installation  
Stable power signal to support clear images  
Full AC Input range: AC100~240V  
Output Voltage: DC12V±5%  
Over-current protection  
Short circuit protection  
Auto Recovery



PR-12V5A-4T

POWDPS-016

## Power Supply 12V 3A

### Details

12V 3A power supply - 1 DC Plug.  
High efficiency and environmental friendly design  
Optimal design for easy installation  
Stable power signal to support clear images  
Full AC Input range: AC100~240V  
Output Voltage: DC12V±5%  
Over-current protection  
Short circuit protection  
Auto Recovery



PR-12V3A

POWDPC-12V3A011

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



## Junction box for I6-/DI-VF IP66

### Details

Large Water-proof Junction Box  
Weight: 512 g  
Dimensions: 139.3x50 mm  
Suitable for:  
I6 New Bullet Camera (All Models)  
DAI-VF New Dome Anti-Vandal Camera (All Models)  
DI-VF New Turret Dome Camera (All Models)



PR-JB14IP66

SURZSU-PRO015

## Junction box for I4-/I2-/DI-Fix IP66

### Details

Small Water-proof Junction Box  
Weight: 380 g  
Dimensions: 117.9x47 mm  
Suitable for:  
I4 New Bullet Camera (All Models)  
I2 New Bullet Camera (All Models)  
DAI-Fixed Lens New Dome Anti-Vandal Camera (All Models)  
DI-Fixed Lens New Turret Dome Camera (All Models)



PR-JB12IP66

SURZSU-PRO014

## Junction Box Small

### Details

Suitable for:  
Bullet Camera with Fixed Lens  
Eyeball camera with Fixed Lens



PR-B37JB

SURZSU-PRO005

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822





## Junction Box Small Plastic for AHD cameras

### Details

Suitable for:  
Bullet camera with fixed lens  
Eyeball camera with fixed lens  
Bullet camera with fixed lens



PR-B42PJB

SURZSU-PRO007

## Junction Box Waterproof for IP models I4/I5/I8/DI for AHD models DI VF lens

### Details

Suitable for:  
Eyeball camera with VF lens  
Bullet Camera with VF/MVF lens  
Eyeball camera with VF lens



PR-B55JB

SURZSU-PRO009

## BNC Plug 3Pcs

### Details

BNC plug (one set with three pcs) for ratchet BNC cramping tool.



PR-C13

CABBNC-001

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



## BNC Male to RCA Female

Details

BNC male to RCA female.



PR-C01

CABBNC-013

## BNC T connector - BNC Female to 2 BNC Female

Details

T conector- BNC female to 2 BNC female.



PR-C02

CABBNC-006

## BNC T connector - BNC Male to 2 BNC Female

Details

T Conector- BNC male to 2 BNC female.



PR-C03

CABBNC-007

**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



## BNC Female to BNC Female

Details

BNC female to BNC female



PR-C07

CABBNC-008

## BNC Female to RCA Male

Details

BNC female to RCA male.



PR-C04

CABBNC-014

## DC Jack Male

Details

DC jack male.



PR-C08

CABDCJ-002

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



## DC Jack Female

Details

DC jack female..



PR-C09

CABDCJ-004

## DC Cable (25 cm length)

Details

DC cable (25 cm length).



PR-C10

CABDCJ-001

## DC Cable Female (15 cm)

Details

DC cable female (15 cm).



PR-C11

CABDCJ-003

**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822



## 1 CH HD Passive Video Balun Set 8MP

### Details

Passive transmission - No power required  
8MP 4in1 support: AHD / CVI / TVI / CVBS.  
Transmission Distance: AHD / CVBS - 200M / CVI / TVI - 150M.  
Friendly "Tool Free" Terminal Connector  
Built-in TVS for Surge Protection  
Anti Static Design  
Wave Filter Design  
Designed for Cat.5e/6 Cables



PTR-101V-HD-8

CABBAL-011

## 1 CH Passive Balun HD Video And Power 8MP

### Details

Input: 1Ch BNC + 12VDC Power  
Output: 1Ch BNC + 12VDC Power  
System Format: PAL / NTSC  
Input Resolution Support: 8MP and Lower  
Input Signal Support: 4 in 1 (AHD / CVI / TVI / CVBS)  
8MP Transmission Distance (Based on input signal):  
- AHD 200m  
- TVI 150m  
- CVI 150m  
- CVBS 200m  
Transmission Distance (Based on Power Consumption):  
- 200mA 180m  
- 300mA 120m  
- 400mA 100m  
- 500mA 80m  
- 600mA 60m  
Attenuation: 1.5db Max  
Wiring: Cat5/5e/6 crimped cable (RJ-45)  
Surge Protection: 2KV  
Work Environment: -20°C-70°C, 0%-90% Humidity  
Power Source: Not Required (Passive Unit). Power is required for powered device only.  
Dimensions: Camera/DVR Side - 73x29x20mm + 113mm Wire  
Net Weight: 60g



PTR-102VP-HD-8

CABBAL-015

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



# USB ALARM EXPANSION BOX 16CH ALARM INPUT 6CH ALARM OUTPUT

## Details

6 Alarm Inputs (Dry Contact)  
6 Alarm Output (Dry Contact)  
USB Interface  
Power LED Indicator



I/O-1606

SURZSU-PRO019

# Active Horn Speaker 30W 12V-24V with 3.5mm stereo male sound input Vol control

## Details

Total Distortion: 5% Max at 1KHz 1W  
Resonance Frequency:  $700 \pm 15\%$ Hz at 1V, 25 °C  
Rated Frequency Range: 300Hz ~ 5.5K Hz (-20dB band)  
Sound Pressure Level:  $112 \pm 3$ dB 1w/m @ 1K Hz  
Rated Impedance: ACR 8 Ohm  
Work Environment: Temperature -20°C~+40°C, Humidity 45%~85%  
Dimensions: 285(W) × 205(H)× 280(L)mm  
Weight: 2.1kg ± 10%  
Power Input: 12VDC/2A



PR-HS30W

SURZSU-PRO020

Security Superstore Shelly Beach

saleshc@securitysuperstore.co.za 072 250 7822



# Wall pendant mount bracket for PTZ

**Details** Suitable for: New PTZ Line



PR-WB-Z

SURZSU-PRO018

**Security Superstore Shelly Beach**

saleshc@securitysuperstore.co.za 072 250 7822

