

# CERTIFICATE OF ANALYSIS

**PRODUCT NAME:** Certified Organic CBD Tincture - Lemon  
**PRODUCT STRENGTH:** 450 mg  
**FILL LOT NUMBER:** 200909A  
**TINCTURE BATCH:** 200914G  
**BEST BY DATE:** 03/23/2022  
**HEMP EXTRACT LOT** [B0180-0041](#)

\*Click on the links to view third-party reports\*

### Physical Attributes

Test	Method	Specification	Results
Color	SOP-100	Golden to Amber	PASS
Odor	SOP-100	Coconut and hemp, lemon	PASS
Appearance	SOP-100	Golden to Amber oil in brown glass bottle with dropper	PASS
Primary Package Eval.	SOP-132	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	SOP-132	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

### Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
<b>Potency - Total CBD</b>	SOP-111	450-562.5 mg CBD LOQ** : 10 PPM† (0.001%)	<b>498.3 mg</b>	PASS
<b>Potency - D9-THC</b>	SOP-111	None Detected LOQ: 10 PPM (0.001%)	<b>ND</b>	PASS
<b>Compliant Pesticide Panel</b>	SOP-111	WIP-100008 : Product specification for Tinctures, Oregon Action limits apply	<b>ND</b>	PASS
<b>Microbial - Stec E.Coli</b>	SOP-111	Complies with USP 61/62	<b>Below LOQ</b>	PASS
<b>Microbial - Salmonella</b>	SOP-111	Complies with USP 61/62	<b>Below LOQ</b>	PASS
<b>Microbial - Yeast and Mold</b>	SOP-111	Complies with USP 61/62	<b>Below LOQ</b>	PASS
<b>CA Compliant Heavy Metal Panel</b>	SOP-111	Arsenic (As): ≤1.5 PPM Cadmium (Cd): ≤0.5 PPM Mercury (Hg): ≤1.0 PPM Lead (Pb): ≤0.5 PPM	<b>ND</b>	PASS

\*\*Level of Quantitation, † Parts Per Million

Quality Certified Kei Horikawa 10/20/2020  
 Kei Horikawa Date  
 Quality Control Manager



total cannabinoids	$\Delta^9$ -THC	THCa	total THC
<b>17 mg</b>	0.00 mg	0.00 mg	0.00 mg
per	CBD	CBDa	total CBD
<b>mL</b>	16.61 mg	0.00 mg	16.61 mg

Lot# 200909A

This Product Has Been Tested and Complies with 7USC1639o(1) Definition of Hemp




Stillwater Laboratories

<https://portal.a2la.org/scopepdf/4961-01.pdf>

Sample Handling

concentrate

test ID	sample wt
type concentrate	order <b>8322</b>
lab ID <b>0JG56</b>	sample date 9/10/2020
unit mL	unit weight <b>0.9 g</b>



Methods

method	equipment
weights	MSP-7.3.1.3 AUX120.1
potency	MSP-7.5.1.5 LC-2030
terpenes	MSP-7.5.1.7 QP2020/HS20
pesticides	MSP-7.5.1.8 LC-8060
mycotoxins	MSP-7.5.1.8 LC-8060
microbial	MSP-7.5.1.1 AriaMx RTPCR
solvents	MSP-7.5.1.6 QP2020/HS20
metals	MSP-7.5.1.1 ICPMS2030

Potency	per mL	estimated error	Terpenes	%	estimated error	%	estimated error	%	estimated error
tetrahydrocannabinolic acid (THCa)	0%	0.00 mg ± 0.02 mg	terpenes not tested / not required						
$\Delta^9$ -tetrahydrocannabinol ( $\Delta^9$ THC)	0%	0.00 mg ± 0.02 mg							
$\Delta^8$ -tetrahydrocannabinol ( $\Delta^8$ THC)	0%	0.00 mg ± 0.02 mg							
tetrahydrocannabivarin (THCv)	0%	0.00 mg ± 0.02 mg							
cannabidiolic acid (CBDA)	0%	0.00 mg ± 0.02 mg							
cannabidiol (CBD)	1.77%	16.61 mg ± 0.03 mg							
cannabidivarin (CBDv)	0%	0.00 mg ± 0.02 mg							
cannabigerolic acid (CBGa)	0%	0.00 mg ± 0.02 mg							
cannabigerol (CBG)	.04%	0.33 mg ± 0.02 mg							
cannabinol (CBN)	0%	0.00 mg ± 0.02 mg							
cannabichromene (CBC)	0%	0.00 mg ± 0.02 mg							

Pesticides (MT)	MT limit	0JG56	LOQ	Pesticides (other)	0JG56	LOQ
-----------------	----------	-------	-----	--------------------	-------	-----

pesticides not tested / not required

not tested / not required

Toxic Metals	MT limit	0JG56	LOQ
--------------	----------	-------	-----

metals not tested / not required

Microbial	MT limit	0JG56	LOQ
-----------	----------	-------	-----

microbial not tested

Comments

Density = 0.941192g/mL

• All testing was completed onsite at 6073 US93N, Olney MT •• Potency (cannabinoid concentration) is calculated from the equation: [cannabinoid] = [cannabinoid]<sub>HPLC</sub> x volume<sub>dilution</sub>/m<sub>dry</sub>. Terpene concentration is calculated from the equation: [terpene] = (terpene mass)<sub>GCMS</sub> / m<sub>dry</sub>. ••• Decarboxyted cannabinoid concentration is calculated from the equation XXX<sub>total</sub> = 0.877 x XXX<sub>a</sub> + XXX •••• Standards are used to calibrate the resulting data and estimate error using a standard estimate of error method; this is combined with error from weighing and dilution using the propagation of error formula s<sub>g</sub><sup>2</sup> = Σ (∂f/∂i)<sup>2</sup>s<sub>i</sub><sup>2</sup> where i is the contributor to error. The 95% confidence range is calculated from the equation: (concentration) ± t<sub>CL90</sub> x s<sub>g</sub>. Sampling error is not

Certified by:

Kyle Larson, MSc (Biology)  
Deputy Director  
6073 US93N, Olney MT 59927  
406-881-2019 rdb@stwlabs.com



total cannabinoids		CBD	THC
		total 82.8%	0.0%
<b>83.7%</b>	decarb total	82.76%	0%
24273			

This Product Has Been Tested and Complies with 7USC1639o(1) Definition of Hemp



Stillwater Laboratories

https://portal.a2la.org/scopepdf/4961-01.pdf


Sample Handling

test ID sample date 8/11/20 12:04 PM  
 order 8037 labID 0HE39 weight  
 source

Methods

	method	equipment
weights	MSP-7.3.1.3	AUX120.1
potency	MSP-7.5.1.5	LC-2030
terpenes	MSP-7.5.1.7	QP2020/HS20
pesticides	MSP-7.5.1.8	LC-8060
mycotoxins	MSP-7.5.1.8	LC-8060
microbial	MSP-7.5.1.1	AriaMx
solvents	MSP-7.5.1.6	QP2020/HS20
metals	MSP-7.5.1.11	ICPMS2030

concentrate



Potency

	%	estimated error
tetrahydrocannabinolic acid (THCa)	0%	± 0.02 %
Δ <sup>9</sup> -tetrahydrocannabinol (Δ <sup>9</sup> THC)	0%	± 0.02 %
Δ <sup>8</sup> -tetrahydrocannabinol (Δ <sup>8</sup> THC)	0%	± 0.02 %
tetrahydrocannabivarin (THCv)	0%	± 0.02 %
cannabidiolic acid (CBDa)	0%	± 0.02 %
cannabidiol (CBD)	82.76%	± 0.74 %
cannabidivarin (CBDv)	0%	± 0.02 %
cannabigerolic acid (CBGa)	0%	± 0.02 %
cannabigerol (CBG)	.93%	± 0.08 %
cannabinol (CBN)	0%	± 0.02 %
cannabichromene (CBC)	0%	± 0.02 %

Terpenes

terpenes not tested / not required

Solvents

	MT limit	0HE39	LOQ
propane	5,000	0 ppm	<10ppm
butanes	5,000	0 ppm	<10ppm
pentanes	5,000	0 ppm	<10ppm
hexanes	290	0 ppm	<10ppm
cyclohexane	3,880	0 ppm	<10ppm
heptanes	5,000	0 ppm	<10ppm
methanol	3,000	0 ppm	<10ppm
isopropanol	5,000	0 ppm	<10ppm
acetone	5,000	0 ppm	<10ppm
ethyl acetate	5,000	0 ppm	<10ppm
benzene	2	0 ppm	<0.2ppm
toluene	890	0 ppm	<10ppm
xylenes	2,170	0 ppm	<10ppm
chloroform	2	0 ppm	<0.2ppm
dichloromethane	600	0 ppm	<10ppm

Pesticides (MT)

	MT limit	0HE39	LOQ
abamectin	2.50 ppm	0.00 ppm	<10ppb
acequinocyl	10.00 ppm	0.00 ppm	<10ppb
bifenazate	1.00 ppm	0.00 ppm	<10ppb
bifenthrin	1.00 ppm	0.00 ppm	<10ppb
chlormequat cl.	5.00 ppm	0.00 ppm	<10ppb
cyfluthrin	5.00 ppm	0.00 ppm	<80ppb
diaminozide	5.00 ppm	0.00 ppm	<10ppb
etoxazole	1.00 ppm	0.00 ppm	<10ppb
fenoxycarb	1.00 ppm	0.00 ppm	<10ppb
imazalil	1.00 ppm	0.00 ppm	<10ppb
imidacloprid	2.00 ppm	0.00 ppm	<10ppb
myclobutanil	0.60 ppm	0.00 ppm	<10ppb
paclobutrazol	2.00 ppm	0.00 ppm	<10ppb
pyrethrins	5.00 ppm	0.00 ppm	<10ppb
spinosad	1.00 ppm	0.00 ppm	<10ppb
spiromesifen	1.00 ppm	0.00 ppm	<10ppb
spirotetramat	1.00 ppm	0.00 ppm	<10ppb
trifloxystrobin	1.00 ppm	0.00 ppm	<10ppb

Pesticides (other)

	0HE39	LOQ
acephate	0.00 ppm	<10ppb
acetamiprid	0.00 ppm	<10ppb
aldicarb	0.00 ppm	<10ppb
azoxystrobin	0.00 ppm	<10ppb
boscalid	0.00 ppm	<10ppb
carbaryl	0.00 ppm	<10ppb
carbofuran	0.00 ppm	<10ppb
chlorantraniliprole	0.00 ppm	<10ppb
chlorpyrifos	0.00 ppm	<10ppb
clofentezine	0.00 ppm	<10ppb
cypermethrin	0.00 ppm	<10ppb
diazinon	0.00 ppm	<10ppb
dichlorvos	0.00 ppm	<10ppb
dimethoate	0.00 ppm	<10ppb
etofenprox	0.00 ppm	<10ppb
fenpyroximate	0.00 ppm	<10ppb
fipronil	0.00 ppm	<10ppb
flonicamid	0.00 ppm	<10ppb
fludioxonil	0.00 ppm	<10ppb
hexythiazox	0.00 ppm	<10ppb
kresoxym-methyl	0.00 ppm	<10ppb
malathion	0.00 ppm	<10ppb
metalaxyl	0.00 ppm	<10ppb
methiocarb	0.00 ppm	<10ppb
methomyl	0.00 ppm	<10ppb
oxamyl	0.00 ppm	<10ppb
permethrins	0.00 ppm	<10ppb
phosmet	0.00 ppm	<10ppb
piperonyl butoxide	0.00 ppm	<10ppb
prallethrin	0.00 ppm	<10ppb
propiconazole	0.00 ppm	<10ppb
pyridaben	0.00 ppm	<10ppb
spiroxamine	0.00 ppm	<10ppb
tebuconazole	0.00 ppm	<10ppb
thiacloprid	0.00 ppm	<10ppb
thiamethoxam	0.00 ppm	<10ppb

Toxic Metals

	MT limit	0HE39	LOQ
arsenic	2 ppm	0.0 ppm	<10ppb
cadmium	0.8 ppm	0.0 ppm	<10ppb
lead	1.2 ppm	0.0 ppm	<10ppb
mercury	0.4 ppm	0.0 ppm	<10ppb

Microbial

microbial not tested

	MT limit	0HE39	LOQ
Aflatoxin B1,B2,G1,G2	20 ppb	0 ppb	<20 ppb
Ochratoxin A	20 ppb	0 ppb	<20 ppb

Comments

• All testing was completed onsite at 6073 US93N, Olney MT •• Potency (cannabinoid concentration) is calculated from the equation: [cannabinoid] = [cannabinoid]<sub>HPLC</sub> x volume<sub>dilution</sub> / m<sub>dry</sub>. Terpene concentration is calculated from the equation: [terpene] = (terpene mass)<sub>GCMS</sub> / m<sub>dry</sub>. ••• Decarboxyted cannabinoid concentration is calculated from the equation XXX<sub>total</sub> = 0.877 x XXX<sub>a</sub> + XXX •••• Standards are used to calibrate the resulting data and estimate error using a standard estimate of error method; this is combined with error from weighing and dilution using the propagation of error formula S<sub>y</sub><sup>2</sup> = Σ (∂f/∂i)<sup>2</sup> S<sub>i</sub><sup>2</sup> where i is the contributor to error. The 95% confidence range is calculated from the equation: (concentration) ± t<sub>CL90</sub> X S<sub>y</sub>. Sampling error is not

Certified by:

Kyle Larson, MSc (Biology)  
 Deputy Director  
 6073 US93N, Olney MT 59927  
 406-881-2019 rdb@stwlabs.com

Printed 8/16/2020 8:48 AM

CTLA ID: 21179  
 Date Received: 9/10/2020  
 Sample Name: ORG BS MCT Lemon 450 Formulation  
 Lot Number: 200909A  
 Customer:

Analysis	Method	MDL Specification	Result	Units
<b>Rapid Complete Micro</b>				
Total Plate Count	USP <2021>	100 Report	<100	cfu/g
Total Coliforms	BAM CH.4	10 Report	<10	cfu/g
<i>E. coli</i>	USP <2022>	Report	Negative	
<i>Salmonella</i>	USP <2022>	Report	Negative	
<i>Staphylococcus aureus</i>	USP <2022>	Report	Negative	
Rapid Yeast and Mold	AOAC 997.02	10 Report	<10	cfu/g

9/14/2020  
DATE



Quality Manager

Specifications provided by the Customer. Results with an asterisk (\*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.

CTLA ID: 21587  
 Date Received: 9/24/2020  
 Sample Name: Org BS MCT Lemon 450 Packaging  
 Lot Number: 200914G  
 Customer:

Analysis	Method	MDL Specification	Result	Units
<b>Rapid Complete Micro</b>				
Total Plate Count	USP <2021>	100 Report	<100	cfu/g
Total Coliforms	BAM CH.4	10 Report	<10	cfu/g
<i>E. coli</i>	USP <2022>	Report	Negative	
<i>Salmonella</i>	USP <2022>	Report	Negative	
<i>Staphylococcus aureus</i>	USP <2022>	Report	Negative	
Rapid Yeast and Mold	AOAC 997.02	10 Report	<10	cfu/g

TPC retested.

10/12/2020  
 DATE

  
 Quality Manager

Specifications provided by the Customer. Results with an asterisk (\*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.