


	Liquid 600	Liquid 700	Liquid 800	Liquid 900
Box length	735 mm	840 mm	935 mm	1035 mm
Box width	235 mm	235 mm	235 mm	235 mm
Box height	90 mm	90 mm	90 mm	90 mm
Weight per box (=complete package)	2,90 kg	3,10 kg	3,35 kg	3,65 kg
Weight per pallet incl. pallet	128 kg	138 kg	150 kg	164 kg
Number of sets per box	1	1	1	1
Number of boxes per pallet	40	40	40	40

PART	DESCRIPTION	CODE
------	-------------	------

01



## GRILLE LIQUID

**LIQUID 600** : L 690 mm x W 20 mm x H 10 mm

GRILLE LIQUID 600 <b>INOX</b> stainless steel 304	100653
GRILLE LIQUID 600 <b>BLACK</b> stainless steel 304 + epoxy coating	100663
GRILLE LIQUID 600 <b>WHITE</b> stainless steel 304 + epoxy coating	101663
GRILLE LIQUID 600 <b>CHAMPAGNE</b> stainless steel 304 + PVD coating	107663
GRILLE LIQUID 600 <b>GOLD</b> stainless steel 304 + PVD coating	102663
GRILLE LIQUID 600 <b>COPPER</b> stainless steel 304 + PVD coating	103663
GRILLE LIQUID 600 <b>BRONZE</b> stainless steel 304 + PVD coating	104663
GRILLE LIQUID 600 <b>SMOKE</b> stainless steel 304 + PVD coating	105663
GRILLE LIQUID 600 <b>TITANIUM</b> stainless steel 304 + PVD coating	106663

**LIQUID 700** : L 790 mm x W 20 mm x H 10 mm







GRILLE LIQUID 700 <b>INOX</b> stainless steel 304	100650
GRILLE LIQUID 700 <b>BLACK</b> stainless steel 304 + epoxy coating	100660
GRILLE LIQUID 700 <b>WHITE</b> stainless steel 304 + epoxy coating	101660
GRILLE LIQUID 700 <b>CHAMPAGNE</b> stainless steel 304 + PVD coating	107660
GRILLE LIQUID 700 <b>GOLD</b> stainless steel 304 + PVD coating	102660
GRILLE LIQUID 700 <b>COPPER</b> stainless steel 304 + PVD coating	103660
GRILLE LIQUID 700 <b>BRONZE</b> stainless steel 304 + PVD coating	104660
GRILLE LIQUID 700 <b>SMOKE</b> stainless steel 304 + PVD coating	105660
GRILLE LIQUID 700 <b>TITANIUM</b> stainless steel 304 + PVD coating	106660





**LIQUID 800** : L 890 mm x W 20 mm x H 10 mm





GRILLE LIQUID 800 <b>INOX</b> stainless steel 304	100651
GRILLE LIQUID 800 <b>BLACK</b> stainless steel 304 + epoxy coating	100661
GRILLE LIQUID 800 <b>WHITE</b> stainless steel 304 + epoxy coating	101661
GRILLE LIQUID 800 <b>CHAMPAGNE</b> stainless steel 304 + PVD coating	107661
GRILLE LIQUID 800 <b>GOLD</b> stainless steel 304 + PVD coating	102661
GRILLE LIQUID 800 <b>COPPER</b> stainless steel 304 + PVD coating	103661
GRILLE LIQUID 800 <b>BRONZE</b> stainless steel 304 + PVD coating	104661
GRILLE LIQUID 800 <b>SMOKE</b> stainless steel 304 + PVD coating	105661
GRILLE LIQUID 800 <b>TITANIUM</b> stainless steel 304 + PVD coating	106661

**LIQUID 900** : L 890 mm x W 20 mm x H 10 mm

GRILLE LIQUID 900 <b>INOX</b> stainless steel 304	100652
GRILLE LIQUID 900 <b>BLACK</b> stainless steel 304 + epoxy coating	100662
GRILLE LIQUID 900 <b>WHITE</b> stainless steel 304 + epoxy coating	101662
GRILLE LIQUID 900 <b>CHAMPAGNE</b> stainless steel 304 + PVD coating	107662
GRILLE LIQUID 900 <b>GOLD</b> stainless steel 304 + PVD coating	102662
GRILLE LIQUID 900 <b>COPPER</b> stainless steel 304 + PVD coating	103662
GRILLE LIQUID 900 <b>BRONZE</b> stainless steel 304 + PVD coating	104662
GRILLE LIQUID 900 <b>SMOKE</b> stainless steel 304 + PVD coating	105662
GRILLE LIQUID 900 <b>TITANIUM</b> stainless steel 304 + PVD coating	106662

PART	DESCRIPTION	CODE
<p>02</p> 	<p><b>BODY LIQUID</b></p> <p><b>Dimensions :</b> see later in this technical datasheet</p> <p><b>Material :</b> High Heat ABS + Solid Surface Kerrock</p> <p><b>General :</b> drainage system with patented "superflow" technology drainage capacity: see KIWA table max. water temperature = 90°C</p>	
<p>03</p> 	<p><b>SIFON / WATER LOCK LIQUID</b></p> <p><b>Material :</b> High Heat ABS + TPE drainage capacity: see KIWA table net water lock height = 30 mm not frost resistant</p>	100202
<p>04</p> 	<p><b>SLIDING SOCKET 40/50</b></p> <p><b>Material :</b> PP-Block Copolymere (PP-B) diameter from 40 mm to 50 mm rubber seal</p>	100028
<p>05</p> 	<p><b>MULTI-KEY LIQUID</b></p> <p><b>Material :</b> stainless steel 304 L 85 mm x W 30 mm x H 2 mm</p>	100208
<p>06</p> 	<p><b>ADJUSTING SCREW LIQUID</b></p> <p>set of 2 ABS adjusting screws M6 H 54 x D 20 mm</p>	100409
<p>07</p> 	<p><b>FEET LIQUID</b></p> <p>set of 4 ABS feet L 70 mm x W 33 mm x H 92 mm</p>	100140










# Carrodrain Liquid shower drain



	EN 1253-1	EN 274
	<p>This testing method requires a 100 cm drainage pipe and a 20mm water column above the drainage grate.</p> <p>20mm    100cm</p>	<p>This testing method requires a 30 cm drainage pipe and a 120mm water column above the drainage grate.</p> <p>120mm    30cm</p>
	<p><b>30,8 l/min.</b> =0,51l/sec.</p>	<p><b>53,3 l/min.</b> =0,89l/sec.</p>
	<p><b>28,3 l/min.</b> =0,47l/sec.</p>	<p><b>46,7 l/min.</b> =0,78l/sec.</p>

## FLOW CHART



January 2016  
Report no.